

TA7
W34
no. GL-94-39
c. 2

US Army Corps
of Engineers
Waterways Experiment
Station

Technical Report GL-94-39
November 1994

In Situ Shear Wave Measurements for Evaluating Dynamic Soil Properties at the Bannister Federal Complex, Kansas City, Missouri

by José L. Llopis, Thomas B. Kean II

WES

Approved For Public Release; Distribution Is Unlimited

Prepared for U.S. Department of Energy

31826405

TAF
W34
no. GL-94-39
C.2

Technical Report GL-94-39
November 1994

In Situ Shear Wave Measurements for Evaluating Dynamic Soil Properties at the Bannister Federal Complex, Kansas City, Missouri

by José L. Llopis, Thomas B. Kean II

U.S. Army Corps of Engineers
Waterways Experiment Station
3909 Halls Ferry Road
Vicksburg, MS 39180-6199

US-CE-C Property of the
United States Government

Final report


Approved for public release; distribution is unlimited

RESEARCH LIBRARY
US ARMY ENGINEER WATERWAYS
EXPERIMENT STATION
VICKSBURG, MISSISSIPPI

Prepared for U.S. Department of Energy, Kansas City Area Office
2000 East 95th Street, Kansas City, MO 64131-3095



**US Army Corps
of Engineers**
Waterways Experiment
Station



Waterways Experiment Station Cataloging-in-Publication Data

Llopis, José L.

In situ shear wave measurements for evaluating dynamic soil properties at the Bannister Federal Complex, Kansas City, Missouri / by José L. Llopis, Thomas B. Kean II ; prepared for U.S. Department of Energy, Kansas City Area Office.

271 p. : ill. ; 28 cm. -- (Technical report ; GL-94-39)

Includes bibliographic references.

1. Soil dynamics -- Missouri -- Kansas City. 2. Shear waves -- Measurement. 3. Soils -- Missouri -- Kansas City -- Testing. 4. Soil penetration test. I. Kean, Thomas B. II. United States. Army. Corps of Engineers. III. U.S. Army Engineer Waterways Experiment Station. IV. Geotechnical Laboratory (U.S.) V. United States. Dept. of Energy. Kansas City Area Office. VI. Title. VII. Series: Technical report (U.S. Army Engineer Waterways Experiment Station) ; GL-94-39.

TA7 W34 no.GL-94-39

Contents

Preface	iv
Conversion Factors, Non-SI to SI Units of Measurement	v
1-Introduction	1
2-Test Principles and Field Procedures	3
Crosshole S-wave tests	3
Soil sampling and testing	4
Seismic cone penetrometer tests	5
3-Test Results and Interpretation	7
Field and laboratory soils tests	7
Crosshole S-wave tests	10
Seismic cone penetrometer tests	11
4-Summary	12
References	14
Figures 1-27	
Appendix A: Survey Results	A1
Appendix B: Boring Logs	B1
Appendix C: Laboratory Soil Test Results	C1
Appendix D: Seismic Cone Penetrometer Test Results	D1

SF 298

Preface

A subsurface site investigation was conducted and supervised by personnel of the U.S. Army Engineer Waterways Experiment Station (WES), at the Bannister Federal Complex, Kansas City, Missouri, during the period 25 June to 1 July 1994. The work was funded under MIPR KC-94-114 dated 12 May 1994.

Mr. José L. Llopis of the Engineering Geophysics Branch (EGB), Earthquake Engineering and Geosciences Division (EEGD), Geotechnical Laboratory (GL), WES, was the project engineer. The crosshole S-wave velocity field investigation was performed by Messrs. José L. Llopis and Thomas B. Kean II, EGB. The S-wave crosshole test borings were installed by personnel of the U.S. Army Engineer District, Kansas City, (CEMRK) during 23 May to 1 June 1994. Crosshole borings and seismic cone penetrometer test (SCPT) push locations were surveyed by CEMRK personnel. Mr. Steve Jirousek was the CEMRK project geologist. The SCPT's were performed by Mr. Spencer A. Vandehey, Vandehey Soil Exploration, Banks, Oregon. Messrs. Raymond Meis and Mark Drury were the U.S. Department of Energy, Kansas City Area Office, and Allied-Signal Aerospace Corporation project managers, respectively.

The work was performed under the direct supervision of Mr. Joseph R. Curro, Jr., Chief, EGB, and under the general supervision of Drs. A. G. Franklin, Chief, EEGD, and William F. Marcuson III, Chief, GL.

At the time of publication of this report, Director of WES was Dr. Robert W. Whalin. Commander was COL Bruce K. Howard, EN.

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official endorsement or approval of the use of such commercial products.

Conversion Factors, Non-SI to SI Units of Measurement

Non-Si units of measurement used in this report can be converted to SI units as follows:

Multiply	By	To Obtain
degrees (angle)	0.01745329	radians
feet	0.3048	meters
feet per second	0.3048	meters per second
gallons	3.785412	cubic decimeters
inches	2.54	centimeters
inches per second	2.54	centimeters per second
miles (US statute)	1.609347	kilometers
pounds (force)	4.448222	newtons
tons per square foot	95.76052	kilopascals

1 Introduction

Current computerized seismic wave propagation analysis procedures for building foundations require that values of shear-wave (S-wave) propagation velocities as a function of depth be determined. The S-wave velocities are used in conjunction with conventional field sampling and laboratory testing to provide soil property information for a dynamic analysis of buildings and their foundations.

The Bannister Federal Complex (BFC) is located in southern Kansas City, MO, at 2000 East 95th Street, as shown in Figure 1. The BFC is a Federal facility that consists chiefly of one large main building along with an assemblage of smaller surrounding structures. The main building has approximate dimensions of 900 by 1600 ft and is occupied by the U.S. General Services Administration (GSA), the U.S. Marine Corps, and the U.S. Department of Energy (DOE). The DOE administers a manufacturing facility in the eastern portion of the main building which is operated, under contract, by the Allied-Signal Aerospace Corporation.

The DOE concerns about the potential damaging effects on manufacturing facilities and processes by seismic loadings has prompted a dynamic analysis to be initiated. At the request of the DOE the U.S. Army Engineer Waterways Experiment Station (WES) conducted a subsurface site investigation to characterize in situ S-wave velocities and other physical properties related to the foundation in the vicinity of the main building at the BFC. The information acquired from this investigation will be used in a dynamic analysis to determine the effects of seismic loadings on the main building and to aid in designing any needed structural modifications.

The WES/DOE finalized test program consisted of crosshole S-wave, seismic cone penetrometer testing (SCPT), and laboratory soil analysis which would provide the data necessary to complete an analysis of the building's response to earthquake loadings. The location of the crosshole sets and SCPT pushes are shown in Figure 2. The crosshole and SCPT push locations shown in Figure 2 are approximate locations. The surveyed crosshole and SCPT push coordinates and elevations are given in Appendix A.

The BFC is located on flood plain deposits of Indian Creek which flows easterly south of the plant. This creek joins the Blue River southeast of the plant with the resulting flow bordering the east property line. Previous studies have indicated that the site is underlain by approximately 40 ft of clay alluvium and which is also underlain by a basal clay-gravel layer. Underlying the clay-gravel layer is a shaly bedrock of the Pleasonton Group. The site is predominantly level with the exception being the bluff line on the northern portion of the site.

2 Test Principles and Procedures

Crosshole S-wave tests

The purpose of running crosshole tests was to determine horizontal S-wave velocities as a function of depth. An advantage of the crosshole test as opposed to surface seismic refraction test is its ability to detect low velocity layers underlying or sandwiched between layers of higher velocity. One shortcoming of the crosshole method is that boreholes are required for testing. Thus, crosshole seismic tests are more costly than a surface seismic refraction test. However, the crosshole technique is considered to be more definitive and accurate than the surface seismic refraction test for measuring S-wave velocities. Basically, the testing consists of measuring the arrival time of an S-wave that has traveled from a source in one borehole to a detector in another borehole(s) at the same elevation. This procedure is then repeated for the next test elevation. Knowing the distance between borings and the time the S-waves take to travel across this distance the velocity can be computed (distance divided by time).

Two crosshole sets were used for crosshole testing and their locations are shown in Figure 2. Each crosshole set consisted of three in-line borings spaced approximately 10 ft apart. Borings D-40, D-41, and D-42 which were used for the crosshole set located in the northeast parking lot were drilled to depths of approximately 52 ft, whereas borings D-43, D-44, and D-45 used for the crosshole set in the southeastern parking lot were drilled to approximate depths of 57 ft. The borings were designed to penetrate approximately 10 ft of bedrock. The crosshole borings, with a diameter of 6.25 in., were cased with a 4-in. inside diameter (ID) Schedule 40 polyvinyl chloride (PVC) casing and the bottom capped. The annular space between the casing and the walls of the boring were grouted with a material that approximated the density of the surrounding in situ material. In this case, a mixture obtained by mixing 10 lbs. of bentonite and 10 lbs. of portland cement to approximately 7.5 gal. of water was used. The cap at the bottom of the boring consisted of a one-way valve that was fitted for a tremie pipe attachment. The tremie pipe was placed through the inside of the casing and attached to the bottom check valve. Grouting was carried out in one continuous operation by pumping grout through the tremie pipe, filling the

annular space between the drilled hole and the casing, from the bottom of the borehole to the surface.

Borehole deviation (drift) surveys were conducted to determine the precise vertical alignment of each boring. Figure 3 shows the deviation probe and instrumentation used to conduct the borehole deviation surveys. The incremental borehole deviation for each elevation along with the total deviation for the boring are indicated on the control panel. Accurate reduction of data from the crosshole tests requires knowledge of the drift of each boring so that a straight-line distance between borings at each test depth can be established.

S-wave velocity measurements were obtained by placing an S-wave source in the center hole (source hole) of each crosshole set and detectors, at the same elevation, in the two outer boreholes (receiver holes). The detectors consisted of a triaxial array of geophones, or velocity transducers, (two mounted horizontally at 90 deg. to each other, and one vertically oriented) in one container. The container housing the geophones was clamped firmly to the casing wall by means of an expanding pneumatic piston. A downhole vibrator was used as a source of vertically polarized S-waves. The S-wave testing procedure consisted of lowering the vibrator in the borehole to a selected test elevation and clamping the vibrator firmly to the sidewalls of casing also with an expanding pneumatic piston. When the vibrator was in position, the operator tested a range of frequencies (50 to 250 Hz) and selected one that propagated well (one with a high amplitude) through the transmitting medium. The time required for the S-wave to travel from source to receiver hole was recorded using a portable, 24-channel seismograph with data-enhancement capability. This procedure was repeated at 5-ft depth intervals from a depth of 5 ft to the bottom of the borehole. Figure 4 illustrates the crosshole S-wave technique. An analysis of the crosshole data obtained at each test elevation was made with the aid of the computer program CROSSHOLE developed at WES (Butler, Skoglund and Landers 1978). Further information regarding geophysical testing and interpretation procedures used in this study is given in Engineer Manual EM 110-1-1802 (Department of the Army 1979).

Soil sampling and testing

Standard penetration tests (SPT's) were conducted at 5 ft intervals in borings D-40 and D-43, the center borings of the northeast and southeast parking lot crosshole sets, respectively. The SPT blow counts, or N-value, can be used to relate engineering behavior of soils to widely published correlations. The SPT's were conducted in strict compliance to ASTM Designation: D 1586-84. For this investigation refusal was defined as 50 blows per foot.

Soil samples were collected from borings D-40 and D-43 at 5-ft. intervals. The samples were placed in jars, sealed and sent to the U.S. Army Engineer

Missouri River Division Laboratory for further visual examination and classification. Soil tests included grain-size distribution, natural water content, Atterberg limits, and soil classification according to the Unified Soil Classification System (USCS) for each soil sample. Laboratory testing was performed between 12 and 14 July 1994. The laboratory tests were performed in accordance to procedures described in Engineer Manual EM 1110-2-1906 (Department of the Army 1970).

Field logs of each boring were prepared by the drill crew. The logs include visual classifications of the materials encountered during drilling as well as the driller's interpretation of the subsurface conditions between samples. Also recorded on the logs are the SPT blow counts and soil sample locations.

Seismic cone penetrometer test

The cone penetrometer test (CPT) was originally developed in Europe as a rapid and cost-effective means of determining soil stratigraphy and soil strength parameters. It is now used extensively for off-shore and on-shore geotechnical applications. The cone used for this investigation, besides having the capability to determine soil stratigraphy and soil strength parameters also allowed S-wave velocity measurements to be made.

The SCPT used for this investigation utilized a drill-rig-mounted hydraulically-powered push apparatus, to force the instrumented cone penetrometer into the soil media. The electric cone had a 60° cone tip with a 1.4-in. diameter, and included two load cells to simultaneously measure tip penetration resistance and skin, or sleeve, friction as the cone was advanced. The cone penetrometer was pushed at a rate of approximately 0.79 in/sec. Steel rods, 3.28 ft long, were used to push the cone penetrometer into the soil. Tip resistance, sleeve friction, and cone inclination measurements were taken at 0.33-ft. depth increments. A cable prethreaded through the center of the hollow push rods, connected the cone to the data acquisition system at the ground surface. Each SCPT was pushed to refusal. Because of the soil's lack of lateral support on the cone rods and concern over bending the rods refusal was arbitrarily set to a tip resistance value in excess of 100 to 125 Tsf. These measurements provide a continuous record of soil resistance to penetration which can be used to characterize the soil media in detail. The cone data can be interpreted to give a good continuous prediction of soil type and shear strength (Robertson and Campanella 1983). Full details of the design of an electronic cone are given by Campanella and Robertson, 1981.

Also embedded into the cone body is a small horizontally oriented geophone which allows S-wave velocity measurements to be taken. The downhole S-wave test was conducted by pushing the cone at an approximate rate of 0.79 in/sec to a depth of 4.59 ft and stopping further advancement. A horizontally polarized S-wave was then generated on the ground surface by striking the end of a steel beam, that was weighted down by the rear drill-rig levelling pads, with a switched sledgehammer. The geophone in the cone

body was positioned so that its axis was oriented parallel to the long axis of the steel beam (signal source) in order to detect the horizontal component of the shear wave arrival. The time the S-wave took to travel from the ground surface to the cone was measured and recorded. The cone was then pushed 3.28 ft. using the previous push rate, stopped and another S-wave measurement taken. This procedure was repeated at 3.28-ft intervals until refusal was encountered. The downhole S-wave technique is illustrated in Figure 5.

The S-wave arrival times for each test increment were plotted versus distance from the S-wave source (slant distance) as shown in Figure 6. Best fit straight line segments were then drawn through the plotted points. The slopes of the line segments correspond to the S-wave velocity for that particular depth range.

The cone was pushed at thirteen locations around the facility and their approximate locations are shown in Figure 2. The surveyed SCPT push locations and elevations are given in Appendix A. The SCPT push locations were selected to provide representative S-wave and stratigraphic information of the site. SCPT push locations 1 and 5 were located adjacent to the crosshole sets in the northeast and southeast lots, respectively. The purpose for these two pushes was to compare the downhole and crosshole derived S-wave velocities.

The SCPT is used to determine the velocity of horizontally polarized S-waves propagating vertically through the soil whereas, the crosshole test is used to determine the velocity of vertically polarized S-waves propagating horizontally through the soil. The combined use of these two methods may be used to determine the presence of possible velocity anisotropy. Velocity anisotropy many times can be measured in materials where the S-wave signal has to cross discontinuities such as bedding and fracture planes. For example consider a material that contains numerous beds whose thicknesses are thin relative to the distance between crosshole borings. In this case it would be expected that the downhole-measured S-wave velocities would be less than those measured using the crosshole method.

3 Test Results and Interpretation

Field and laboratory soils tests

The logs of the six boreholes drilled for the two crosshole tests are presented in Appendix B. The logs for the northeast parking lot, borings D-40, D-41, and D-42, show very similar results and indicate a silty lean clay from the near surface to a depth of approximately of 40 ft where a basal clay-gravel layer approximately 1 to 5 ft thick is encountered. The basal clay-gravel layer consists of fine to coarse, semi-rounded to angular limestone gravel in a clay matrix. Beneath the clay gravel at an average depth of 42 ft is the Pleasonton Group bedrock. The bedrock as described in the boring logs is soft to moderately hard shaly siltstone with a greenish-gray to light brown color.

The logs for the southeast parking lot (borings D-43, D-44, and D-45) indicate the same general stratigraphy as that recorded for the northeast lot with the exception being that the basal clay gravel layer and top of bedrock were encountered at approximate depths of 44 and 46 ft, respectively.

The boring logs indicate that in general, the N-values for the silty clays encountered at a depth of 5 ft had values ranging between 15 and 17 blows/ft and decreased to values ranging between 4 and 8 blows/ft below a depth of 10 ft. One anomalously high N-value of 18 blows/ft at a depth of 30 ft in boring D-40 is noted.

Summary tables of the soil laboratory analysis results for the northeast and southeast parking lots are given in Tables 1 and 2, respectively. Detailed laboratory results including grain size curves are presented in Appendix C. Most of the soil samples tested were classified either as a lean or sandy clay, CL, according to the USCS. Samples S-1 and S-6, obtained from boring D-40 (northeast lot), were classified as fat clay, CH, while sample S-8 was visually classified as clayey sandy gravel.

Table 1
Summary of Laboratory Soils Testing - Boring D-40 - Northeast Parking Lot

Sample	Depth, ft	Nat W%	LL	PL	PI	I_L	% Retained on #200 Sieve	% Passing #200 Sieve	* Blow Count	Classification
S-1	5.0-6.5	25.0	54	16	38	0.24	6.6	93.4	17	Very dark gray fat clay, CH
S-2	10.0-10.9	31.5	48	16	32	0.48	7.2	92.8	4	Dark gray and dark brown sandy clay, CL
S-3	15.0-16.5	29.0	43	18	25	0.44	8.2	91.8	8	Dark brown sandy clay, CL
S-4	20.0-21.5	30.6	39	15	24	0.65	7.8	92.2	4	Very dark gray lean clay, CL
S-5	25.0-26.4	31.5	40	18	22	0.61	7.7	92.3	5	Very dark gray lean clay, CL
S-6	30.0-31.5	26.6	53	19	34	0.22	5.8	94.2	18	Mottled gray and rust fat clay with some sand, CH
S-7	35.0-36.5	24.6	41	16	25	0.34	25.5	74.5	8	Mottled gray and rust sandy clay, CL
S-8	40.0-40.3		30	15	15					Dark brown clayey sandy gravel Note: Specimen too small for 4-point Atterberg.

LL - Liquid Limit
 PL - Plastic Limit
 PI - Plasticity Index
 I_L - Liquidity Index

*Note: Field measured blow counts

Sample	Depth, ft	Nat W%	LL	PL	PI	I_L	% Retained on #200 Sieve	% Passing #200 Sieve	* Blow Count	Classification
S-1	5.0-6.5	26.0	45	17	28	0.32	7.3	92.7	15	Dark brown lean clay, CL
S-2	10.0-11.5	26.8	38	17	21	0.47	7.2	92.8	7	Dark brown lean clay, CL
S-3	15.0-16.5	26.7	38	17	21	0.46	5.9	94.1	5	Dark brown lean clay, CL
S-4	20.0-21.5	27.2	35	16	19	0.59	5.7	94.3	4	Dark brown lean clay, CL
S-5	25.0-26.3	32.3	42	18	24	0.60	4.7	95.3	5	Dark brown sandy clay, CL
S-6	30.0-31.5	34.9	42	17	25	0.72	4.2	95.8	4	Very dark gray lean clay, CL
S-7	35.0-36.3	28.5	46	17	29	0.40	8.0	92.0	5	Very dark gray lean clay, CL
S-8	40.0-41.5	30.4	41	16	25	0.58	8.2	91.8	7	Very dark gray lean clay, CL
S-9	45.0-45.4		33	16	17				50	Dark brown gravelly sandy clay, CL Note: Specimen too small for needed sieve analysis. Visual classification with atterberg limits.
S-10	?		26	13	13					Gray highly weathered shale. Lean clay, CL

LL - Liquid Limit
 PL - Plastic Limit
 PI - Plasticity Index
 I_L - Liquidity Index

*Note: Field measured blow counts

Crosshole S-wave tests

The plotted results from program CROSSHOLE for the S-wave tests conducted in the crosshole sets located in the northeast and southeast parking lots are presented in Figures 7 and 8, respectively. The S-wave velocities and depth to interfaces agree very well for the two S-wave tests conducted in the northeast parking lot boring set. The velocities for the materials between depths of 5 and 37 ft ranged between approximately 400 and 725 fps and correspond to the clay soils. Between approximate depths of 37 and 41 ft a velocity of 1900 fps is indicated. This velocity corresponds to the depth at which a clay gravel material is indicated in the boring logs however, because of the likelihood of a refracted arrival caused by the proximity of the bedrock surface, it is likely that this velocity corresponds to a signal travelling both through bedrock and the clay gravel. The bedrock in this area had a velocity of approximately 2050 fps.

The velocities for the clay materials found between depths of 5 and 44 ft in the southeast parking lot borings ranged between approximately 500 and 725 fps. Bedrock in this area had a velocity of approximately 1750 fps which is approximately 300 fps slower than the bedrock velocity measured at the northeast parking lot. The 1750 fps bedrock velocity measured at the southeast lot may correspond to perhaps a softer or slightly more weathered bedrock than found at the northeast lot.

The S-wave data for both crosshole sets is presented in Figure 9. The figure illustrates the close velocity agreement of the clayey materials between both crosshole sets. The figure also indicates that the depth to bedrock was approximately 7 ft greater in the southeast boring set than in the northeast set. An S-wave velocity profile for the alluvium and bedrock was constructed based on the crosshole results and is presented in Table 3.

Depth Range, ft	Average S-wave Velocity, fps	Material
5 to 12	475	Clay - Alluvium
12 to 21	600	Clay - Alluvium
21 to (37-46) bedrock	700	Clay - Alluvium
(37-46) to ?	1900	Shaly Siltstone - Bedrock

Seismic cone penetrometer tests

Complete SCPT results which include, for each push, separate plots of tip resistance, sleeve friction, friction ratio, cone inclination, and predicted N-value versus depth are presented in Appendix D. Also, presented for each push, are tabulated values of tip resistance, sleeve friction, friction ratio, cone inclination, and the interpreted soil type for each 3.94-in. push interval. The interpreted equivalent N-values and soil classifications were derived from the interactive computer program CPTINTR1 (Greig 1986). The interpretation methods used in CPTINTR1 for estimating equivalent N-values and the soil type are given in Robertson et al. 1983 and Robertson and Campanella 1983.

The plots of tip resistance versus depth commonly show values of less than 10 Tsf throughout the push with the exception of the upper 5 to 7 ft which at times have values in excess of 100 Tsf. Some of the pushes also indicated zones, some as thick as 5 ft, exhibiting higher tip resistance values between depths of 15 and 30 ft.

The sleeve friction versus depth plots basically exhibited the same pattern as the tip resistance plots. Recorded friction values generally showed values less than 0.25 Tsf for the majority of the push. Most of the pushes indicated higher sleeve friction values in upper 5 to 7 ft. Also, as was the case with the tip resistance plots, the sleeve friction plots also indicated zones with higher friction values between depths of 15 and 30 ft.

The plot of equivalent N-values versus depth also indicated fairly consistent values of less than 10 blows/ft throughout the SCPT push. These values agree very well with the SPT values obtained in the two crosshole borings. Again, as was previously displayed in the tip resistance and friction plots, some of the SCPT pushes exhibited higher N-values for the near surface soils and for zones, up to approximately 5 ft thick, between depths of 15 and 30 ft.

The downhole S-wave results, displayed as arrival time versus slant distance, for SCPT pushes 1 through 13 are presented in Figures 10 through 22, respectively. The interpreted downhole S-wave velocity profiles for the SCPT pushes along the east, south, west, and north side of the main building are presented in Figures 23 through 26, respectively. Each figure shows the velocity profiles corresponding to pushes collected along each side of the building. The velocities for the clay materials range between 350 and 775 fps. Two of the pushes, P-8 and P-11, appear to have partially penetrated the clay-gravel layer and the velocity for this layer is approximately 1100 fps.

Figure 27 shows a comparison of the downhole and crosshole S-wave velocities for the northeast and southeast parking lots. The results of the downhole S-waves obtained near the location of the crosshole borings agree very well with the crosshole S-waves. No evidence of any velocity anisotropy was observed i.e., vertically and horizontally propagating S-waves had similar velocities.

4 Summary

This report documents the results of an in situ geophysical investigation conducted in the vicinity of the main building at the Bannister Federal Complex, Kansas City, MO. The purpose of the investigation was to determine the soil and bedrock S-wave velocities of the site. The S-wave values will be used to perform a dynamic analysis of the main building and its foundation.

Laboratory tests on soil samples taken from crosshole borings indicated that the alluvial material across the site is basically a lean clay and according to the USCS a CL. Underlying the clay is a basal clay-gravel layer consisting of fine to coarse, semi-rounded to angular limestone gravel in a clay matrix. The bedrock belongs to the Pleasonton Group and is encountered at an approximate depth of 40 ft. The bedrock is described in the boring logs as a soft to moderately hard shaly siltstone with a greenish-gray to light brown color.

The SCPT was used to collect S-wave velocities, tip resistance and sleeve friction measurements at 13 locations around the main building. Tip resistance and sleeve friction measurements were used to make soil classification and N-values interpretations. The SCPT results indicated the presence of approximately 5-ft thick zones, between depths of 15 and 30 ft that showed slightly higher tip resistance and sleeve friction values. SCPT S-wave results in the alluvium indicated values which increased with depth, ranging between 350 and 775 fps. Two of the pushes, P-8 and P-11, appear to have partially penetrated the clay-gravel layer and the velocity for this layer is approximately 1100 fps.

Averaged crosshole S-wave results indicate values ranging between 475 and 700 fps for the clay materials. The S-wave velocities showed an increase with depth. The average S-wave velocity for the shaly siltstone (bedrock) was 1900 fps.

There was very good agreement between the S-wave results obtained from the SCPT and crosshole tests. Based on these results, if further S-wave measurements of the alluvial materials are needed it is recommended that they be collected using the SCPT. For the alluvial soils found at this site, S-waves

can be collected more economically using the SCPT rather than the crosshole method. However, if further rock velocities are needed it is recommended they be measured using the crosshole method.

References

- ASTM Designation: D1586-84 (1984). "Standard method for penetration test and split-barrel sampling of soils," 1991 Annual Book of ASTM Standards, 04.08.
- Butler, D.K., Skoglund, G.R., and Landers, G.B. (1978). "CROSSHOLE: An interpretive computer code for crosshole seismic test results, documentation, and examples," Miscellaneous Paper S-78-8, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Campanella, R.G. and Robertson, P.K. (1981). "Applied cone research," *Symposium on cone penetration testing and experience*. Geotechnical Eng. Div., ASCE, New York, 343-362
- Department of the Army (1970). "Laboratory soils testing," Engineer Manual EM 1110-2-1906, Office of the Chief of Engineers, Washington, D.C.
- Department of the Army (1979). "Geophysical exploration," Engineer Manual EM 1110-1-1802, Office of the Chief of Engineers, Washington, D.C.
- Greig, J. (1986). "CPTINTR1 version 3.04 - Cone penetration test data interpretation routine. Program instruction manual," Civil Engineering Dept., The University of British Columbia, Vancouver, B.C., Canada.
- Robertson, P.K. and Campanella, R.G. (1983). "Interpretation of cone penetration tests; Part I and II," *Canadian Geotechnical Journal*, 20(4), 718-745.
- Robertson, P.K., Campanella, R.G., and Wightman, A. (1983). "SPT - CPT correlations," *Journal of the Geotechnical Eng. Div.*, ASCE, 109(11).




Figure 1. Locality map




Figure 2. SCPT and crosshole boring locations



a. Deviation probe being lowered into boring



b. Surface control unit and winch

Figure 3. Borehole deviation tool




Figure 4. Crosshole S-wave testing setup




Figure 5. SCPT S-wave setup

File: SCPT3




Figure 6. SCPT S-wave velocity determination




Figure 7. Crosshole S-wave results, northeast parking lot




Figure 8. Crosshole S-wave results, southeast parking lot




Figure 9. Superimposed crosshole S-wave results




Figure 10. SCPT P-1 S-wave results




Figure 11. SCPT P-2 S-wave results




Figure 12. SCPT P-3 S-wave results




Figure 13. SCPT P-4 S-wave results




Figure 14. SCPT P-5 S-wave results




Figure 15. SCPT P-6 S-wave results




Figure 16. SCPT P-7 S-wave results




Figure 17. SCPT P-8 S-wave results




Figure 18. SCPT P-9 S-wave results




Figure 19. SCPT P-10 S-wave results




Figure 20. SCPT P-11 S-wave results




Figure 21. SCPT P-12 S-wave results




Figure 22. SCPT P-13 S-wave results




Figure 23. SCPT S-wave results, east side of main building




Figure 24. SCPT S-wave results, south side of main building




Figure 25. SCPT S-wave results, west side of main building




Figure 26. SCPT S-wave results, north side of main building




Figure 27. Crosshole and SCPT S-wave velocity profile comparisons

Appendix A

Survey Results

S-wave Crosshole Borings and SCPT Push Coordinates and Elevations			
Northing	Easting	Elevation, ft	Description
1017812.34	2769663.61	798.74	Boring D-41
1017802.89	2769666.03	798.79	Boring D-40
1017792.91	2769667.71	798.84	Boring D-42
1017806.83	2769661.52	798.69	SCPT 1
1017184.82	2769385.27	797.09	SCPT 2
1016673.20	2769489.31	796.89	SCPT 3
1016207.41	2769567.16	796.82	SCPT 4
1015560.94	2769876.10	800.64	Boring D-45
1015563.01	2769885.64	800.75	Boring D-43
1015565.58	2769895.69	800.85	Boring D-44
1015566.53	2769887.41	800.79	SCPT 5
1015710.58	2769177.31	799.59	SCPT 6
1015644.80	2768644.24	799.69	SCPT 7
1015472.91	2767847.79	799.98	SCPT 8
1015937.87	2767368.18	797.64	SCPT 9
1016386.73	2767271.46	796.62	SCPT 10
1016634.91	2767361.29	798.07	SCPT 11
1016834.36	2768356.42	797.59	SCPT 12
1017111.23	2768673.77	799.16	SCPT 13

Note: Northings and Eastings based on points #3 and #4 as shown on map by George Butler and Associates, DWG. #17810-V1 dated 2/1/93 and provided by Mr. Mark Drury, Allied-Signal Corporation. Elevations based on data stamped on brass caps.

Appendix B Boring Logs

Appendix B
Boring Logs

Boring D-41


Northeast Parking Lot

Hole No. NS-41

DRILLING LOG		DIVISION MSD	INSTALLATION KCD	SHEET 1 OF 7 SHEETS
1. PROJECT Parrish Federal Complex Seismic		10. SIZE AND TYPE OF BIT 9" Hollow Stem Auger / 6 1/4" Rock Bit		
2. LOCATION (Coordinates or Station) See Sketch		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MSL		
3. DRILLING AGENCY Corp of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500		
4. HOLE NO. (As shown on drawing title and file number) NS-41		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED -0-	UNDISTURBED -0-
5. NAME OF DRILLER M. Cowley		14. TOTAL NUMBER CORE BOXES -0-		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER Not Determined		
7. THICKNESS OF OVERBURDEN 43.3		16. DATE HOLE STARTED 5-26-94 COMPLETED 5-27-94		
8. DEPTH DRILLED INTO ROCK 42-10.7		17. ELEVATION TOP OF HOLE NA		
9. TOTAL DEPTH OF HOLE 54.0		18. TOTAL CORE RECOVERY FOR BORING -		
		19. SIGNATURE OF INSPECTOR C. Alvarado		

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
a	b	c	d	e	f	g
			ASPHALT 0.3'			9" Hollow Stem Augers Log from cuttings
			CRUSHED STONE (road base) Limestone (2" max. Dia.) Top of Natural Ground			Place 2.6' 8" SCF-40 PVC Surface Casing Fill annulus w/ Betonite and cold-patch asphalt
	1		SILTY LEAN CLAY STIFF MOIST VERY DARK BROWN/BLACK high silt content	D-2.6 R-0.0		
	2				2.6	2.6
	3					6 1/4" Rock Bit 3 1/2" Drill Rods Drill Fluids: Betonite muds 150 gal. H2O 50 lbs. Betonite
	4		SILTY LEAN CLAY STIFF MOIST GRAYISH BROWN			Viscosity: 33 sec/gt. Log from Cuttings Gravity Feed
	5					
	6					
	7					
	8					
	9		SILTY LEAN CLAY STIFF MOIST BROWNISH GRAY Gray mottling			

Hole No. 15-41

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 7 SHEETS		
1. PROJECT Bannister Federal Complex Seismic			10. SIZE AND TYPE OF BIT			
2. LOCATION (Coordinates or Station)			11. DATUM FOR ELEVATION SHOW (TBM or BGL)			
3. DRILLING AGENCY			12. MANUFACTURER'S DESIGNATION OF DRILL			
4. HOLE NO. (As shown on drawing title and file number)		15-41		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		
5. NAME OF DRILLER			DISTURBED		UNDISTURBED	
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.			14. TOTAL NUMBER CORE BOXES			
7. THICKNESS OF OVERBURDEN			15. ELEVATION GROUND WATER			
8. DEPTH DRILLED INTO ROCK			16. DATE HOLE		STARTED	
9. TOTAL DEPTH OF HOLE			17. ELEVATION TOP OF HOLE		COMPLETED	
			18. TOTAL CORE RECOVERY FOR BORING			
			19. SIGNATURE OF INSPECTOR			
						
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
a	b	c	d	e	f	g
	11		(Same as above) SILTY LEAN CLAY moist STIFF/MEDIUM BROWNISH GRAY gray mottling Sand-size grit (medium)			6 1/4" Rock Bit (Carb) Gravity feed Log from Cuttings Rapid Rotation Fast Advance
	12					
	13					
	14					
	15					
	16					
	17					
	18					
	19					Add 10 gal. H ₂ O to sump. Viscosity 33.5 sec./qt.

DRILLING LOG		DIVISION	INSTALLATION	SHEET 3 OF 7 SHEETS
1. PROJECT Bannister Federal Complex Sewer		10. SIZE AND TYPE OF BIT		
2. LOCATION (Coordinates or Station)		11. DATUM FOR ELEVATION SHOW (TBM or BSL)		
3. DRILLING AGENCY		12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and site number) NS-41		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED	UNDISTURBED
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE	STARTED	COMPLETED
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING		
		19. SIGNATURE OF INSPECTOR <i>[Signature]</i>		

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
a	b	c	d	e	f	g
			(Same as above) SILTY LEAN CLAY STIFF MOIST BROWNISH GRAY gray mottling			6 1/4" Rock Bit (cont'd) Gravity Feed Dog from cuttings
21			SILTY LEAN CLAY MOIST MEDIUM DARK BROWNISH GRAY gray mottling sand-size grit (medium)			rapid rotation rapid advance use buckets - 25'
22						
23						
24						use bucket
25						↑
26						
27			27.0' SILTY LEAN CLAY MOIST MEDIUM BLUISH GRAY sand-size grit (medium fine) small gravel-size particles			
28						
29						
30						

Hole No. 15-41

DRILLING LOG		DIVISION	INSTALLATION	SHEET 4 OF 7 SHEETS
1. PROJECT Bannister Federal Complex Seismic		10. SIZE AND TYPE OF BIT		
2. LOCATION (Coordinates or Station)		11. DATUM FOR ELEVATION SHOWN (TBM or BSL)		
3. DRILLING AGENCY		12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and site number) 15-41		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED	UNDISTURBED
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE	STARTED	COMPLETED
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING		
		19. SIGNATURE OF INSPECTOR <i>[Signature]</i>		


ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	31		(same as above) SILTY LEAN CLAY moist MEDIUM BLUISH GRAY sand - size grit small gravel-size particles			6 1/4" Rock Bit Gravity Feed Log from Cuttings Rapid Rotation Quick Advance
	32					Add 10 gal. H ₂ O - to Sump.
	33		Silty lean clay moist MEDIUM LIGHT GRAYISH BROWN high silt content			Large cuttings coming up boring. + 2" dia
	34					
	35					
	36					
	37					
	38					
	39		CLAY GRAVEL MEDIUM SATURATED YELLOWISH BROWN fine to coarse gravel 30-40% clay limestone gravel angular			add 10 gal. to Sump.
	40					

Hole No. NS-41

DRILLING LOG		DIVISION	INSTALLATION		SHEET 5 OF 7 SHEETS	
1. PROJECT Bannister Federal Complex System			10. SIZE AND TYPE OF BIT			
2. LOCATION (Coordinates or Station)			11. DATUM FOR ELEVATION SHOWN (TBM or MSL)			
3. DRILLING AGENCY			12. MANUFACTURER'S DESIGNATION OF DRILL			
4. HOLE NO. (As shown on drawing title and site number) NS-41			13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER			14. TOTAL NUMBER CORE BOXES			
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.			15. ELEVATION GROUND WATER			
7. THICKNESS OF OVERBURDEN 43.3			16. DATE HOLE		STARTED COMPLETED	
8. DEPTH DRILLED INTO ROCK 10.7			17. ELEVATION TOP OF HOLE			
9. TOTAL DEPTH OF HOLE 54.0			18. TOTAL CORE RECOVERY FOR BORING			
			19. SIGNATURE OF INSPECTOR <i>[Signature]</i>			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	41		(same as above) CLAY GRAUCL MEDIUM SATURATED YELLOWISH BROWN fine to coarse gravel with 30% - 40% clay limestone gravel angular 41.6			6 1/4" Rock Bit Gravity feed Log from Cuttings Rig Chatter →
	42		GRAUCL DENSE SATURATED BROWN fine to coarse gravel angular to rounded (limestone) +/- 10% clay			Add 15 gal. to sump. top of bedrock approx. 43.3 ft. drillations cuttings
	43		TOP OF BEDROCK 43.3			END DAY 5/26/94
	44		PLEASANTON GROUP SHALY SILTSTONE SOFT/MODERATELY HARD PARTING/BANDS VERY FINE GRAINED LIGHT GREENISH GRAY occasional fine sand < 10% micaceous siltstone w/ 10-20% shale			Begin Day 5-27-94 6 1/4" Rockbit Velocity 34 cc/ft pull down pressure 150 psi slow rotation slow advance rate 3 min/ft rig chatter →
	45					
	46					
	47					
	48					
	49					
	50					


DRILLING LOG		DIVISION	INSTALLATION	SHEET C
1. PROJECT Pleasanton Feed Complex		10. SIZE AND TYPE OF BIT		OF 7 SHEETS
2. LOCATION (Coordinates or Station)		11. DATUM FOR ELEVATION (ROWN (TBM or BSL))		
3. DRILLING AGENCY		12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and file number) NS-41		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE STARTED		COMPLETED
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING		%
		19. SIGNATURE OF INSPECTOR C. P. ...		

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
50			(SAME AS ABOVE) PLEASANTON GROUP SHALY SILTSTONE SOFT MODERATELY HARD PARTIAL BANDING VERY FINE GRAINED LIGHT GREENISH GRAY occ. fine sand < 10% micaceous Siltstone w/ 10-20% chert			6 1/2" bit (cont) pull-down pressure 150 psi rig collar →
51						
52						
53						
54						
54	540		540' B.O.H. No Refusal	540	540	540
55						- GW level undetectable w/ this drilling method - 538' per 4" Sch 40 PVC casing set in borehole 50 lbs cement 50 lbs bentonite w/ 37.5 gal H ₂ O dry mixed then wet mixed & tamped to ground casing - Air monitoring while drilling (no hits) - installation string PS-7
56						
57						
58						
59						
60						



DRILLING LOG		DIVISION MCD	INSTALLATION ECO	SHEET 7 OF 7 SHEETS
1. PROJECT Barrish 7-nd Combo Seismic		10. SIZE AND TYPE OF BIT 9 1/2" Dia. 6 1/2" Bit		
2. LOCATION (Coordinates or Station) See Station No. 6		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MCL		
3. DRILLING AGENCY C.O.E		12. MANUFACTURER'S DESIGNATION OF DRILL Farling 1500		
4. HOLE NO. (As shown on drawing title and file number) 115-41		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED 0	UNDISTURBED 0
5. NAME OF DRILLER M. Cooney		14. TOTAL NUMBER CORE BOXES 0	15. ELEVATION GROUND WATER Not determinable	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		16. DATE HOLE STARTED 5-26-94 COMPLETED 5-27-94	17. ELEVATION TOP OF HOLE N/A	
7. THICKNESS OF OVERBURDEN 43.3		18. TOTAL CORE RECOVERY FOR BORING 0		
8. DEPTH DRILLED INTO ROCK 10.7		19. SIGNATURE OF INSPECTOR C. P. ...		
9. TOTAL DEPTH OF HOLE 54.0				

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
			1/4" steel plate - Cross Wall Ash Vent - 0.3' top of casing 1.0' depth ground 2.0' 2.6' bottom of casing 8" Sch 40 PVC casing 20' bolts			
		red patch asphalt in annulus bond in annulus actual ground shut-off connection				
		Pipe JT	13.0'			
			4" Sch 40 PVC Casing			
		connector	27.0'			
			Annulus filled with 50% cement, 50% bentonite 5 lbs cement, 50 lbs bentonite 375 gal H ₂ O dry mixed then water added on mix Treated from bottom of hole thru 1 way bit valve			
		Pipe JT	33.0'			
		connector	49.8'			
		Ball valve	53.8'			6 1/4" bore diameter
			BOH 54.0'			* not to scale



Boring D-40

Northeast Parking Lot

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 7 SHEETS	
1. PROJECT Bannister Federal Complex		MRO	KCO	10. SIZE AND TYPE OF BIT 1 1/2" 110' 198' spiral speed	
2. LOCATION (Coordinates or Station) See Station (Page 6)				11. DATUM FOR ELEVATION SHOW (TBM or MSL) MSL	
3. DRILLING AGENCY C.O.E.				12. MANUFACTURER'S DESIGNATION OF DRILL Falling 150D	
4. HOLE NO. (As shown on drawing title and file number) D-40				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN DISTURBED 8 UNDISTURBED	
5. NAME OF DRILLER D. Maguis				14. TOTAL NUMBER CORE BOXES 0	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER Not All Available	
7. THICKNESS OF OVERBURDEN 41.4				16. DATE HOLE STARTED 5-31-94 COMPLETED 5-21-94	
8. DEPTH DRILLED INTO ROCK 10.1				17. ELEVATION TOP OF HOLE NA	
9. TOTAL DEPTH OF HOLE 52.0				18. TOTAL CORE RECOVERY FOR BORING 1	
		19. SIGNATURE OF INSPECTOR [Signature]			

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
a	b	c	d	e	f	g
	0		Apt 11 0.3 (Crushed Stone (concrete) lime stone 1/2" max dia) Top of gravel gravel 0.7			4" collar down logs Log from collings
	1		SILTY LEAN CLAY STIFF VERY STIFF MOIST VERY DARK BROWN/BLACK high silt content	D-2.7 R-0.0		Run 27' 8" Sch 40 H.C. in low density Silt analysis limited x cold patch apt 11
	2				27	27
	3					6 1/4" Rock bit 3/8" Drill rods D=11.5 in H ₂ O Log from Collings Gravity sand
	5		SILTY LEAN CLAY VERY STIFF MOIST BROWN GRAY red mottling (rusting) fine limestone gravel inclusions (semi-angular) small amount of organic material	5.0 1.5 R-1.5	5.0 J-1	5.0 SPT-1 blows 5 1 1/2" spiral spoon C.O. Silty sand, silty clay D=11.5 in H ₂ O N=1.5 C=1.5 6.5
	6			6.5	6.5	6.5
	7					6 1/4" Rock bit Log from Collings Gravity sand
	8					
	9		SILTY LEAN CLAY MEDIUM MOIST YELLOWISH BROWN gray mottling occasional fine gravel	8.5		
	10					

Hole No. D-40

DRILLING LOG		DIVISION MRO	INSTALLATION KCO	SHEET 2 OF 7 SHEETS
1. PROJECT Bannister Federal Complex		10. SIZE AND TYPE OF BIT 9" Hollow Stem Auger 6 1/2" Rock Bit		
2. LOCATION (Coordinates or Station) See Sketch - Page 6		11. DATUM FOR ELEVATION SHOWN (TBM - 100)		
3. DRILLING AGENCY C.O.E.		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500		
4. HOLE NO. (As shown on drawing title and site number) D-40		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE STARTED _____ COMPLETED _____		
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE 0A		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING 3		
		19. SIGNATURE OF INSPECTOR <i>[Signature]</i>		

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
a	b	c	d	e	f	g
			(same as above) SILTY LEAN CLAY MEDIUM MOIST YELLOWISH BROWN gray mottling occasional fine limestone gravel	2-11.5 R-1.9	J-2 10.9	SPT-2 1 3/8" Split Spoon C.O. Stewart old rope - 2 wraps W-Rods Clean out w/rock bit
	11			11.5		11.5
	12					6 1/4" Rock bit Log from cuttings Gravity feed
	13					
	14					
	15		SILTY LEAN CLAY STIFF MOIST BROWN red and gray mottling	15.0	15.0	15.0
	16			0-15 R-15	J-3	SPT-3 1 3/8" Split Spoon C.O. Stewart old rope - 2 wraps W-Rods Clean out w/rock bit settled 0.3' by wt. of tools
	17			16.5	16.5	16.5
	18					6 1/4" Rock bit Log from cuttings Gravity feed
	19					Add 10 gal H ₂ O to cup
	20		SILTY LEAN CLAY MEDIUM MOIST DARK GRAY w. fine gravel - limestone/siltstone	17.0		

Hole No. D-40

DRILLING LOG		DIVISION MRO	INSTALLATION KCO	SHEET 3 OF 7 SHEETS
1. PROJECT Bannister Federal Complex Seismic		10. SIZE AND TYPE OF BIT 6 1/4" Hollow Stem Auger / 6 1/4" Rock Bit		
2. LOCATION (Coordinates or Section) See Sketch - Page 6		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MSL		
3. DRILLING AGENCY C.O.E		12. MANUFACTURER'S DESIGNATION OF DRILL Tailine 1500		
4. HOLE NO. (As shown on drawing title and site number) D-40		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED UNDISTURBED		
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEG. FROM VERT.		15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE STARTED COMPLETED		
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE NA		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING %		
		19. SIGNATURE OF INSPECTOR M. [Signature]		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
21			(Same as above) SILTY LEAN CLAY MEDIUM MOIST DARK GRAY or. fine limestone / siltstone gravel	D-15 R-15	J-4	SPT-4 Blows 1 3/8" Split Spoon 2 C.O. Stewart Old Rope - 2 wraps 2 D-Rods Clean out w/rock bit 2
22				21.5	21.5	21.5
23						6 1/4" Rock bit Log from cuttings Gravity feed
24						
25				25.0	25.0	25.0
26				D-15 R-14	J-5	SPT-5 Blows 1 3/8" Split Spoon 2 C.O. Stewart Old Rope - 2 wraps 2 D-Rods Clean out w/rock bit 3
27				26.5	26.4	26.5
28						6 1/4" Rock bit Log from cuttings Gravity feed
29						mud viscosity 30 sec./qt.
30			SILTY LEAN CLAY VERY STIFF MOIST BLUSH GRAY rusty high silt content			

Hole No. D-40

DRILLING LOG		DIVISION	INSTALLATION	SHEET 4 OF 7 SHEETS		
1. PROJECT Bannister Federal Complex Seismic		MRO	KCO			
2. LOCATION (Coordinates or Station) See Sketch - Page 6		10. SIZE AND TYPE OF BIT 4 1/2" Hollow Auger / 6" Rod		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MSL		
3. DRILLING AGENCY C.O.E.		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN DISTURBED: UNDISTURBED:		
4. HOLE NO. (As shown on drawing title and file number) D-40		14. TOTAL NUMBER CORE BOXES		15. ELEVATION GROUND WATER		
5. NAME OF DRILLER		16. DATE HOLE STARTED		17. ELEVATION TOP OF HOLE NA		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		17. ELEVATION TOP OF HOLE		18. TOTAL CORE RECOVERY FOR BORING 3		
7. THICKNESS OF OVERBURDEN		18. SIGNATURE OF INSPECTOR C. Stewart				
8. DEPTH DRILLED INTO ROCK						
9. TOTAL DEPTH OF HOLE						
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
	31		(Same As Above) SILTY LEAN CLAY VERY STIFF MOIST BLuish GRAY rust staining high silt content heavy rust staining	0-15 R-15	J-6	SPT-6 1 3/8" Split Spoon C.O. Stewart old rope - 2 wraps N-Rods clean out w/rock bit
	32			31.5	21.5	31.5
	33					6 1/4" Rock bit Log from cuttings Gravelly sand Add 10 gal H ₂ O
	34					
	35		SILTY LEAN CLAY STIFF MOIST LIGHT GRAY rust staining high silt content occ. gravel < 1/2" (nodules) heavy rust (concretion)	35.0	27.0	35.0
	36			0-15 R-15	J-7	SPT-7 1 3/8" Split Spoon C.O. Stewart old rope - 2 wraps N-Rods clean out w/rock bit settled oil by water at this
	37			36.5	28.5	36.5
	38					6 1/4" Rock bit Gravelly sand Log from cuttings
	39					

Hole No. D-40

DRILLING LOG		DIVISION	INSTALLATION	SHEET 5 OF 7 SHEETS		
1. PROJECT Bannister Federal Complex Seismic		MRO	KCO	10. SIZE AND TYPE OF BIT 9" Hollow Stem Auger / 6" bit		
2. LOCATION (Coordinates or Station) See Sketch - Page 6				11. DATUM FOR ELEVATION BROWN (1984 - MSL)		
3. DRILLING AGENCY C.O.E.				12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500		
4. HOLE NO. (As shown on drawing title and bit number) D-40				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		
5. NAME OF DRILLER				14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN				16. DATE HOLE STARTED _____ COMPLETED _____		
8. DEPTH DRILLED INTO ROCK				17. ELEVATION TOP OF HOLE _____		
9. TOTAL DEPTH OF HOLE				18. TOTAL CORE RECOVERY FOR BORING _____		
				19. SIGNATURE OF INSPECTOR <i>C. Stewart</i>		
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
			(Same as above) SILTY LEAN CLAY 40.3		J-8 10.3	JPT-8 13 1/2" Split Spoon C.O. Stewart Old rope - 2 wraps J-Rods Clean out w/rod bit 41.5 spoon STUCKED BY 3 GRAVEL
	41		CLAY GRAVEL MEDIUM SATURATED GRAYISH BROWN fine to coarse gravel w/ 20-30% clay limestone gravel, semi-rounded TOP OF BEDROCK 41.9	D-1.5 R-0.3 91.5		6 1/4" Rock Bit Log from cuttings Top of bedrock as per driller, drill action, and cuttings. Feed pressure 200 psi.
	42		PLEASANTON GROUP SHALY SILTSTONE SOFT TO MODERATELY HARD PARTING VERY FINE GRAIN GREENISH GRAY micaceous SILTSTONE w/ 10-20% shale occ. hard zones			
	43					
	44					
	45					
	46					Rig chatter →
	47					
	48					
	49					
	50					


Hole No. D-40

DRILLING LOG		DIVISION MRO	INSTALLATION KCO	SHEET 6
1. PROJECT Banner Federal Complex		10. SIZE AND TYPE OF BIT 9" (Klip) 3/2" Auger / 6 1/4" Red Bit		
2. LOCATION (Coordinates or Station) 1000 - 1000		11. DATUM FOR ELEVATION SHOWN (TBM or BSL) MSL		
3. DRILLING AGENCY C.O.E.		12. MANUFACTURER'S DESIGNATION OF DRILL Fairline 1500		
4. HOLE NO. (As shown on drawing title and file number) D-40		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN DISTURBED: UNDISTURBED:		
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DEG. FROM VERT.		15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE STARTED COMPLETED		
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE WA		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING 1		
		19. SIGNATURE OF INSPECTOR [Signature]		

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
a	b	c	d	e	f	g
51			(same as above) PLEAJANTON GROUP SHALY SILTSTONE SOFT TO MODERATELY HARD PARTING VERY FINE GRAIN GREENISH GRAY micaceous siltstone w/10-20% shale occ. hard zones			6 1/4" Rock Bit Log from cuttings
52		520	520	520	520	
			B.O.H. 52.0' No Refuel			<ul style="list-style-type: none"> GW level undetermined within drilling method SL 8' 4" x 40' P.C. casing set in bore 50 lbs cement & 50 lbs bentonite w/ 1375' H₂O dry mixed slurry to ground in casing Air monitoring while drilling (no hiss) insulation diagram pg. 7
<p style="text-align: center;">*not to scale</p>						

Hole No. D-40

DRILLING LOG	DIVISION MRO	INSTALLATION KCO	SHEET 7 OF 7 SHEETS
1. PROJECT Dunnister Federal Complex Seismic		10. SIZE AND TYPE OF BIT 9" 4-flute Super Super 1 1/4" Rod Bit	
2. LOCATION (Coordinates or Station) See Sketch - Page 10		11. DATUM FOR ELEVATION SHOWN (TBM or B.M.) MSL	
3. DRILLING AGENCY C.O.E.		12. MANUFACTURER'S DESIGNATION OF DRILL Fairlie 150D	
4. HOLE NO. (As shown on drawing title and site number) D-40		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN DISTURBED: 8 UNDISTURBED: 0	
5. NAME OF DRILLER D. McGuire		14. TOTAL NUMBER CORE BOXES 0	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER Not Available	
7. THICKNESS OF OVERBURDEN 41.4		16. DATE HOLE STARTED: 5-31-54 COMPLETED: 5-31-54	
8. DEPTH DRILLED INTO ROCK 10.1		17. ELEVATION TOP OF HOLE DA	
9. TOTAL DEPTH OF HOLE 52.0		18. TOTAL CORE RECOVERY FOR BORING 1	
		19. SIGNATURE OF INSPECTOR <i>[Signature]</i>	



Boring D-42

Northeast Parking Lot

Hole No. NJ-42

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 7 SHEETS		
1. PROJECT		MBD	KCO			
2. LOCATION (Coordinates or Station)		Bannister Federal Complex	10. SIZE AND TYPE OF BIT	9" Hollow Stem Auger / 6 1/4" Rod Bit		
3. DRILLING AGENCY		Corp of Engineers	11. DATUM FOR ELEVATION SHOWN (TBM or MSL)	MSL		
4. HOLE NO. (As shown on drawing title and site number)		NJ-42	12. MANUFACTURER'S DESIGNATION OF DRILL	Failing 1530		
5. NAME OF DRILLER		D. Miguin	13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN	DISTURBED	UNDISTURBED	
6. DIRECTION OF HOLE		<input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.	14. TOTAL NUMBER CORE BOXES	- 0 -		
7. THICKNESS OF OVERBURDEN		42.0'	15. ELEVATION GROUND WATER	Not determinable		
8. DEPTH DRILLED INTO ROCK		11.0'	16. DATE HOLE	STARTED	COMPLETED	
9. TOTAL DEPTH OF HOLE		53.0'	17. ELEVATION TOP OF HOLE	NA		
			18. TOTAL CORE RECOVERY FOR BORING	-		
			19. SIGNATURE OF INSPECTOR	[Signature]		
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
			ASPHALT			
			CRUSHED STONE (roadbase) Limestone (2" max. dia) TOP OF NATURAL GROUND 0.7'			9" Hollow Stem Auger Log from Cuttings Place 2.6' 3" SCH. 40 PVC Surface Casing Fill annulus w/ bentonite and cold-patch asphalt
	1		SILTY LEAN CLAY STILL MOIST VERY DARK BROWN BLACK	D-2.6 R-0.0		
	2		high silt content			
	3			2.6		2.6 6 1/4" Rock Bit 3 1/2" Drill Rods Drill fluids: Bentonite muds 150 gal. H ₂ O 50 lbs. bentonite
	4					
	5		SILTY LEAN CLAY VERY still MOIST GRAYISH BROWN			Viscosity: 28 Sec. / qt.
	6					Log from Cuttings Gravity Feed
	7					
	8					
	9		SILTY LEAN CLAY MEDIUM MOIST LIGHT GRAYISH BROWN Gray mottling Occ. fine gravel (limb.) Occ. sand sized particles			

Hole No. NS-42

DRILLING LOG		DIVISION	INSTALLATION	SHEET 2 OF 7 SHEETS		
1. PROJECT Dannister Federal Complex, Joliet, Ill.			10. SIZE AND TYPE OF BIT 9" Hollow Stem Auger 1/2" R ₁ Bit			
2. LOCATION (Coordinates or Station) See sketch fig. 6			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MSL			
3. DRILLING AGENCY C.O.E.			12. MANUFACTURER'S DESIGNATION OF DRILL			
4. HOLE NO. (As shown on drawing title and site number) NS-42			13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED - 0 -	
5. NAME OF DRILLER D. Marjolin			14. TOTAL NUMBER CORE BOXES		UNDISTURBED - 0 -	
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.			15. ELEVATION GROUND WATER		Not determinable	
7. THICKNESS OF OVERBURDEN			16. DATE HOLE		STARTED _____ COMPLETED _____	
8. DEPTH DRILLED INTO ROCK			17. ELEVATION TOP OF HOLE		NA	
9. TOTAL DEPTH OF HOLE			18. TOTAL CORE RECOVERY FOR BORING		_____ %	
			19. SIGNATURE OF INSPECTOR <i>[Signature]</i>			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	11		(Same as above) SILTY LEAN CLAY MEDIUM MOIST LIGHT GRAYISH BROWN gray mottling occ. fine gravel (limestone) occ. sand sized particles			6 1/4" Rockbit Log. Lion cuttings Grainy Food Rapid Rotation Rapid Advance
	12					
	13					
	14					
	15					
	16					
	17		SILTY LEAN CLAY MEDIUM MOIST Brown gray mottling occ. sand, silt particles	17.0		Add 10 gal. H ₂ O to pump →
	18					
	19					
	20					

Hole No. NS-42

DRILLING LOG		DIVISION	INSTALLATION	SHEET 5 OF 7 SHEETS		
1. PROJECT		MRO	KCO	10. SIZE AND TYPE OF BIT (7" Hollow Drill) (6 1/4" Rock bit)		
2. LOCATION (Coordinate or Station)				11. DATUM FOR ELEVATION SHOWN (TBM or MSL)		
3. DRILLING AGENCY				12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and file number)		NS-42		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		
5. NAME OF DRILLER				14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE				15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN				16. DATE HOLE		
8. DEPTH DRILLED INTO ROCK				17. ELEVATION TOP OF HOLE		
9. TOTAL DEPTH OF HOLE				18. TOTAL CORE RECOVERY FOR BORING		
				19. SIGNATURE OF INSPECTOR		
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
	21		(SAME AS ABOVE) SILTY LEAN CLAY MEDIUM MOIST BROWN gray mottling occ. fine size pebbles 2/10			6 1/4" Rock bit (cont) Log from cuttings
	22		SILTY LEAN CLAY MEDIUM MOIST DARK GRAY occ. fine limonite (n.g.l.)			Gravelly sand Rapid Rotation Rapid Advance
	23					
	24					
	25					
	26					
	27					
	28		28.0 SILTY LEAN CLAY VERY STIFF MOIST BLUSH GRAY rust staining high silt content			Add 10 gal. H ₂ O to sump. →
	29					
	30					

Hole No. NS-42

DRILLING LOG		DIVISION MRD	INSTALLATION RCD	SHEET 4 OF 7 SHEETS
1. PROJECT Bannister Federal Complex seismic		10. SIZE AND TYPE OF BIT 9" Hollow Stem Auger (HSA)		
2. LOCATION (Coordinates or Station) See Sketch		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MSL		
3. DRILLING AGENCY C.O.E.		12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and file number) NS-42		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED - 0 -	UNDISTURBED - 0 -
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES - 0 -		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER Not determinable		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE	STARTED	COMPLETED
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE NA		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING -		
		19. SIGNATURE OF INSPECTOR C. J. Schmidt		

Rock bit

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
a	b	c	d	e	f	g
	31		(Same as above) SILTY LEAN CLAY VERY STIFF MOIST BLUSH GRAY rust staining high silt content			6 1/4" Rockbit Grinding feed Log from cuttings Rapid Rotation moderate advance
	32					
	33		33.0 SILTY LEAN CLAY STIFF MOIST LIGHT GRAY high silt content rust staining occ. gravel 2% (medium)			
	34					
	35					
	36					
	37					
	38					Add 10 gal. H ₂ O to pump →
	39					


DRILLING LOG		DIVISION M&D	INSTALLATION KSD	SHEET 5 OF 7 SHEETS
1. PROJECT Bannister Federal Complex Services		10. SIZE AND TYPE OF BIT 7" Hollow Stem Auger / 6 1/4" bit		
2. LOCATION (Coordinates or Station) See Sketch		11. DATUM FOR ELEVATION SHOWN (TBM or BSL) MSL		
3. DRILLING AGENCY C.A.P.		12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and file number) NS-42		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED - 0 -
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES		UNDISTURBED - 0 -
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER Not determinable		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE		STARTED _____ COMPLETED _____
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE NA		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING -		
		19. SIGNATURE OF INSPECTOR <i>[Signature]</i>		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	41		Same as above SILTY LEAN CLAY STIFF MOIST LIGHT GRAY high silt content rust staining occ. gravel 21% (medium)			6 1/4" Rock bit Log from C-Hiss fin. water →
	42		CLAY GRAVEL MEDIUM SATURATED CLAYISH GRAVEL fine to coarse gravel w/ 20-30% clay limestone gravel. (Gravel rounded) Brackish TOP OF BRACKISH			↓ Pullover
	43		PLEASANTON GROUP SHALY SILTSTONE SOFT TO MODERATELY HARD PARTING VERY FINE GRAIN LIGHT BROWN weathered micaceous occ. fine sand			Top of sand as per driller, drilling, & cuttings
	44		PLEASANTON GROUP SHALY SILTSTONE SOFT TO MODERATELY HARD PARTING VERY FINE GRAIN GRAY micaceous siltstone w/ 10-20% occ. hard zones shale			Drawdown Pressure 400 P.S.I.
	46					
	47					R ₁ Chatter →
	48					
	49					R ₁₅ Chatter →

Hole No. NS-42


DRILLING LOG		DIVISION MRO	INSTALLATION KCO	SHEET 6 OF 7 SHEETS
1. PROJECT Bannister Federal Complex		10. SIZE AND TYPE OF BIT 9" Hollow Stem Auger / 1/4" Rock Bit		
2. LOCATION (Coordinates or Station) See sketch		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MSL		
3. DRILLING AGENCY C.O.E.		12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and file number) NS-42		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED - 0 -	UNDISTURBED - 0 -
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES - 0 -		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER Not determinable		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE STARTED	COMPLETED	
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE NA		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING -		
		19. SIGNATURE OF INSPECTOR J. J. [Signature]		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	51		(Same as above) PLENSANTON GROUP SHALY SILTSTONE SET TO MODERATELY HARD PARTING VERY FINE GRAINED GRAV micaceous siltstone w/10-20% shale acc. hard zones			6 1/4" Rock Bit Log from cutting 400 P.S.I. full down pressure
	52					
	53	53.0	53.0	53.0	53.0	53.0
			B. O. H. 53.0 NO REFUSAL			Groundwater table undeterminable with this drilling method. 52.8' 4" SCH 40' P.V.C. casing section set in boring. 50 lbs. cement + 50 lbs. betonite w/37.5 gal. H2O dry mixed and trenched to grout casing. - Air monitoring while drilling. No hits. - Installation diagram, pg. 7. G.S.A. LOT
	54					
	55					
	56					
	57					
	58					
	59					
	60					



Hole No. NS-42

DRILLING LOG	DIVISION MRO	INSTALLATION KCO	SHEET 7 of 7 SHEETS
1. PROJECT Barrister Federal Complex interior		10. SIZE AND TYPE OF BIT 9" Hollow Stem Auger 16" <i>Rock Bit</i>	
2. LOCATION (Coordinates or Station) See Sketch Pg. 6		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MSL	
3. DRILLING AGENCY C.A.F.		12. MANUFACTURER'S DESIGNATION OF DRILL Fisher 1500	
4. HOLE NO. (As shown on drawing title and file number) NS-42		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED -0-
5. NAME OF DRILLER D. Marquez		14. TOTAL NUMBER CORE BOXES	UNDISTURBED -0-
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER Not determinable	
7. THICKNESS OF OVERBURDEN 42.0'		16. DATE HOLE STARTED 6-1-94 COMPLETED 6-1-94	
8. DEPTH DRILLED INTO ROCK 11.0'		17. ELEVATION TOP OF HOLE VA	
9. TOTAL DEPTH OF HOLE 53.0'		18. TOTAL CORE RECOVERY FOR BORING -	
		19. SIGNATURE OF INSPECTOR <i>[Signature]</i>	



Boring D-45

Southeast Parking Lot

Hole No. NS 45

DRILLING LOG		DIVISION MRO	INSTALLATION KCO	SHEET 7 OF 7 SHEETS
1. PROJECT Bannister Fed Complex Seismic		10. SIZE AND TYPE OF BIT 9" diameter standard Cali' Rod' bit		
2. LOCATION (Coordinates or Station) Sec 5, T4N, R6W		11. DATUM FOR ELEVATION SHOWN (TBM or B.M.) MSC		
3. DRILLING AGENCY C.O.E		12. MANUFACTURER'S DESIGNATION OF DRILL Fairlie 1500		
4. HOLE NO. (As shown on drawing title and file number) NS45		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN DISTURBED: 0 UNDISTURBED: 0		
5. NAME OF DRILLER M. Cooney		14. TOTAL NUMBER CORE BOXES 0		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER not attached		
7. THICKNESS OF OVERBURDEN 45.0		16. DATE HOLE STARTED: 5-25-74 COMPLETED: 5-25-74		
8. DEPTH DRILLED INTO ROCK 11.0		17. ELEVATION TOP OF HOLE N/A		
9. TOTAL DEPTH OF HOLE 56.0		18. TOTAL CORE RECOVERY FOR BORING %		
		19. SIGNATURE OF INSPECTOR [Signature]		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	0		Asphalt 0.5'			9" hollow stem Auger
	1		Crushed Stone Rust Base (Limestone) Topsoil material 11'			D=2.4 R=0.0 Plane 2.4' 8" x 40
	2		SILTY LEAN CLAY STIFF MOIST GRAY/BROWN occ. rusting occ. small pebbles (medium) (Limestone nodules)			AJ.C surface casing Fill annulus w/ bentonite & cald patch asphalt 2.4
	3					6 1/4" Rod bit 3 1/2" Drill bit Drill fluid Bentonite mud 150 gal H ₂ O 75 lbs bentonite viscosity 460 cP/gal
	5		Silty LEAN CLAY STIFF MOIST GRAY (dark) occ. small grains (medium) organic			Log from Cuttings Drill down pressure drops to 4'
	8		SILTY LEAN CLAY MEDIUM MOIST BROWN occ. splashing org. pieces dark spots throughout			Medium consistency determined by size of cuttings & advanced side of drill

Hole No. NS 45

DRILLING LOG		DIVISION	INSTALLATION	SHEET 2 OF 7 SHEETS
1. PROJECT Rounder Soil Complex		10. SIZE AND TYPE OF BIT		
2. LOCATION (Coordinates or Station)		11. DATUM FOR ELEVATION SHOWN (TBM or MSL)		
3. DRILLING AGENCY		12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and site number) NS 45		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED	UNDISTURBED
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER	16. DATE HOLE	STARTED
7. THICKNESS OF OVERBURDEN		17. ELEVATION TOP OF HOLE		
8. DEPTH DRILLED INTO ROCK		18. TOTAL CORE RECOVERY FOR BORING		
9. TOTAL DEPTH OF HOLE		19. SIGNATURE OF INSPECTOR		

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
a	b	c	d	e	f	g
	10		(Same as above) SILTY LEAN CLAY MEDIUM MOIST BROWN			6 1/4" bit (cont)
	11		occ. rattling occ. dk. brown spots			Gravelly sand from 10' Add 5 gal H ₂ O →
	12					Cullings are large pieces ~ 3/8 dia.
	13					Log from Cullings
	14					
	15					Use only 45.5 sec/ft →
	16					Add 10 gal H ₂ O →
	17					
	18					
	19					
	20					

Hole No. NS-45

DRILLING LOG		DIVISION	INSTALLATION	SHEET 3 OF 7 SHEETS
1. LOCATION (Coordinates or Station)		10. SIZE AND TYPE OF BIT		
2. DRILLING AGENCY		11. DATUM FOR ELEVATION SHOW (TBM or BGL)		
4. HOLE NO. (As shown on drawing title and file number)		12. MANUFACTURER'S DESIGNATION OF DRILL		
5. NAME OF DRILLER		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		
6. DIRECTION OF HOLE		14. TOTAL NUMBER CORE BOXES		
7. THICKNESS OF OVERBURDEN		15. ELEVATION GROUND WATER		
8. DEPTH DRILLED INTO ROCK		16. DATE HOLE		
9. TOTAL DEPTH OF HOLE		17. ELEVATION TOP OF HOLE		
		18. TOTAL CORE RECOVERY FOR BORING		
		19. SIGNATURE OF INSPECTOR		

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
a	b	c	d	e	f	g
20			(Same as Above) SILTY LEAN CLAY MEDIUM MOIST BROWN occ. dark brown spots			6 1/4" Rabbit (cont) gravelly sand rapid rotation Large cuttings removed ~ 23" dia. Long fine cuttings
21						
22						
23						
24						
25						
26						
27						
28			28.0' SILTY LEAN CLAY MEDIUM MOIST BROWN GRAY occ. fine med sand			Soil consistency derived from drillation + cuttings (low)
29						
30						

Hole No. NS45

DRILLING LOG		DIVISION	INSTALLATION	SHEET 4 OF 7 SHEETS		
1. PROJECT Bannish 7-1 Conifer		10. SIZE AND TYPE OF BIT		11. DATUM FOR ELEVATION SHOWN (TBM or BBL)		
2. LOCATION (Coordinates or Station)		12. MANUFACTURER'S DESIGNATION OF DRILL		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		
3. DRILLING AGENCY		14. TOTAL NUMBER CORE BOXES		15. ELEVATION GROUND WATER		
4. HOLE NO. (As shown on drawing title and file number) NS45		16. DATE HOLE STARTED		17. ELEVATION TOP OF HOLE		
5. NAME OF DRILLER		16. DATE HOLE COMPLETED		18. TOTAL CORE RECOVERY FOR BORING		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		17. ELEVATION TOP OF HOLE		19. SIGNATURE OF INSPECTOR <i>[Signature]</i>		
7. THICKNESS OF OVERBURDEN		18. TOTAL CORE RECOVERY FOR BORING		19. SIGNATURE OF INSPECTOR		
8. DEPTH DRILLED INTO ROCK		19. SIGNATURE OF INSPECTOR		19. SIGNATURE OF INSPECTOR		
9. TOTAL DEPTH OF HOLE		19. SIGNATURE OF INSPECTOR		19. SIGNATURE OF INSPECTOR		
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	R-MARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	30		(Same as Above) SILTY LEAN CLAY MEDIUM MOIST BROWN GRAY occ. fine to medium sand			6 1/4" Rockbit (cont) gravel, sand
	31		SILTY LEAN CLAY MEDIUM MOIST DARK GRAY high silt content moderately plastic from true color			Large pellets round 1.3" dia rapid rotation rapid advance Log from cutting
	32					
	33					
	34					
	35					
	36					
	37					
	38					
	39					
	40					
						Med. Discontinuity 35 sec/ft


DRILLING LOG		DIVISION	NO. & LAYER	SHEET 5 of 7 SHEETS		
1. PROJECT Bannock Fed. Cooper.			10. SIZE AND TYPE OF BIT			
2. LOCATION (Coordinates or Station)			11. DATUM FOR ELEVATION SHOW (TBM or BM)			
3. DRILLING AGENCY			12. MANUFACTURER'S DESIGNATION OF DRILL			
4. HOLE NO. (As shown on drawing title and file number) NS-45			13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED	
5. NAME OF DRILLER			14. TOTAL NUMBER CORE BOXES		UNDISTURBED	
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.			15. ELEVATION GROUND WATER			
7. THICKNESS OF OVERBURDEN			16. DATE HOLE		STARTED	
8. DEPTH DRILLED INTO ROCK			17. ELEVATION TOP OF HOLE		COMPLETED	
9. TOTAL DEPTH OF HOLE			18. TOTAL CORE RECOVERY FOR BORING			
			19. SIGNATURE OF INSPECTOR [Signature]			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	40		(SAME AS ABOVE) SILTY LEAN CLAY STIFF MOIST DARK GRAY high silt content moderately plastic from large clumps			6 1/4" Rabbit (rod)
	41					Gravelly sand Log from cuttings
	42					
	43		430 GRAVELLY LEAN CLAY MEDIUM TO MEDIUM MOIST DARK GRAY clay w/ 20-30% silt 438			
	44		Clayey GRAVEL DENSE SATURATED LIGHT GRAY fine to medium sand w/ 10-20% silt (w/ stone) 450			Top of bedrock as per driller, change in drill bit cuttings
	45		[MEASANTON GROUP] SHALEY SILTSTONE SOFT / MODERATELY HARD PARTING VERY FINE GRAINED / DENSE GREEN GRAY occ. fine sand < 10% silt w/ 10-20% clay (gray) shaly siltstone throughout			300 psi pull down pressure ↓
	46					
	47					
	48					
	49					
	50					

DRILLING LOG		DIVISION	LOCALITY	SHEET C OF 7 SHEETS
1. PROJECT Bennett Fed Complex		10. SIZE AND TYPE OF BIT		
2. LOCATION (Coordinates or Station)		11. DATE FOR ELEVATION KNOWN (FWS or BML)		
3. DRILLING AGENCY		12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and site number) NS-45		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED	UNDISTURBED
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE		
8. DEPTH DRILLED INTO ROCK		STARTED		
9. TOTAL DEPTH OF HOLE		COMPLETED		
		17. ELEVATION TOP OF HOLE		
		18. TOTAL CORE RECOVERY FOR BOXES		
		19. SIGNATURE OF INSPECTOR		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
50			(L.A.M.L. 1. NGYII) PLEASANTON GROUP SHALEY SILTSTONE SOFT/MODERATELY HARD PARTIAL VERY FINE GRAINED GREEN GRAY occ. silty mud; S. Holes w/ 10-20% shale shale. thin seams throughout			6 1/4" Rabbit Log from cuttings 200psi down riser slow rotation
51						
52						
53						Med. Unusually 32 w/d
54						rather hard drilling from 50' to 56'
55						
56		560	560	560	560	560
57			560' E.O.H. No. 10.11.11			H ₂ O lost while drilling with air Burbank of 50% cement 50% bentonite good after pouring 4" PVC casing (50%) Air monitoring w/ flow no hits insulation of pipe on 12.7
58			SE VIA LOT N D45 10' D43 10' D44 10' 17' 11' 94th Ter			Grout mixture consists of 50 lbs cement 50 lbs bentonite 37.5 gal water Dry mixed then under added cement then formed from bottom of casing.
59						
60						

Hole No. D-45

DRILLING LOG		DIVISION MPD	INSTALLATION I.C.O.	SHEET 7 OF 7 SHEETS
1. PROJECT Bannock Tail Coupler Seismic		10. SIZE AND TYPE OF BIT 7 1/2" Dia. Sintered Metal		
2. LOCATION (Coordinates or Section) See Stationing G		11. DATUM FOR ELEVATION SHOWN (TBM or B.M.) R.L.		
3. DRILLING AGENCY C.O.E.		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500		
4. HOLE NO. (As shown on drawing title and file number) D-45		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN	DISTURBED 0	UNDISTURBED 0
5. NAME OF DRILLER M. Cooney		14. TOTAL NUMBER CORE BOXES 0		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER Not Available		
7. THICKNESS OF OVERBURDEN 115.0		16. DATE HOLE STARTED 5-25-74	COMPLETED 5-25-74	
8. DEPTH DRILLED INTO ROCK 11.0		17. ELEVATION TOP OF HOLE 111		
9. TOTAL DEPTH OF HOLE 5 (sic)		18. TOTAL CORE RECOVERY FOR BORING 3		
19. SIGNATURE OF INSPECTOR (Signature)				



Boring D-43

Southeast Parking Lot

Hole No. D-43

DRILLING LOG		DIVISION MRD	INSTALLATION KCD	SHEET 1 OF 7 SHEETS
1. PROJECT Barrista Federal Complex Seismic		10. SIZE AND TYPE OF BIT 9" hollow stem auger, 6 1/4" Rabbit		
2. LOCATION (Coordinates or Section) See sketch pg. 6		11. DATUM FOR ELEVATION SHOW (TBM or B.M.) MSL		
3. DRILLING AGENCY COE		12. MANUFACTURER'S DESIGNATION OF DRILL Fairing 1500		
4. HOLE NO. (As shown on drawing title and site number) D-43		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED 10	UNDISTURBED 0
5. NAME OF DRILLER M. Cooney		14. TOTAL NUMBER CORE BOXES 0		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER (at depth) 11'		
7. THICKNESS OF OVERBURDEN 45.4		16. DATE HOLE	STARTED 5-24-94	COMPLETED 5-25-94
8. DEPTH DRILLED INTO ROCK 11.6		17. ELEVATION TOP OF HOLE N/A		
9. TOTAL DEPTH OF HOLE 57.0		18. TOTAL CORE RECOVERY FOR BORING %		
		19. SIGNATURE OF INSPECTOR <i>[Signature]</i>		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
0			Asphalt 0.5'			9" hollow stem auger G2610.
1			Crushed Stone Run 1/2" max dia 2" Topsoil 1.1'			Place 2.3 8" gal 40 PVC pipe (sealing) Fill around hole with red metal asphalt
2			SILTY LEAN CLAY STIFF MOIST GRAY/BROWN occ. sand particles (limonite) angular			23'
3						6 1/4" Rabbit 3 1/2" drill rods D: 11 fluid Bentonite Slurry 150 gal H ₂ O and 75 lb bentonite 31 sq ft viscosity Log from cuttings sandy soil slow advance
5				5.0	50	
6			SILTY LEAN CLAY STIFF MOIST BROWN/BROWN mottled	D-15 12-15	J-1	SPT-1 1 1/8" split spoon C.O. Tester old pipe 157M 140 lb hammer clean metal rabbit
7				6.5	65	
8			SILTY LEAN CLAY MEDIUM MOIST BROWN mottled gray clay trace roots			6 1/4" Rabbit 3 1/2" drill rods Log from cuttings sandy soil
9						
10				100	100	

Hole No. D-43

DRILLING LOG		DIVISION	INSTALLATION	SHEET 2 OF 7 SHEETS
1. PROJECT Barnhart Fed Center		10. SIZE AND TYPE OF BIT		
2. LOCATION (Coordinates or Station)		11. DATUM FOR ELEVATION SHOWN (TBM or B.M.)		
3. DRILLING AGENCY		12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and file number) D-43		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED	UNDISTURBED
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER	16. DATE HOLE	STARTED
7. THICKNESS OF OVERBURDEN		17. ELEVATION TOP OF HOLE	18. TOTAL CORE RECOVERY FOR BORING	5
8. DEPTH DRILLED INTO ROCK		19. SIGNATURE OF INSPECTOR Cheryl P. [Signature]		
9. TOTAL DEPTH OF HOLE				

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
a	b	c	d	e	f	g
10			(Same as above) SILTY LEAN CLAY MEDIUM MOIST BROWN Surf mollusks root traces	100	120	blow
				0-15		SPT-2 1 7/8" split spoon
	4			R-15	J-2	C.O.D. Custer 2umps old rope
						Clemensul Rabbit
				11.5	11.5	11.5
	0					6 1/4" Rabbit Med. Unm. 31 cut Log from cuttings gravelly sand very quickly of normal rotation quick feed
	0					
	14		SILTY LEAN CLAY MEDIUM MOIST BROWN low plasticity; occ. of dark brown spots			
				15.0	15.0	15.0
				D-15		SPT-3 blow 1 1 7/8" split spoon
				R-15	J-3	C.O.D. Custer 2umps 2 old rope
	16					Clemensul Rabbits
				16.5	16.5	16.5
						6 1/4" Rabbit Log from cuttings gravelly sand
	17					
	18					
	19		SILTY LEAN CLAY MEDIUM MOIST LIGHT GRAY high silt content			
	20					

Hole No. 0-43

DRILLING LOG		DIVISION	INSTALLATION	SHEET 3 OF 7 SHEETS
1. PROJECT Barnack Fed. Center		10. SIZE AND TYPE OF BIT		
2. LOCATION (Coordinates or Station)		11. DAYUM FOR ELEVATION SHOWN (TBM or BBL)		
3. DRILLING AGENCY		12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and file number) D-43		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED	UNDISTURBED
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE	STARTED	COMPLETED
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING		
		19. SIGNATURE OF INSPECTOR 10/1/54		

ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if applicable)	
20			(SAME AS ABOVE) SILTY LEAN CLAY MEDIUM MOIST, LIGHT GRAY	20.0	200	SPT-4 blows 1 3/8" split spoon	
21			SILTY LEAN CLAY MEDIUM MOIST BROWN mod. silty gray dark spots organic	0-15 R-15	J-4	C.O.D. cutter 2 turns old rope Cleanwood Rabbit	
22				21.5	21.5	21.5 6 1/4" Rabbit Log from cuttings Mud Ueardy 30 in ft gently sand	
24			SILTY LEAN CLAY MEDIUM MOIST GRAY red staining occ. mod sand	24.0			
25				25.0	25.0	25.0 SPT-5 blows 1 3/8" split spoon	
26				0-15 R-13	J-5	C.O.D. cutter 2 turns old rope Cleanwood Rabbit	
27				26.5		26.5 6 1/4" Rabbit Log from cuttings gently sand	
28				26.5	11	26.5	
29			SILTY LEAN CLAY MEDIUM MOIST DARK GRAY Low plastic occ. red stain	28.5			
30				29.0	29.0	29.0	

Hole No. D-43

DRILLING LOG		DIVISION	INSTALLATION	SHEET 4 OF 7 SHEETS
1. PROJECT <i>Pennish Ind. Center</i>		10. SIZE AND TYPE OF BIT		
2. LOCATION (Coordinates or Station)		11. DATUM FOR ELEVATION SHOWN (TBM or B.M.)		
3. DRILLING AGENCY		12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and file number) <i>D 43</i>		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED	UNDISTURBED
5. NAME OF DRILLER		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE STARTED COMPLETED		
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE		
9. TOTAL DEPTH OF HOLE		18. TOTAL CORE RECOVERY FOR BORING		
		19. SIGNATURE OF INSPECTOR		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
30			(SAME AS ABOVE) SILTY LEAN CLAY MEDIUM MOIST DARK GRAY Low plastic plastic occ. small shells	100	30	SPT-6 blows 1 1/8" split spoon C.O.: D. cutter 2 turns old rope cleaned w/ rabbit
31				D-1.5 R-1.5	5-6	
32				31.5	31.5	31.5 6 1/4" spackbit Log from cuttings mud unready 31 cut shanty feed
33						
34						
35				25.0	35.0	35.0
36				D-1.5 R-1.3	3-7	SPT-7 blows 1 1/8" split spoon C.O.: D. cutter 2 turns old rope cleaned w/ Rabbit
37				36.5	36.5	36.5
38						6 1/4" Rabbit Log from cuttings shanty feed quick rotation
39						
40				40.0	40.0	40.0


DRILLING LOG		DIVISION	INSTALLATION	SHEET 5 OF 7 SHEETS		
1. PROJECT Barnstable Fuel Complex			10. SIZE AND TYPE OF BIT			
2. LOCATION (Coordinates or Station)			11. DATUM FOR ELEVATION SHOWN (TBM or MLL)			
3. DRILLING AGENCY			12. MANUFACTURER'S DESIGNATION OF DRILL			
4. HOLE NO. (As shown on drawing title and file number) D-43			13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED	
5. NAME OF DRILLER			14. TOTAL NUMBER CORE BOXES		UNDISTURBED	
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.			15. ELEVATION GROUND WATER			
7. THICKNESS OF OVERBURDEN			16. DATE HOLE		STARTED	
8. DEPTH DRILLED INTO ROCK			17. ELEVATION TOP OF HOLE		COMPLETED	
9. TOTAL DEPTH OF HOLE			18. TOTAL CORE RECOVERY FOR BORING			
			19. SIGNATURE OF INSPECTOR			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant)
	40		(SAME AS ABOVE) SILTY LEAN CLAY MEDIUM MOST DARK GRAY very plastic occ. root strings	1140	440	SPT-8 blows 1 3/8" split spc 2
	41			D-15 R-15	J-8	C.O. R. McCarrie 2 samples old logs 3
	42					Clean cut w/ rabbit 4
	43			415	415	415
	44					6 1/4" Rockbit Log from cuttings granite sand Mud viscosity 35 sec/st
	45		Clayey GRAVEL DENSE SATURATED GRAY/WHIT fine brackish limestone 2 1/2" diam occ. siltstone gravel 45.4'	45.0	45.0	45.0
	46		Top of BED ROCK PLEASANTON GROUP	0-08 R-27	J-9 J-10 45.7	SPT-9 blows 6 1 1/2" split spc C.O. R. McCarrie 2 samples SP100 retinal Friday 5-24-74 45.8 Clean cut w/ rabbit 50
	47		SHALEY SILTSTONE PARTING GREEN GRAY Siltstone w/ 20-30% shale occ. red clay occ. fine sand allowing h. w/ shale siltstone			Top of bedrock as per specimen sample 6 1/4" Rockbit Log from cuttings Begin by 5-25-74 100 psi cell compression Mud viscosity to 30 31 sec/st Representative fluid water Drilling time from 46 to 57 40 min.
	48					
	49					
	50			54.0	54.0	54.0

Hole No. D-43

DRILLING LOG		DIVISION	METALLATION		SHEET 2 OF 7 SHEETS	
1. PROJECT Bannister Fed Complex			16. SIZE AND TYPE OF BIT			
2. LOCATION (Coordinates or Station)			17. DATUM FOR ELEVATION SHOWN (TBM or MSL)			
3. DRILLING AGENCY			18. MANUFACTURER'S DESIGNATION OF DRILL			
4. HOLE NO. (As shown on drawing title and file number) D-43			19. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER			20. TOTAL NUMBER CORE BOXES			
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.			21. ELEVATION GROUND WATER			
7. THICKNESS OF OVERBURDEN			22. DATE HOLE		STARTED COMPLETED	
8. DEPTH DRILLED INTO ROCK			23. ELEVATION TOP OF HOLE			
9. TOTAL DEPTH OF HOLE			24. TOTAL CORE RECOVERY FOR BORING			
			25. SIGNATURE OF INSPECTOR <i>[Signature]</i>			
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	% CORE RECOVERY	BOX OR SAMPLE NO.	REMARKS (Drilling time, water loss, depth of weathering, etc., if applicable)
50			(SAME AS ABOVE) PLEASANTON GROUP SHALEY SILTSTONE SOFT, DRYING GREEN GRAY Siltstone w/ 20-30% shale occ. rusting occ. fine sand Alternating layers of shale siltstone			6 1/4" bit (cont) Log from cuttings rig chiller
51						200 psi pull down pressure
52			Well rounded zones high CaCO ₃ content			rig chiller
53						
54						
55						
56			Well rounded zone			rig chiller →
57	57.0	67.0	57.0' R.O.H. No. 200	57.0	57.0	57.0
58			SE 1/4 Lot			- No flow at all until white drilling - Built up of 4" PVC pipe then another 3" of 50' or could be integrated 100' or - No monitoring of flow no hits - Installation diagram on pg. 7 - 50 lbs cement and the hole diameter then increased 2 1/2" gallons of water then filled from the bottom of the casing
59			94th Terr			
60						

Hole No. D-43

DRILLING LOG		DIVISION MRD	INSTALLATION KCO	SHEET 7 OF 7 SHEETS
1. PROJECT Bennett Fed Complex Seismic		10. SIZE AND TYPE OF BIT MSI 7 1/2" dia. 2 1/2" long 6 1/2" dia. f		
2. LOCATION (Coordinates or Station) See Sketch P. 10		11. DATUM FOR ELEVATION SHOWN (TBM or MLL) 1 1/2" x 1 1/4"		
3. DRILLING AGENCY C.O.F.		12. MANUFACTURER'S DESIGNATION OF DRILL Zap 1500		
4. HOLE NO. (As shown on drawing title and site number) D-43		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN 10		UNDISTURBED
5. NAME OF DRILLER M. S. Cooper		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER Not available		
7. THICKNESS OF OVERBURDEN 45.4		16. DATE HOLE STARTED 5-24-94		COMPLETED 5-29-94
8. DEPTH DRILLED INTO ROCK 11.6		17. ELEVATION TOP OF HOLE NA		
9. TOTAL DEPTH OF HOLE 57.0		18. TOTAL CORE RECOVERY FOR BORING 0		
		19. SIGNATURE OF INSPECTOR [Signature]		



Boring D-44

Southeast Parking Lot

Hole No. NS-44

DRILLING LOG		DIVISION MRA	INSTALLATION KCO	SHEET 1 OF 7 SHEETS
1. PROJECT Bannister Fe. 1 Complex (Sinteric)		10. SIZE AND TYPE OF BIT 6 1/2" Rullbit 9 1/2" length		
2. LOCATION (Coordinates or Station) See sketch		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MSL		
3. DRILLING AGENCY C.O.E		12. MANUFACTURER'S DESIGNATION OF DRILL Failing 1500		
4. HOLE NO. (As shown on drawing title and file number) NS-44		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED 0	UNDISTURBED 0
5. NAME OF DRILLER M. Cooney		14. TOTAL NUMBER CORE BOXES 0		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED DES. FROM VERT.		15. ELEVATION GROUND WATER 230' surface drilling		
7. THICKNESS OF OVERBURDEN 46.7		16. DATE HOLE STARTED 5-23-94 COMPLETED 5-24-94		
8. DEPTH DRILLED INTO ROCK 10.3		17. ELEVATION TOP OF HOLE N/A		
9. TOTAL DEPTH OF HOLE 57.0		18. TOTAL CORE RECOVERY FOR BORING —		
		19. SIGNATURE OF INSPECTOR [Signature]		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	0		Asphalt			9" hollow stem auger 605" id
			Crushed Stone (Base) Limestone 2" - med. size Topsoil/underground			place 2.6' 8" sch 40 PVC pipe surface casing 1:1 trench w/ hand trowel cold patch asphalt
	1					
	2		Silty tan clay Stiff Moist Gray/Brown occ. sand (limestone) angular			2.6
	3					6 1/4" Rullbit 3 1/2" drill bits Drill fluid Break into slurry 150 gal H ₂ O 75 lb water 3% viscosity viscosity 33 sec/qt Log from cuttings
	4					
	5					
	6					
	7					
	8			8.0		
	9		Silty tan clay Medium Moist Brown occ. gray roots			
	10					

Hole No. NS-44

DRILLING LOG		DIVISION	INSTALLATION	SHEET 2 OF 7 SHEETS		
1. PROJECT Bannick Fed. Complex Service			10. SIZE AND TYPE OF BIT			
2. LOCATION (Coordinates or Station)			11. DATUM FOR ELEVATION SHOWN (FSM or MSL)			
3. DRILLING AGENCY			12. MANUFACTURER'S DESIGNATION OF DRILL			
4. HOLE NO. (As shown on drawing title and file number) NS-44			13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER			14. TOTAL NUMBER CORE BOXES			
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.			15. ELEVATION GROUND WATER			
7. THICKNESS OF OVERBURDEN			16. DATE HOLE		STARTED COMPLETED	
8. DEPTH DRILLED INTO ROCK			17. ELEVATION TOP OF HOLE			
9. TOTAL DEPTH OF HOLE			18. TOTAL CORE RECOVERY FOR BORING			
			19. SIGNATURE OF INSPECTOR <i>[Signature]</i>			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	10		(Same as Above) Silly LEAN CLAY MEDIUM MOIST Brown occ. Shaly			6 1/4" R. bit (60°)
	11					Log from cuttings
	12					
	13					Viscosity 335 cps ←
	14					Drilling action Slightly fast
	15					Large cuttings block off boring occ.
	16					Add 10 gal H ₂ O to sup
	17					Logging inaccurate due to blocking off by cuttings
	18					
	19					
	20					

Hole No. NS-44

DRILLING LOG		DIVISION	INSTALLATION	SHEET 3 OF 7 SHEETS		
1. PROJECT Bannister Feed Complex Sump		10. SIZE AND TYPE OF BIT		11. DATUM FOR ELEVATION SHOWN (TBM or BBL)		
2. LOCATION (Coordinates or Station)		12. MANUFACTURER'S DESIGNATION OF DRILL		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		
3. DRILLING AGENCY		14. TOTAL NUMBER CORE BOXES		15. ELEVATION GROUND WATER		
4. HOLE NO. (As shown on drawing title and file number) NS-44		16. DATE HOLE STARTED		17. ELEVATION TOP OF HOLE		
5. NAME OF DRILLER		16. DATE HOLE COMPLETED		18. TOTAL CORE RECOVERY FOR BORING		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		17. ELEVATION TOP OF HOLE		19. SIGNATURE OF INSPECTOR		
7. THICKNESS OF OVERBURDEN		18. TOTAL CORE RECOVERY FOR BORING		19. SIGNATURE OF INSPECTOR		
8. DEPTH DRILLED INTO ROCK		19. SIGNATURE OF INSPECTOR		19. SIGNATURE OF INSPECTOR		
9. TOTAL DEPTH OF HOLE		19. SIGNATURE OF INSPECTOR		19. SIGNATURE OF INSPECTOR		
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	20		(Same As Above) Silty lean Clay MEDIUM Moist Brown			6 1/4" Rebar (cont) Viscosity 33 ml/gt grainy sand Log by cuttings
	21					
	22					
	23	?	230'			H ₂ O level 220' while drilling grainy sand (penetrated very quick) cutting dec. and in size hole is clean from sludge
	24		SILTY LEAN CLAY MEDIUM / SOFT SATURATED BROWN / BROWN ORGANIC occ. sand gravel and pebbles occ. red staining			H ₂ O level figured by materials encountered small, sandy clay & rapid advance beyond this pt.
	25					
	26					
	27					
	28					
	29					
	30					

Hole No. NS-44

DRILLING LOG		DIVISION	INSTALLATION	SHEET 4 OF 7 SHEETS		
1. PROJECT Barrister Field Complex 'irradi'			10. SIZE AND TYPE OF BIT			
2. LOCATION (Coordinates or Station)			11. DATUM FOR ELEVATION SHOWN (TBM or MSL)			
3. DRILLING AGENCY			12. MANUFACTURER'S DESIGNATION OF DRILL			
4. HOLE NO. (As shown on drawing title and file number) NS-44			13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		14. DISTURBED	
5. NAME OF DRILLER			14. TOTAL NUMBER CORE BOXES		15. ELEVATION GROUND WATER	
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.			15. DATE HOLE		16. STARTED	
7. THICKNESS OF OVERBURDEN			17. ELEVATION TOP OF HOLE		18. COMPLETED	
8. DEPTH DRILLED INTO ROCK			18. TOTAL CORE RECOVERY FOR BORING		19. SIGNATURE OF INSPECTOR (Signature)	
9. TOTAL DEPTH OF HOLE						
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	30		(Same as above) SILTY LEAN CLAY MEDIUM / SOFT SATURATED BROWNISH GRAY			6 1/4" Lubbit Log from cuttings quick advance to 35' via gravity feed
	31					
	32					
	33					
	34					
	35		35.0' SILTY LEAN CLAY MEDIUM SATURATED GRAY (cont.) low plasticity, silt content increases w/ depth			feedrate slows large chunks of soil come up boring & blow off. drill rate ~ 1 ft/min
	36					
	37					
	38					
	39					
	40					

Hole No. NS-44

DRILLING LOG		DIVISION	INSTALLATION		SHEET 5 OF 7 SHEETS	
1. PROJECT Bonnie's Tril. Complex - 1000			10. SIZE AND TYPE OF BIT		11. DATE FOR ELEVATION SHOWN (YR or M)	
2. LOCATION (Coordinates or Section)			12. MANUFACTURER'S DESIGNATION OF DRILL			
3. DRILLING AGENCY			13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED	UNDISTURBED
4. HOLE NO. (As shown on drawing title and file number) NS-44			14. TOTAL NUMBER CORE BOXES		15. ELEVATION GROUND WATER	
5. NAME OF DRILLER			16. DATE HOLE		STARTED	COMPLETED
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.			17. ELEVATION TOP OF HOLE			
7. THICKNESS OF OVERBURDEN			18. TOTAL CORE RECOVERY FOR BORING			
8. DEPTH DRILLED INTO ROCK			19. SIGNATURE OF INSPECTOR			
9. TOTAL DEPTH OF HOLE						
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
	40		(SAME AS ABOVE) SILTY LEAN CLAY MEDIUM SATURATED DARK GRAY			6 1/4" Rockbit (cont) uncertainty 2 c/gt Log from collings sandy Ford
	41			10.5		
	42					
	43		GRAVELLY CLAY MEDIUM SATURATED GRAY Lean clay w/ 10-20% fine lenticular gravel (angular) max diameter 1"			rig chiller
	44			46.0		
	45		CLAY GRAVEL LOOSE SATURATED GRAY fine to coarse sand (lenticular) w/ 10-20% clay max diameter 2-3"			sandy Ford slightly advanced
	46					
	47		Top of Bedrock PLOWDOWN 1 M. SILTY SHALE SOFT PARTING DENSE GRAY (light) occ. zones of higher content choked w/ 20-40% H			pull down previous + 30psi slow advance
	48					
	49					
	50					

DRILLING LOG		DIVISION KFD MRD	INSTALLATION KFD KCD	SHEET 6 OF 7 SHEETS
1. PROJECT Banner Field Complex Seismic		10. SIZE AND TYPE OF BIT 9" Whitcomb pipe, 6 1/4" P.I.		
2. LOCATION (Coordinates or Station) See sketch		11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MSL		
3. DRILLING AGENCY C.O.E		12. MANUFACTURER'S DESIGNATION OF DRILL Ensign 1500		
4. HOLE NO. (As shown on drawing title and site number) NS-44		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN DISTURBED: <u> </u> UNDISTURBED: <u> </u>		
5. NAME OF DRILLER M. Cooney		14. TOTAL NUMBER CORE BOXES <u> </u>		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED <u> </u> DEG. FROM VERT.		15. ELEVATION GROUND WATER 230' white d-11		
7. THICKNESS OF OVERBURDEN 56.7		16. DATE HOLE STARTED: 5-23-94 COMPLETED: 5-24-94		
8. DEPTH DRILLED INTO ROCK 10.3		17. ELEVATION TOP OF HOLE N/A		
9. TOTAL DEPTH OF HOLE 57.0		18. TOTAL CORE RECOVERY FOR BORING <u> </u> %		
		19. SIGNATURE OF INSPECTOR [Signature]		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
50			(Same as Above) Plastic clay SILTY SHALE SOFT PARTING DENSE / VERY FINE GRAINED			6 1/4" Rabbit Viscosity 34 sec/st pressure 300 psi Add 15g H₂O →
51			GRAY (Lgt) occ. zones of high silt content			Log fine cuttings slow feed rate ~ 1' per 3 min.
52			occ. siltstone lenses silt content increased depth			
53			530'			
54			SHALEY SILTSTONE MODERATELY HARD/SOFT PARTING / BANDED VERY FINE GRAINED LIGHT GRAY occ. shale lenses			feed rate ~ 1' / 3 min
55						2 cycles later
56						End day 5-23-94 cleaned bit
57				57.0	57.0	57.0
58			57.0 B.O.II. No initial			H ₂ O lost / suspended 20' while drilling Bart 5' siltstone / 4" PVC pipe then made siltstone / 20' PVC pipe then ground to 20'.
59			SE UIP Lot N80°E 78' 10' 10'			Installation diagram on P2-7 50 lbs cement + 50 lbs bentonite dry mixed then mixed w/ 375 gal H ₂ O then drilled through the bottom of the casing.
60						

Hole No. NS-44
~~NS-44~~

DRILLING LOG		DIVISION <u>MRD</u>	INSTALLATION <u>KCD</u>		SHEET <u>7</u> OF 7 SHEETS
1. PROJECT <u>Braniff Fed Complex Sitem</u>			10. SIZE AND TYPE OF BIT <u>4 1/2" Dia. Stem pipe 6 1/2" R-10</u>		
2. LOCATION (Coordinates or Station) <u>See sketch pg. 6</u>			11. DATUM FOR ELEVATION SHOWN (TBM or MSL) <u>MSL</u>		
3. DRILLING AGENCY <u>C.O.E</u>			12. MANUFACTURER'S DESIGNATION OF DRILL <u>Farley 1500</u>		
4. HOLE NO. (As shown on drawing MHA and MHA number) <u>NS-44</u>			13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED <u>0</u> UNDISTURBED <u>0</u>
5. NAME OF DRILLER <u>Mr. Cooney</u>			14. TOTAL NUMBER CORE BOXES <u>0</u>		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.			15. ELEVATION GROUND WATER <u>230' w.l. 4 drilling</u>		
7. THICKNESS OF OVERBURDEN <u>46.7</u>			16. DATE HOLE STARTED <u>5-28-94</u> COMPLETED <u>5-24-94</u>		
8. DEPTH DRILLED INTO ROCK <u>10.3</u>			17. ELEVATION TOP OF HOLE <u>N/A</u>		
9. TOTAL DEPTH OF HOLE <u>57.0</u>			18. TOTAL CORE RECOVERY FOR BORING <u>0</u>		
			19. SIGNATURE OF INSPECTOR <u>[Signature]</u>		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
top of ground 27'			cold patch asphalt gravel m. shell Rock base M.X. W mudstone 26' Below casing 24' Centralizer Shim 25.8' 36.3' 52.8' one way ball valve 56.8' bottom of Ball valve 57.0' B.O.H.			Sch. 40 8" PUC surface casing back to position in anode Sch. 40 4" PUC Casing 20' length Casing Anodes filled w/ 50% Zn brine + 50% cement grout ~ 50 gal
			* not to scale			

Appendix C

Laboratory Soil Tests Results

Appendix C
Laboratory Soil Test Results

Boring D-40

Northeast Parking Lot

W.O. No. ban40-1
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 420 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	6.6	55.3	38.1

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-1	6.5'	25.0	54	16	38		

CLASSIFICATION


● Very Dark Gray Fat Clay. CH

Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-40 S-1 Date 7/12/94

GRADATION CURVES Figure 1

W.O. No. ban40-2
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 420 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	7.2	57.5	35.3

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-2	10.9'	31.5	48	16	32		

CLASSIFICATION

● Dark Gray and Dark Brown Sandy Clay, CL


Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-40 S-2 Date 7/12/94

GRADATION CURVES

Figure 2

W.O. No. ban40-3
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 120 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	8.2	61.0	30.8

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-3	16.5'	29.0	43	18	25		

CLASSIFICATION

• Dark Brown Sandy Clay. CL


Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-40 S-3 Date 7/12/94

GRADATION CURVES

Figure 3

W.O. No. ban40-4
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 120 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	7.8	60.6	31.6

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-4	21.5'	30.6	39	15	24		

CLASSIFICATION


● Very Dark Gray Lean Clay. CL

Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-40 S-4 Date 7/15/94

GRADATION CURVES Figure 4

W.O. No. ban40-5
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 420 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	7.7	63.2	29.1

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-5	26.4'	31.5	40	18	22		

CLASSIFICATION


• Very Dark Gray Lean Clay, CL

Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-40 S-5 Date 7/12/94

GRADATION CURVES Figure 5

W.O. No. ban40-6
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 120 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	5.8	60.1	34.1

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-6	31.5'	26.6	53	19	34		

CLASSIFICATION

● Mottled Gray and Rust Fat Clay with some Sand, CH


Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-40 S-6 Date 7/13/94

GRADATION CURVES

Figure 6

W.O. No. ban40-7
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 120 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	25.5	43.7	30.8

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-7	36.5'	24.6	41	16	25		

CLASSIFICATION


● Mottled Gray and Rust Sandy Clay. CL

Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-40 S-7 Date 7/12/94

GRADATION CURVES

Figure 7

LIQUID AND PLASTIC LIMITS TEST REPORT



Location + Description	LL	PL	PI	-200	ASTM D 2487-85
● D-40 S-8 Clayey Sandy Gravel	30	15	15		

Project No.: 2732
 Project: BANNISTER FEDERAL COMPLEX
 Cross-Hole Seismic
 Client: Kansas City District
 Location: D-40 S-8

Date: 7/12/94

Remarks:
 Dark Brown
 Specimen too small for
 4-point Atterberg

LIQUID AND PLASTIC LIMITS TEST REPORT

COE - MISSOURI RIVER DIV. LAB


Fig. No. 8

Boring D-43

Southeast Parking Lot

W.O. No. ban43-1
 Req. No. KC 94-124
 Contract No.

CORPUS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 420 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	7.3	61.0	31.7

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-1	6.5'	26.0	45	17	28		

CLASSIFICATION


• Dark Brown Lean Clay, CL

Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-43 S-1 Date 7/15/94

GRADATION CURVES Figure 9

W.O. No. ban43-2
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 420 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	7.2	63.5	29.3

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-2	11.5'	26.8	38	17	21		

CLASSIFICATION


● Dark Brown Lean Clay. CL

Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-43 S-2 Date 7/12/94

GRADATION CURVES Figure 10

W.O. No. ban43-3
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 420 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	5.9	60.1	34.0

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-3	16.5'	26.7	38	17	21		

CLASSIFICATION


• Dark Brown Lean Clay, CL

Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-43 S-3 Date 7/13/94

GRADATION CURVES Figure 11

W.O. No. ban43-4
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 420 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	5.7	65.6	28.7

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-4	21.5'	27.2	35	16	19		

CLASSIFICATION


• Dark Brown Lean Clay. CL

Remarks:	Project BANNISTER FEDERAL COMPLEX
	Cross-Hole Seismic
	Lab No. 2732
	Area
	Boring No. D-43 S-4 Date 7/12/94

GRADATION CURVES Figure 12

W.O. No. ban43-5
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 420 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	4.7	61.4	33.9

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-5	26.3'	32.3	42	18	24		


CLASSIFICATION
 ● Dark Brown Sandy Clay. CL

Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-43 S-5 Date 7/12/94

GRADATION CURVES Figure 13

W.O. No. ban43-6
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 420 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	4.2	63.5	32.3

Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-6	31.5'	34.9	42	17	25		

CLASSIFICATION


● Very Dark Gray Lean Clay, CL

Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-43 S-6 Date 7/14/94

GRADATION CURVES Figure 14


W.O. No. ban43-7
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 420 SOUTH 18th STREET - OMAHA, NE 68102-2586



W.O. No. ban43-B
 Req. No. KC 94-124
 Contract No.

CORPS OF ENGINEERS, MISSOURI RIVER DIVISION LAB
 420 SOUTH 18th STREET - OMAHA, NE 68102-2586



% COBBLES	% GRAVEL	% SAND	% SILT OR CLAY	
0.0	0.0	8.2	60.6	31.2


Sample No.	Elev or Depth	Nat W%	LL	PL	PI	C _c	C _u
S-8	41.5'	30.4	41	16	25		

CLASSIFICATION
 • Very Dark Gray Lean Clay, CL

Remarks:	Project BANNISTER FEDERAL COMPLEX Cross-Hole Seismic Lab No. 2732
	Area
	Boring No. D-43 S-8 Date 7/13/94

GRADATION CURVES Figure 16

LIQUID AND PLASTIC LIMITS TEST REPORT



Location + Description	LL	PL	PI	-200	ASTM D 2487-85
● Gravelly Sandy Clay. CL	33	16	17		

Project No.: 2732
 Project: BANNISTER FEDERAL COMPLEX
 Cross-Hole Seismic
 Client: Kansas City District
 Location: D-43 S-9


Date: 7/14/94

LIQUID AND PLASTIC LIMITS TEST REPORT
COE - MISSOURI RIVER DIV. LAB

Remarks:
 Dark Brown
 Specimen too small for
 needed sieve analysis
 Visual classification
 with atterberg limits

Fig. No. 17

LIQUID AND PLASTIC LIMITS TEST REPORT



Location + Description	LL	PL	PI	-200	ASTM D 2487-B5
● D-43 S-10 Highly Weathered Shale	26	13	13	90	CL, Lean clay

Project No.: 2732
 Project: BANNISTER FEDERAL COMPLEX
 Cross-Hole Seismic
 Client: Kansas City District
 Location: D-43 S-10

Date: 7/12/94

Remarks:

Gray

LIQUID AND PLASTIC LIMITS TEST REPORT

COE - MISSOURI RIVER DIV. LAB

Fig. No. 18

Appendix D
Seismic Cone
Penetrometer Test Results

Vandehy Soil Expl.

Operator : S.VAN


CPT Date : 06-26-94 19:20

Sounding : SND-91 Pg 1 / 1

Location : P-1/BDC-KC M0

Client : WES

Job No. : DACW39-94-M-5062



Depth Increment : .1 m

Max Depth : 41.67 ft

SOUNDING DATA IN FILE SND-91 06-26-94 19:20

OPERATOR : S.VAN

LOCATION : P-1/BFC-KC MO

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration

40695 Nw Pacific Ave. Banks, Oregon, 97106 (503) 324 3261

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc 2	INC I deg	INTERPRETED SOIL TYPE
0.10	0.3	0.0	0.000	?	0.1	?
0.20	0.7	0.0	0.000	?	0.1	?
0.30	1.0	0.0	0.000	?	0.1	?
0.40	1.3	0.0	0.000	?	0.1	?
0.50	1.6	8.2	0.906	11.04	0.1	organic material
0.60	2.0	13.6	1.093	8.06	0.1	clay
0.70	2.3	12.1	0.946	7.81	0.1	clay
0.80	2.6	11.6	0.805	6.97	0.1	clay
0.90	3.0	12.1	0.783	6.45	0.1	clay
1.00	3.3	12.5	0.992	7.91	0.1	clay
1.10	3.6	13.0	0.978	7.50	0.1	clay
1.20	3.9	13.0	0.933	7.18	0.1	clay
1.30	4.3	13.0	0.878	6.73	0.1	clay
1.40	4.6	11.6	0.876	7.57	0.1	clay
1.50	4.9	7.3	0.723	9.86	0.1	clay
1.60	5.2	5.5	0.521	9.39	0.1	clay
1.70	5.6	10.2	0.604	5.90	0.1	clay
1.80	5.9	7.9	0.631	8.01	0.1	clay
1.90	6.2	8.0	0.598	7.44	0.1	clay
2.00	6.6	8.4	0.569	6.77	0.1	clay
2.10	6.9	6.5	0.507	7.83	0.1	clay
2.20	7.2	4.9	0.431	8.85	0.1	organic material
2.30	7.5	4.5	0.374	8.26	0.1	organic material
2.40	7.9	4.1	0.413	10.03	0.1	organic material
2.50	8.2	5.0	0.354	7.09	0.0	clay
2.60	8.5	6.2	0.444	7.21	0.0	clay
2.70	8.9	6.3	0.453	7.22	0.0	clay
2.80	9.2	5.9	0.439	7.38	0.0	clay
2.90	9.5	5.3	0.428	8.02	0.0	clay
3.00	9.8	4.0	0.358	8.97	0.0	organic material
3.10	10.2	4.6	0.334	7.32	0.0	organic material
3.20	10.5	4.3	0.311	7.24	0.0	clay
3.30	10.8	5.0	0.344	6.86	0.0	clay
3.40	11.2	3.9	0.270	6.88	0.0	clay
3.50	11.5	4.9	0.235	4.80	0.0	clay
3.60	11.8	4.7	0.231	4.87	0.0	clay
3.70	12.1	4.3	0.221	5.15	0.0	clay
3.80	12.5	3.9	0.196	4.98	0.0	clay
3.90	12.8	4.2	0.193	4.53	0.0	clay
4.00	13.1	5.4	0.262	5.12	0.0	clay

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FF RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
4.10	13.5	5.3	0.305	5.79	0.0	clay
4.20	13.8	5.1	0.310	6.08	0.0	clay
4.30	14.1	6.1	0.271	4.43	0.0	clay
4.40	14.4	6.5	0.218	4.86	0.0	clay
4.50	14.8	7.4	0.390	5.24	0.0	clay
4.60	15.1	6.9	0.395	5.74	0.0	clay
4.70	15.4	5.5	0.290	5.29	0.0	clay
4.80	15.7	5.3	0.292	5.51	0.0	clay
4.90	16.1	4.6	0.292	6.41	0.0	clay
5.00	16.4	4.9	0.288	5.87	0.0	clay
5.10	16.7	4.9	0.241	4.91	0.0	clay
5.20	17.1	4.6	0.236	5.12	0.0	clay
5.30	17.4	4.1	0.252	6.19	0.0	clay
5.40	17.7	3.5	0.342	9.70	0.0	organic material
5.50	18.0	5.8	0.446	7.64	0.0	clay
5.60	18.4	9.1	0.547	6.01	0.0	clay
5.70	18.7	8.6	0.467	5.40	0.0	clay
5.80	19.0	7.9	0.420	5.32	0.0	clay
5.90	19.4	9.6	0.453	4.73	0.0	clay
6.00	19.7	7.7	0.371	4.82	0.0	clay
6.10	20.0	6.2	0.257	4.12	0.0	clay
6.20	20.3	5.8	0.196	3.38	0.0	clay
6.30	20.7	5.5	0.154	2.78	0.0	clay
6.40	21.0	7.4	0.323	4.36	0.0	clay
6.50	21.3	9.9	0.375	3.79	0.0	clay
6.60	21.7	10.8	0.464	4.30	0.0	clay
6.70	22.0	8.4	0.448	5.34	0.0	clay
6.80	22.3	10.6	0.518	4.88	0.0	clay
6.90	22.6	8.1	0.324	4.00	0.0	clay
7.00	23.0	6.7	0.154	2.31	0.0	silty clay to clay
7.10	23.3	5.0	0.084	1.67	0.0	silty clay to clay
7.20	23.6	5.3	0.105	1.98	0.0	silty clay to clay
7.30	23.9	5.5	0.097	1.77	0.0	silty clay to clay
7.40	24.3	5.8	0.194	3.36	0.0	clay
7.50	24.6	6.6	0.159	2.39	0.0	silty clay to clay
7.60	24.9	6.5	0.121	1.88	0.0	silty clay to clay
7.70	25.3	8.2	0.146	1.77	0.0	silty clay to clay
7.80	25.6	9.9	0.232	2.34	0.0	silty clay to clay
7.90	25.9	9.7	0.218	2.24	0.0	clayey silt to silty clay
8.00	26.2	9.8	0.165	1.68	0.0	clayey silt to silty clay
8.10	26.6	10.6	0.199	1.88	0.0	clayey silt to silty clay
8.20	26.9	11.4	0.253	2.22	0.0	clayey silt to silty clay
8.30	27.2	11.7	0.412	3.51	0.0	silty clay to clay
8.40	27.6	14.4	0.674	4.68	0.0	clay
8.50	27.9	17.9	1.001	5.60	0.0	clay
8.60	28.2	15.5	1.123	5.75	0.0	clay
8.70	28.5	16.6	0.938	5.65	0.0	clay
8.80	28.9	15.7	0.902	5.76	0.0	clay
8.90	29.2	16.7	0.711	4.26	0.0	clay
9.00	29.5	15.7	0.721	4.59	0.0	clay


Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
9.10	29.9	15.6	0.521	3.30	0.0	silty clay to clay
9.20	30.2	16.4	0.546	3.33	0.0	silty clay to clay
9.30	30.5	16.1	0.635	3.95	0.0	silty clay to clay
9.40	30.8	16.0	0.743	4.55	0.0	clay
9.50	31.2	15.0	0.793	4.18	0.0	clay
9.60	31.5	19.6	0.746	3.78	0.0	silty clay to clay
9.70	31.6	19.3	0.752	3.89	0.0	silty clay to clay
9.80	32.2	19.9	0.628	3.15	0.0	clayey silt to silty clay
9.90	32.5	18.0	0.576	3.20	0.0	clayey silt to silty clay
10.00	32.8	15.6	0.453	2.91	0.0	clayey silt to silty clay
10.10	33.1	12.3	0.405	3.30	0.0	silty clay to clay
10.20	33.5	11.0	0.430	3.91	0.0	clay
10.30	33.8	10.4	0.417	3.99	0.0	clay
10.40	34.1	9.8	0.229	2.33	0.0	silty clay to clay
10.50	34.4	7.8	0.372	4.77	0.0	clay
10.60	34.8	10.6	0.348	3.22	0.0	clay
10.70	35.1	10.3	0.317	3.07	0.0	silty clay to clay
10.80	35.4	10.2	0.331	3.25	0.0	silty clay to clay
10.90	35.8	10.0	0.295	2.94	0.0	silty clay to clay
11.00	36.1	9.2	0.245	2.65	0.0	silty clay to clay
11.10	36.4	8.3	0.218	2.63	0.0	silty clay to clay
11.20	36.7	8.9	0.204	2.28	0.0	silty clay to clay
11.30	37.1	11.4	0.445	3.89	0.0	clay
11.40	37.4	16.8	1.209	7.18	0.0	clay
11.50	37.7	22.9	0.573	2.51	0.0	silty clay to clay
11.60	38.1	8.5	0.247	2.91	0.0	clayey silt to silty clay
11.70	38.4	18.3	0.295	1.61	0.0	clayey silt to silty clay
11.80	38.7	17.8	0.354	1.98	0.0	sandy silt to clayey silt
11.90	39.0	26.2	0.525	2.00	0.0	clayey silt to silty clay
12.00	39.4	9.5	0.417	4.41	0.0	clayey silt to silty clay
12.10	39.7	33.3	0.610	1.83	0.0	clayey silt to silty clay
12.20	40.0	15.5	0.692	4.45	0.0	clayey silt to silty clay
12.30	40.4	27.3	0.560	2.05	0.0	clayey silt to silty clay
12.40	40.7	14.5	0.350	2.41	0.0	clayey silt to silty clay
12.50	41.0	24.5	0.614	2.49	0.0	clayey silt to silty clay
12.60	41.3	42.3	1.172	2.77	0.0	?
12.70	41.7	104.6	?	?	0.0	?

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average


SOUNDING DATA IN FILE SMD-91 06-26-94 19:20
OPERATOR : S,VAN LOCATION : P-1/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehy Soil Exploration
40695 NW Pacific Ave. Banks, Oregon, 97106 (503) 324 3261




SOUNDING DATA IN FILE SHD-91 06-26-94 19:20
OPERATOR : S.VAN LOCATION : P-1/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND-91 06-26-94 19:20
OPERATOR : S.VAN LOCATION : P-1/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND-91 06-26-94 19:20
OPERATOR : S.VAN LOCATION : P-1/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND-91 06-26-94 19:20
OPERATOR : S.VAN LOCATION : P-1/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SCPT P-2

Vandehy Soil Expl.

Operator : S.VAN


Sounding : SND102 Pg 1 / 1

Client : WES

CPT Date : 06-29-94 19:48

Location : P-2/BFC-KC M0

Job No. : DACW39-94-M-5062



Depth Increment : .1 m

Max Depth : 37.73 ft

SOUNDING DATA IN FILE SND102 06-29-94 19:48

OPERATOR : S.VAN

LOCATION : P-2/BFC-KC MO

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
 40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261

DEPTH meters	DEPTH feet	TIF Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
0.50	1.6	22.6	0.715	3.18	0.1	?
0.60	2.0	19.7	0.772	3.91	0.1	silty clay to clay
0.70	2.3	14.6	0.543	3.67	0.1	silty clay to clay
0.80	2.6	11.7	0.296	2.52	0.1	clayey silt to silty clay
0.90	3.0	17.6	0.396	2.25	0.1	clayey silt to silty clay
1.00	3.3	24.6	0.766	3.11	0.1	clayey silt to silty clay
1.10	3.6	22.8	0.704	3.09	0.1	clayey silt to silty clay
1.20	3.9	17.6	0.589	3.35	0.1	clayey silt to silty clay
1.30	4.3	23.5	0.637	2.71	0.1	sandy silt to clayey silt
1.40	4.6	51.5	0.926	1.79	0.1	silty sand to sandy silt
1.50	4.9	56.6	0.374	0.66	0.1	silty sand to sandy silt
1.60	5.2	18.4	0.321	1.75	0.1	sandy silt to clayey silt
1.70	5.6	12.1	0.227	1.87	0.1	clayey silt to silty clay
1.80	5.9	11.7	0.295	2.53	0.1	clayey silt to silty clay
1.90	6.2	13.2	0.359	2.71	0.1	clayey silt to silty clay
2.00	6.6	13.7	0.403	2.94	0.1	silty clay to clay
2.10	6.9	12.8	0.419	3.27	0.1	silty clay to clay
2.20	7.2	14.2	0.450	3.17	0.1	silty clay to clay
2.30	7.5	14.6	0.469	3.21	0.1	silty clay to clay
2.40	7.9	13.2	0.399	3.02	0.1	silty clay to clay
2.50	8.2	13.2	0.392	2.96	0.1	silty clay to clay
2.60	8.5	11.5	0.371	3.23	0.1	silty clay to clay
2.70	8.9	10.8	0.283	2.61	0.1	silty clay to clay
2.80	9.2	9.9	0.340	3.42	0.1	silty clay to clay
2.90	9.5	10.6	0.336	3.18	0.1	silty clay to clay
3.00	9.8	9.8	0.274	2.79	0.1	silty clay to clay
3.10	10.2	10.2	0.258	2.52	0.1	silty clay to clay
3.20	10.5	8.6	0.213	2.49	0.1	silty clay to clay
3.30	10.8	7.6	0.188	2.47	0.1	silty clay to clay
3.40	11.2	6.6	0.085	1.28	0.1	silty clay to clay
3.50	11.5	6.6	0.100	1.51	0.1	sensitive fine grained
3.60	11.8	5.7	0.067	1.18	0.1	sensitive fine grained
3.70	12.1	6.1	0.072	1.19	0.1	sensitive fine grained
3.80	12.5	6.2	0.126	2.02	0.2	silty clay to clay
3.90	12.8	6.3	0.082	1.30	0.1	sensitive fine grained
4.00	13.1	6.3	0.086	1.36	0.1	sensitive fine grained
4.10	13.5	7.4	0.092	1.24	0.1	clayey silt to silty clay
4.20	13.8	7.1	0.125	1.76	0.1	silty clay to clay
4.30	14.1	5.7	0.095	1.65	0.1	silty clay to clay
4.40	14.4	6.0	0.131	2.19	0.1	silty clay to clay

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc k	INC I deg	INTERPRETED SOIL TYPE
4.50	14.8	6.0	0.150	2.51	0.1	silty clay to clay
4.60	15.1	6.0	0.134	2.23	0.1	silty clay to clay
4.70	15.4	6.5	0.115	1.79	0.1	silty clay to clay
4.80	15.7	6.5	0.140	2.16	0.1	silty clay to clay
4.90	16.1	7.7	0.168	2.18	0.1	silty clay to clay
5.00	16.4	9.4	0.264	2.82	0.1	silty clay to clay
5.10	16.7	6.5	0.169	2.59	0.1	silty clay to clay
5.20	17.1	5.8	0.119	2.04	0.1	silty clay to clay
5.30	17.4	6.5	0.074	1.14	0.1	sensitive fine grained
5.40	17.7	6.2	0.115	1.84	0.1	silty clay to clay
5.50	18.0	8.3	0.192	2.32	0.1	silty clay to clay
5.60	18.4	7.7	0.133	1.74	0.1	clayey silt to silty clay
5.70	18.7	7.0	0.080	1.14	0.1	sensitive fine grained
5.80	19.0	6.6	0.079	1.19	0.1	sensitive fine grained
5.90	19.4	7.3	0.112	1.56	0.1	clayey silt to silty clay
6.00	19.7	7.4	0.106	1.44	0.1	clayey silt to silty clay
6.10	20.0	7.6	0.098	1.28	0.1	clayey silt to silty clay
6.20	20.3	7.9	0.092	1.16	0.1	clayey silt to silty clay
6.30	20.7	7.9	0.070	0.89	0.1	clayey silt to silty clay
6.40	21.0	8.2	0.167	2.03	0.1	clayey silt to silty clay
6.50	21.3	9.2	0.130	1.42	0.1	clayey silt to silty clay
6.60	21.7	9.2	0.101	1.10	0.1	clayey silt to silty clay
6.70	22.0	10.0	0.105	1.05	0.1	clayey silt to silty clay
6.80	22.3	10.5	0.140	1.34	0.1	clayey silt to silty clay
6.90	22.6	9.7	0.164	1.69	0.1	clayey silt to silty clay
7.00	23.0	10.0	0.154	1.55	0.1	clayey silt to silty clay
7.10	23.3	9.4	0.129	1.37	0.1	clayey silt to silty clay
7.20	23.6	9.6	0.155	1.61	0.1	clayey silt to silty clay
7.30	23.9	8.0	0.170	2.12	0.1	silty clay to clay
7.40	24.3	7.1	0.200	2.82	0.1	clay
7.50	24.6	6.2	0.361	5.82	0.1	clay
7.60	24.9	4.5	0.074	1.64	0.1	clay
7.70	25.3	4.3	0.143	3.35	0.1	clay
7.80	25.6	4.3	0.134	3.11	0.1	clay
7.90	25.9	4.6	0.089	1.94	0.1	clay
8.00	26.2	7.1	0.179	2.51	0.1	silty clay to clay
8.10	26.6	9.6	0.328	3.43	0.1	clay
8.20	26.9	13.0	0.579	4.44	0.1	clay
8.30	27.2	14.5	0.729	5.02	0.1	clay
8.40	27.6	13.6	0.593	4.36	0.1	clay
8.50	27.9	14.2	0.687	4.84	0.1	clay
8.60	28.2	13.8	0.517	4.48	0.1	clay
8.70	28.5	14.2	0.597	4.21	0.1	silty clay to clay
8.80	28.9	17.6	0.523	2.97	0.1	silty clay to clay
8.90	29.2	16.7	0.622	3.73	0.1	silty clay to clay
9.00	29.5	14.3	0.505	3.53	0.1	silty clay to clay
9.10	29.9	12.1	0.252	2.08	0.2	clayey silt to silty clay
9.20	30.2	14.8	0.406	2.74	0.2	clayey silt to silty clay
9.30	30.5	16.1	0.462	2.88	0.2	clayey silt to silty clay
9.40	30.8	17.1	0.416	2.43	0.2	clayey silt to silty clay


Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
9.50	31.2	18.2	6.560	3.60	0.2	clayey silt to silty clay
9.60	31.5	14.1	0.571	4.05	0.2	silty clay to clay
9.70	31.8	8.6	0.332	3.87	0.2	clay
9.80	32.2	8.5	0.265	2.41	0.2	silty clay to clay
9.90	32.5	6.9	0.169	2.45	0.2	silty clay to clay
10.00	32.8	6.7	0.210	3.14	0.2	clay
10.10	33.1	5.8	0.193	3.32	0.2	clay
10.20	33.5	6.4	0.177	2.75	0.2	clay
10.30	33.8	7.0	0.241	3.44	0.2	clay
10.40	34.1	8.2	0.285	3.55	0.2	clay
10.50	34.4	8.6	0.270	3.14	0.2	clay
10.60	34.8	7.6	0.273	2.93	0.2	silty clay to clay
10.70	35.1	7.2	0.151	2.50	0.2	silty clay to clay
10.80	35.4	6.5	0.186	2.57	0.2	silty clay to clay
10.90	35.8	7.4	0.209	2.81	0.2	silty clay to clay
11.00	36.1	7.2	0.144	2.00	0.2	silty clay to clay
11.10	36.4	9.1	0.243	2.68	0.2	silty clay to clay
11.20	36.7	8.5	0.309	3.65	0.2	clay
11.30	37.1	10.4	0.341	3.28	0.2	clayey silt to silty clay
11.40	37.4	26.7	0.601	2.25	0.2	?
11.50	37.7	109.9	?	?	0.2	?

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average


SOUNDING DATA IN FILE SND102 06-29-94 19:48
OPERATOR : S.VAN LOCATION : P-2/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND102 06-29-94 19:48
OPERATOR : S.VAN LOCATION : P-2/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND102 06-29-94 19:48
OPERATOR : S.VAN LOCATION : P-2/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND102 06-29-94 19:48
OPERATOR : S.VAN LOCATION : P-2/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SMD102 06-29-94 19:48
OPERATOR : S.VAN LOCATION : P-2/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



Vandehey Soil Expl.

Operator : S.VAN


CPT Date : 06-30-94 16:16

Sounding : SND106 Pg 1 / 1

Location : P-3/BFC-KC M0

Client : WES

Job No. : DACW39-94-M-5062



Depth Increment : .1 m

Max Depth : 40.03 ft

SOUNDING DATA IN FILE SND106 06-30-94 16:16

OPERATOR : S.UAN

LOCATION : P-3/BFC-KC MD

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 NW Pacific Ave. Banks, Oregon, 97106 (503) 324 3261

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs ton	FF RATIO Fs/Qc x 1	INC I deg	INTERPRETED SOIL TYPE
0.50	1.5	13.3	0.327	2.46	0.3	
0.60	2.0	9.9	0.417	4.20	0.3	silty clay to clay
0.70	2.3	7.7	0.144	1.87	0.1	clayey silt to silty clay
0.80	2.6	17.7	0.239	1.69	0.1	clayey silt to silty clay
0.90	3.0	20.6	0.620	3.02	0.1	clayey silt to silty clay
1.00	3.3	17.2	0.504	2.93	0.1	clayey silt to silty clay
1.10	3.5	12.4	0.382	3.09	0.1	silty clay to clay
1.20	3.9	11.9	0.435	3.65	0.1	clay
1.30	4.3	12.6	0.573	4.54	0.1	clay
1.40	4.6	8.9	0.447	5.01	0.1	clay
1.50	4.9	10.7	0.444	4.14	0.1	clay
1.60	5.2	13.8	0.524	3.80	0.1	clay
1.70	5.6	15.0	0.560	3.74	0.1	silty clay to clay
1.80	5.9	16.0	0.654	4.08	0.1	silty clay to clay
1.90	6.2	16.0	0.593	3.72	0.1	silty clay to clay
2.00	6.6	12.6	0.517	4.10	0.1	clay
2.10	6.9	11.5	0.501	4.34	0.1	clay
2.20	7.2	10.2	0.473	4.65	0.1	clay
2.30	7.5	6.7	0.348	5.20	0.1	clay
2.40	7.9	4.1	0.166	4.11	0.1	clay
2.50	8.2	3.7	0.126	3.42	0.1	clay
2.60	8.5	5.7	0.253	4.46	0.1	clay
2.70	8.9	6.8	0.246	3.63	0.1	clay
2.80	9.2	6.2	0.199	3.20	0.1	clay
2.90	9.5	5.8	0.175	3.07	0.1	clay
3.00	9.8	6.2	0.202	3.24	0.1	clay
3.10	10.2	6.2	0.164	2.97	0.1	clay
3.20	10.5	5.1	0.157	3.07	0.1	clay
3.30	10.8	4.5	0.144	3.18	0.1	clay
3.40	11.2	4.4	0.161	4.14	0.1	clay
3.50	11.5	5.2	0.198	3.79	0.1	clay
3.60	11.8	5.8	0.165	2.83	0.1	clay
3.70	12.1	5.8	0.126	2.18	0.1	silty clay to clay
3.80	12.5	4.8	0.119	2.48	0.1	silty clay to clay
3.90	12.8	5.3	0.108	2.06	0.1	clay
4.00	13.1	4.2	0.102	2.44	0.1	clay
4.10	13.5	4.4	0.091	2.06	0.1	silty clay to clay
4.20	13.8	5.1	0.094	1.83	0.1	silty clay to clay
4.30	14.1	4.5	0.071	1.50	0.1	sensitive fine grained
4.40	14.4	4.5	0.067	1.50	0.1	sensitive fine grained

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc 2	INC I deg	INTERPRETED SOIL TYPE
4.50	14.8	5.4	0.082	1.53	0.1	sensitive fine grained
4.60	15.1	5.3	0.067	1.27	0.1	sensitive fine grained
4.70	15.4	5.1	0.071	1.39	0.1	sensitive fine grained
4.80	15.7	6.1	0.102	1.68	0.1	sensitive fine grained
4.90	16.1	4.8	0.081	1.71	0.1	sensitive fine grained
5.00	16.4	4.3	0.062	1.45	0.1	sensitive fine grained
5.10	16.7	4.2	0.052	1.29	0.1	sensitive fine grained
5.20	17.1	4.6	0.069	1.30	0.1	sensitive fine grained
5.30	17.4	5.5	0.075	1.42	0.1	silty clay to clay
5.40	17.7	7.4	0.157	2.66	0.1	silty clay to clay
5.50	18.0	7.9	0.185	2.35	0.1	silty clay to clay
5.60	18.4	5.5	0.062	1.49	0.1	silty clay to clay
5.70	18.7	5.0	0.051	1.01	0.1	sensitive fine grained
5.80	19.0	4.7	0.062	1.38	0.1	sensitive fine grained
5.90	19.4	5.1	0.055	1.09	0.1	sensitive fine grained
6.00	19.7	5.4	0.055	1.02	0.1	sensitive fine grained
6.10	20.0	5.7	0.062	1.08	0.1	sensitive fine grained
6.20	20.3	5.2	0.059	1.13	0.1	sensitive fine grained
6.30	20.7	4.9	0.064	1.29	0.1	sensitive fine grained
6.40	21.0	5.1	0.118	2.30	0.1	silty clay to clay
6.50	21.3	6.0	0.082	1.36	0.2	sensitive fine grained
6.60	21.7	6.6	0.076	1.16	0.2	sensitive fine grained
6.70	22.0	8.2	0.092	1.13	0.2	clayey silt to silty clay
6.80	22.3	9.0	0.167	1.85	0.2	clayey silt to silty clay
6.90	22.6	10.1	0.199	1.96	0.2	clayey silt to silty clay
7.00	23.0	10.0	0.182	1.81	0.2	clayey silt to silty clay
7.10	23.3	8.5	0.172	2.02	0.2	clayey silt to silty clay
7.20	23.6	8.3	0.144	1.73	0.2	clayey silt to silty clay
7.30	23.9	8.7	0.153	1.76	0.2	silty clay to clay
7.40	24.3	8.8	0.252	2.87	0.2	silty clay to clay
7.50	24.6	8.8	0.203	2.30	0.2	silty clay to clay
7.60	24.9	8.1	0.149	1.84	0.2	silty clay to clay
7.70	25.3	7.7	0.143	1.85	0.2	clayey silt to silty clay
7.80	25.6	7.7	0.111	1.45	0.2	clayey silt to silty clay
7.90	25.9	7.1	0.072	1.02	0.2	sensitive fine grained
8.00	26.2	7.1	0.108	1.52	0.2	clayey silt to silty clay
8.10	26.6	7.3	0.124	1.71	0.2	silty clay to clay
8.20	26.9	7.5	0.157	2.08	0.2	silty clay to clay
8.30	27.2	8.3	0.188	2.26	0.2	silty clay to clay
8.40	27.6	8.9	0.227	2.56	0.2	silty clay to clay
8.50	27.9	9.6	0.250	2.61	0.3	silty clay to clay
8.60	28.2	9.2	0.195	2.12	0.3	silty clay to clay
8.70	28.5	8.8	0.169	1.91	0.3	silty clay to clay
8.80	28.9	8.9	0.215	2.41	0.3	silty clay to clay
8.90	29.2	8.9	0.202	2.26	0.2	silty clay to clay
9.00	29.5	9.5	0.266	2.20	0.2	clayey silt to silty clay
9.10	29.9	11.8	0.266	2.26	0.2	clayey silt to silty clay
9.20	30.2	15.6	0.403	2.58	0.2	clayey silt to silty clay
9.30	30.5	19.5	0.788	4.02	0.2	silty clay to clay
9.40	30.8	20.7	0.886	4.28	0.2	silty clay to clay


Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
9.50	31.2	20.6	0.810	3.93	0.3	silty clay to clay
9.60	31.5	20.4	0.730	3.59	0.3	silty clay to clay
9.70	31.8	21.2	0.634	2.99	0.3	clayey silt to silty clay
9.80	32.2	19.9	0.556	2.99	0.3	clayey silt to silty clay
9.90	32.5	20.3	0.745	3.68	0.3	silty clay to clay
10.00	32.8	20.3	0.747	3.68	0.3	silty clay to clay
10.10	33.1	18.0	0.522	2.90	0.3	clayey silt to silty clay
10.20	33.5	16.3	0.454	2.97	0.3	clayey silt to silty clay
10.30	33.8	16.1	0.431	2.69	0.3	clayey silt to silty clay
10.40	34.1	15.9	0.435	2.94	0.3	clayey silt to silty clay
10.50	34.4	13.9	0.341	2.45	0.3	clayey silt to silty clay
10.60	34.8	10.7	0.280	2.44	0.3	clayey silt to silty clay
10.70	35.1	11.5	0.219	1.91	0.3	clayey silt to silty clay
10.80	35.4	10.2	0.212	2.09	0.3	clayey silt to silty clay
10.90	35.8	8.3	0.171	2.06	0.3	silty clay to clay
11.00	36.1	8.6	0.221	2.56	0.3	silty clay to clay
11.10	36.4	10.9	0.219	2.02	0.3	clayey silt to silty clay
11.20	36.7	11.3	0.196	1.75	0.3	clayey silt to silty clay
11.30	37.1	11.8	0.165	1.40	0.3	clayey silt to silty clay
11.40	37.4	15.1	0.501	3.32	0.3	clayey silt to silty clay
11.50	37.7	27.0	0.236	0.87	0.5	sandy silt to clayey silt
11.60	38.1	10.8	0.316	2.92	0.5	clayey silt to silty clay
11.70	38.4	13.3	0.139	1.04	0.5	clayey silt to silty clay
11.80	38.7	11.6	0.155	1.34	0.5	clayey silt to silty clay
11.90	39.0	7.4	0.067	0.91	0.5	clayey silt to silty clay
12.00	39.4	8.5	0.066	0.77	0.5	silty sand to sandy silt
12.10	39.7	60.4	0.057	0.09	0.5	?
12.20	40.0	123.9	?	?	0.5	?

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average


SOUNDING DATA IN FILE SND106 06-30-94 16:16
OPERATOR : S.VAN LOCATION : P-3/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon, 97106 (503) 324 3261




SOUNDING DATA IN FILE SND106 06-30-94 16:16
OPERATOR : S.VAN LOCATION : P-3/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 NW Pacific Ave. Banks, Oregon, 97106 (503) 324 3261




SOUNDING DATA IN FILE SND106 06-30-94 16:16
OPERATOR : S.VAN LOCATION : P-3/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SHD106 06-30-94 16:16
OPERATOR : S.VAN LOCATION : P-3/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND106 06-30-94 16:16
OPERATOR : S.VAN LOCATION : P-3/BFC-KC HO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



Vandehey Soil Expl.

Operator : S.VAN


CPT Date : 06-30-94 17:42

Sounding : SND107 Pg 1 / 1

Location : P-4/BFC-KC M0

Client : WES

Job No. : DACW39-94-M-5062



Depth Increment : .1 m

Max Depth : 36.42 ft

SOUNDING DATA IN FILE SND107 06-30-94 17:42

OPERATOR : S.VAN

LOCATION : P-4/BFC-KC M0

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehy Soil Exploration

40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261

DEPTH meters	DEPTH feet	TIP Or tsf	FRICITION Fs tsf	FF RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
0.10	0.3	2.9	-0.009	-0.30	0.0	?
0.20	0.7	3.0	-0.010	-0.33	0.0	?
0.30	1.0	3.0	-0.010	-0.33	0.0	?
0.40	1.3	2.8	-0.002	-0.07	0.1	sensitive fine grained
0.50	1.6	18.0	0.397	2.20	0.1	silty clay to clay
0.60	2.0	14.5	0.773	5.32	0.0	silty clay to clay
0.70	2.3	28.0	0.564	2.17	0.0	clayey silt to silty clay
0.80	2.6	6.8	0.287	4.25	0.0	silty clay to clay
0.90	3.0	8.1	0.216	2.67	0.0	clay
1.00	3.3	5.7	0.102	1.79	0.0	silty clay to clay
1.10	3.6	13.8	0.288	2.09	0.0	clayey silt to silty clay
1.20	3.9	15.3	0.473	3.09	0.0	clayey silt to silty clay
1.30	4.3	14.9	0.482	3.24	0.0	silty clay to clay
1.40	4.6	15.7	0.569	3.62	0.0	silty clay to clay
1.50	4.9	13.8	0.490	3.54	0.0	silty clay to clay
1.60	5.2	12.9	0.438	3.38	0.0	silty clay to clay
1.70	5.6	12.5	0.358	2.86	0.0	silty clay to clay
1.80	5.9	11.1	0.386	3.47	0.0	silty clay to clay
1.90	6.2	11.5	0.372	3.25	0.0	silty clay to clay
2.00	6.6	11.0	0.285	2.59	0.0	silty clay to clay
2.10	6.9	9.3	0.267	2.87	0.0	silty clay to clay
2.20	7.2	10.1	0.309	3.06	0.1	silty clay to clay
2.30	7.5	9.3	0.261	2.81	0.0	silty clay to clay
2.40	7.9	8.1	0.257	3.17	0.0	silty clay to clay
2.50	8.2	7.8	0.226	3.03	0.0	clay
2.60	8.5	7.4	0.211	2.84	0.0	silty clay to clay
2.70	8.9	6.9	0.182	2.63	0.0	silty clay to clay
2.80	9.2	6.4	0.186	2.92	0.0	clay
2.90	9.5	6.5	0.186	2.86	0.0	clay
3.00	9.8	6.6	0.184	2.76	0.0	clay
3.10	10.2	5.7	0.128	2.27	0.0	silty clay to clay
3.20	10.5	5.3	0.112	2.12	0.0	silty clay to clay
3.30	10.8	5.5	0.106	1.93	0.0	silty clay to clay
3.40	11.2	5.3	0.079	1.46	0.0	sensitive fine grained
3.50	11.5	6.0	0.099	1.65	0.0	sensitive fine grained
3.60	11.8	5.7	0.077	1.34	0.0	sensitive fine grained
3.70	12.1	5.5	0.077	1.40	0.0	sensitive fine grained
3.80	12.5	5.5	0.082	1.51	0.0	sensitive fine grained
3.90	12.8	5.7	0.098	1.72	0.0	sensitive fine grained
4.00	13.1	5.6	0.094	1.67	0.0	sensitive fine grained

Soil interpretation reference: Robertson & Caspanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc 2	INC I deg	INTERPRETED SOIL TYPE
4.10	13.5	5.9	0.084	1.43	0.0	sensitive fine grained
4.20	13.8	5.0	0.050	0.99	0.0	sensitive fine grained
4.30	14.1	4.6	0.045	0.98	0.0	sensitive fine grained
4.40	14.4	4.6	0.032	0.70	0.0	sensitive fine grained
4.50	14.8	5.7	0.058	1.02	0.0	sensitive fine grained
4.60	15.1	5.5	0.047	0.75	0.0	sensitive fine grained
4.70	15.4	5.3	0.042	0.80	0.0	sensitive fine grained
4.80	15.7	5.5	0.044	0.79	0.0	sensitive fine grained
4.90	16.1	5.6	0.044	0.85	0.0	sensitive fine grained
5.00	16.4	5.0	0.046	0.95	0.0	sensitive fine grained
5.10	16.7	5.2	0.043	0.79	0.0	sensitive fine grained
5.20	17.1	5.1	0.041	0.81	0.0	sensitive fine grained
5.30	17.4	4.8	0.034	0.71	0.0	sensitive fine grained
5.40	17.7	6.1	0.097	1.59	0.0	sensitive fine grained
5.50	18.0	10.7	0.115	1.07	0.0	clayey silt to silty clay
5.60	18.4	10.7	0.164	1.72	0.0	clayey silt to silty clay
5.70	18.7	12.1	0.252	2.42	0.0	clayey silt to silty clay
5.80	19.0	9.4	0.105	1.12	0.1	clayey silt to silty clay
5.90	19.4	6.6	0.072	1.09	0.0	sensitive fine grained
6.00	19.7	6.0	0.058	0.96	0.0	sensitive fine grained
6.10	20.0	5.7	0.055	0.97	0.0	sensitive fine grained
6.20	20.3	6.0	0.068	1.13	0.0	sensitive fine grained
6.30	20.7	5.7	0.051	0.90	0.0	sensitive fine grained
6.40	21.0	5.6	0.057	1.02	0.0	sensitive fine grained
6.50	21.3	6.1	0.044	0.73	0.0	sensitive fine grained
6.60	21.7	5.6	0.045	0.80	0.0	sensitive fine grained
6.70	22.0	5.8	0.046	0.80	0.0	sensitive fine grained
6.80	22.3	6.1	0.059	0.97	0.0	sensitive fine grained
6.90	22.6	6.2	0.043	0.69	0.0	sensitive fine grained
7.00	23.0	6.5	0.037	0.56	0.0	sensitive fine grained
7.10	23.3	6.4	0.036	0.56	0.0	sensitive fine grained
7.20	23.6	6.2	0.039	0.62	0.0	sensitive fine grained
7.30	23.9	6.1	0.040	0.66	0.0	sensitive fine grained
7.40	24.3	6.2	0.046	0.78	0.0	sensitive fine grained
7.50	24.6	6.8	0.042	0.61	0.0	sensitive fine grained
7.60	24.9	6.7	0.039	0.58	0.0	sensitive fine grained
7.70	25.3	6.4	0.037	0.57	0.0	sensitive fine grained
7.80	25.6	6.8	0.059	0.86	0.0	sensitive fine grained
7.90	25.9	7.8	0.063	0.80	0.0	sensitive fine grained
8.00	26.2	8.5	0.057	0.67	0.0	sensitive fine grained
8.10	26.6	8.8	0.059	0.60	0.0	sensitive fine grained
8.20	26.9	8.5	0.058	0.69	0.0	sensitive fine grained
8.30	27.2	8.4	0.052	0.74	0.0	clayey silt to silty clay
8.40	27.6	8.4	0.113	1.35	0.0	clayey silt to silty clay
8.50	27.9	9.1	0.132	1.45	0.0	clayey silt to silty clay
8.60	28.2	9.6	0.139	1.44	0.0	clayey silt to silty clay
8.70	28.5	10.5	0.176	1.68	0.0	clayey silt to silty clay
8.80	28.9	11.3	0.239	2.12	0.0	clayey silt to silty clay
8.90	29.2	13.5	0.310	2.30	0.0	clayey silt to silty clay
9.00	29.5	16.0	0.410	2.55	0.0	clayey silt to silty clay


Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc %	INC i deg	INTERPRETED SOIL TYPE
9.10	29.9	19.5	0.543	2.78	0.0	clayey silt to silty clay
9.20	30.2	22.2	0.614	2.77	0.0	clayey silt to silty clay
9.30	30.5	21.3	0.531	2.50	0.0	clayey silt to silty clay
9.40	30.8	23.1	0.643	2.78	0.0	clayey silt to silty clay
9.50	31.2	24.6	0.735	2.99	0.0	clayey silt to silty clay
9.60	31.5	33.5	0.887	2.65	0.0	sandy silt to clayey silt
9.70	31.8	29.0	0.801	2.76	0.0	sandy silt to clayey silt
9.80	32.2	25.7	0.678	2.64	0.0	clayey silt to silty clay
9.90	32.5	22.4	0.562	2.60	0.0	clayey silt to silty clay
10.00	32.8	20.3	0.559	2.76	0.0	clayey silt to silty clay
10.10	33.1	18.5	0.417	2.26	0.0	clayey silt to silty clay
10.20	33.5	16.4	0.396	2.37	0.0	clayey silt to silty clay
10.30	33.8	15.1	0.300	1.98	0.0	clayey silt to silty clay
10.40	34.1	14.8	0.293	1.98	0.0	clayey silt to silty clay
10.50	34.4	15.4	0.350	2.28	0.0	clayey silt to silty clay
10.60	34.8	10.0	0.155	1.57	0.0	clayey silt to silty clay
10.70	35.1	10.7	0.278	2.50	0.0	clayey silt to silty clay
10.80	35.4	20.2	0.598	2.95	0.0	sandy silt to clayey silt
10.90	35.8	64.8	0.585	0.90	0.1	sand to silty sand
11.00	36.1	116.2	0.491	0.42	0.1	?
11.10	36.4	96.8	?	?	0.1	?

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average


SOUNDING DATA IN FILE SND107 06-30-94 17:42
OPERATOR : S.VAN LOCATION : P-4/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND107 06-30-94 17:42
OPERATOR : S.VAN LOCATION : P-4/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon, 97106 (503) 324 3261




SOUNDING DATA IN FILE SND107 06-30-94 17:42
OPERATOR : S.VAN LOCATION : P-4/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND107 06-30-94 17:42
OPERATOR : S.VAN LOCATION : P-4/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon, 97106 (503) 324 3261



PROJECT NO. 501		DATE 10/21/54	
SHEET NO. 10		TOTAL SHEETS 10	
DRAWN BY [illegible]		CHECKED BY [illegible]	




SCPT P-5

Vandehey Soil Expl.

Operator : S.VAN
Sounding : SNO-92 Pg 1 / 1
Client : WES

CPT Date : 06-27-94 15:58
Location : P5/BFC-KC M0
Job No. : DACW39-94-M-5062



Depth Increment : .1 m

Max Depth : 45.93 ft

SOUNDING DATA IN FILE SND-92 06-27-94 15:58

OPERATOR : S.VAN

LOCATION : P5/BFC-KC M0

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
 40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324-3261

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
0.60	2.0	11.9	0.917	7.70	0.1	
0.70	2.3	11.7	0.952	8.15	0.1	clay
0.80	2.6	18.9	1.022	5.41	0.1	clay
0.90	3.0	13.3	0.711	5.33	0.1	silty clay to clay
1.00	3.3	38.4	0.650	1.80	0.1	silty sand to sandy silt
1.10	3.6	106.3	1.547	1.46	0.1	silty sand to sandy silt
1.20	3.9	111.2	1.989	1.75	0.1	silty sand to sandy silt
1.30	4.3	54.9	1.508	2.75	0.1	sandy silt to clayey silt
1.40	4.6	21.8	0.483	2.22	0.1	clayey silt to silty clay
1.50	4.9	13.7	0.629	4.58	0.1	silty clay to clay
1.60	5.2	14.5	0.754	5.21	0.1	clay
1.70	5.6	13.5	0.736	5.45	0.1	clay
1.80	5.9	11.7	0.581	4.97	0.1	clay
1.90	6.2	8.9	0.497	5.57	0.1	clay
2.00	6.6	9.9	0.489	4.96	0.1	clay
2.10	6.9	8.1	0.458	5.68	0.1	clay
2.20	7.2	8.0	0.385	4.80	0.1	clay
2.30	7.5	7.4	0.435	5.87	0.1	clay
2.40	7.9	6.3	0.352	5.61	0.1	clay
2.50	8.2	7.9	0.319	4.01	0.0	clay
2.60	8.5	7.8	0.382	4.93	0.0	clay
2.70	8.9	7.1	0.340	4.81	0.0	clay
2.80	9.2	8.5	0.318	3.74	0.0	clay
2.90	9.5	7.5	0.329	4.40	0.0	clay
3.00	9.8	7.7	0.301	3.92	0.0	clay
3.10	10.2	6.6	0.245	3.70	0.0	clay
3.20	10.5	5.5	0.208	3.82	0.0	clay
3.30	10.8	4.8	0.175	3.61	0.0	clay
3.40	11.2	5.4	0.255	4.70	0.0	clay
3.50	11.5	6.0	0.218	3.64	0.0	clay
3.60	11.8	5.2	0.217	4.19	0.0	clay
3.70	12.1	6.8	0.298	4.36	0.0	clay
3.80	12.5	6.2	0.262	4.19	0.0	clay
3.90	12.8	6.1	0.274	4.51	0.0	clay
4.00	13.1	5.9	0.280	4.77	0.0	clay
4.10	13.5	5.2	0.216	4.18	0.0	clay
4.20	13.8	5.0	0.206	4.15	0.0	clay
4.30	14.1	5.0	0.197	3.95	0.0	clay
4.40	14.4	4.6	0.221	4.78	0.0	clay
4.50	14.8	5.9	0.237	4.01	0.0	clay

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average


DEPTH meters	DEPTH feet	TIP Qc tst	FRICTION Fs tst	FR RATIO Fs/Qc 2	INC I deg	INTERPRETED SOIL TYPE
4.60	15.1	5.5	0.248	4.54	0.0	clay
4.70	15.4	4.3	0.206	4.77	0.0	clay
4.80	15.7	4.0	0.181	4.52	0.0	clay
4.90	16.1	5.2	0.214	4.15	0.0	clay
5.00	16.4	5.6	0.184	3.30	0.0	clay
5.10	16.7	5.4	0.155	2.97	0.0	clay
5.20	17.1	6.1	0.174	2.87	0.0	clay
5.30	17.4	5.7	0.148	2.62	0.0	clay
5.40	17.7	5.0	0.155	2.97	0.0	clay
5.50	18.0	6.5	0.199	2.84	0.0	clay
5.60	18.4	4.6	0.162	3.58	0.0	clay
5.70	18.7	3.9	0.115	2.95	0.0	clay
5.80	19.0	3.8	0.095	2.50	0.0	clay
5.90	19.4	3.9	0.121	3.13	0.0	clay
6.00	19.7	4.3	0.135	3.13	0.0	clay
6.10	20.0	4.2	0.100	2.40	0.0	clay
6.20	20.3	5.1	0.098	1.92	0.0	silty clay to clay
6.30	20.7	5.1	0.086	1.69	0.0	silty clay to clay
6.40	21.0	4.7	0.105	2.26	0.0	silty clay to clay
6.50	21.3	5.6	0.083	1.48	0.0	sensitive fine grained
6.60	21.7	6.2	0.090	1.45	0.0	sensitive fine grained
6.70	22.0	6.3	0.117	1.84	0.0	silty clay to clay
6.80	22.3	6.9	0.182	2.65	0.0	silty clay to clay
6.90	22.6	5.4	0.177	3.27	0.0	clay
7.00	23.0	5.5	0.154	2.77	0.0	silty clay to clay
7.10	23.3	13.3	0.315	2.37	0.0	silty clay to clay
7.20	23.6	14.9	0.509	4.09	0.0	silty clay to clay
7.30	23.9	10.8	0.437	4.05	0.0	clay
7.40	24.3	14.3	0.437	3.06	0.0	silty clay to clay
7.50	24.6	34.0	1.525	4.45	0.0	silty clay to clay
7.60	24.9	27.9	1.215	4.36	0.0	silty clay to clay
7.70	25.3	16.8	0.551	3.27	0.0	silty clay to clay
7.80	25.6	12.3	0.371	3.02	0.0	silty clay to clay
7.90	25.9	12.0	0.318	2.65	0.0	silty clay to clay
8.00	26.2	14.2	0.408	2.88	0.0	silty clay to clay
8.10	26.6	10.7	0.325	3.04	0.0	silty clay to clay
8.20	26.9	6.9	0.180	2.60	0.0	silty clay to clay
8.30	27.2	7.2	0.215	2.98	0.0	clay
8.40	27.6	7.0	0.245	3.49	0.0	clay
8.50	27.9	6.5	0.215	3.33	0.0	clay
8.60	28.2	4.8	0.125	2.64	0.0	clay
8.70	28.5	3.7	0.105	2.84	0.0	clay
8.80	28.9	3.7	0.115	3.23	0.0	clay
8.90	29.2	3.9	0.111	2.86	0.0	clay
9.00	29.5	4.2	0.155	3.71	0.0	clay
9.10	29.9	4.4	0.149	3.40	0.0	clay
9.20	30.2	5.0	0.125	2.49	0.0	clay
9.30	30.5	4.3	0.126	2.94	0.0	clay
9.40	30.8	5.3	0.152	2.88	0.0	clay
9.50	31.2	5.3	0.117	2.21	0.0	silty clay to clay

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
9.60	31.5	5.0	0.085	1.71	0.0	silty clay to clay
9.70	31.8	4.7	0.065	1.40	0.0	sensitive fine grained
9.80	32.2	4.3	0.076	1.79	0.0	sensitive fine grained
9.90	32.5	5.0	0.079	1.51	0.0	sensitive fine grained
10.00	32.8	5.1	0.068	1.71	0.0	sensitive fine grained
10.10	33.1	5.9	0.093	1.58	0.0	silty clay to clay
10.20	33.5	5.3	0.101	1.92	0.0	silty clay to clay
10.30	33.8	4.8	0.112	2.31	0.0	clay
10.40	34.1	5.1	0.216	4.26	0.0	clay
10.50	34.4	5.8	0.181	3.12	0.0	clay
10.60	34.8	5.6	0.183	3.31	0.0	clay
10.70	35.1	6.6	0.190	2.88	0.0	clay
10.80	35.4	6.0	0.202	3.39	0.0	clay
10.90	35.8	5.7	0.188	3.28	0.0	clay
11.00	36.1	5.2	0.204	3.95	0.0	clay
11.10	36.4	6.5	0.208	3.21	0.0	clay
11.20	36.7	6.7	0.283	4.21	0.0	clay
11.30	37.1	7.5	0.345	4.63	0.0	clay
11.40	37.4	7.5	0.363	4.86	0.0	clay
11.50	37.7	7.3	0.330	4.52	0.0	clay
11.60	38.1	6.8	0.315	4.66	0.0	clay
11.70	38.4	5.6	0.238	4.24	0.0	clay
11.80	38.7	6.5	0.291	4.51	0.0	clay
11.90	39.0	5.7	0.251	4.54	0.0	clay
12.00	39.4	7.0	0.283	4.05	0.0	clay
12.10	39.7	6.1	0.209	3.44	0.0	clay
12.20	40.0	6.0	0.175	2.99	0.0	clay
12.30	40.4	6.3	0.190	3.00	0.0	clay
12.40	40.7	6.9	0.276	4.00	0.0	clay
12.50	41.0	8.3	0.246	3.00	0.0	clay
12.60	41.3	6.9	0.222	3.20	0.0	clay
12.70	41.7	8.3	0.255	3.06	0.0	clay
12.80	42.0	7.8	0.265	3.44	0.0	clay
12.90	42.3	8.0	0.259	3.25	0.0	silty clay to clay
13.00	42.7	8.5	0.180	2.12	0.0	silty clay to clay
13.10	43.0	9.7	0.460	4.73	0.0	silty clay to clay
13.20	43.3	32.7	1.179	3.61	0.0	silty clay to clay
13.30	43.6	24.3	1.509	6.20	0.0	clay
13.40	44.0	30.6	0.961	3.14	0.0	silty clay to clay
13.50	44.3	14.3	0.808	5.66	0.0	clayey silt to silty clay
13.60	44.6	62.0	1.846	2.98	0.0	clayey silt to silty clay
13.70	44.9	35.4	1.192	3.37	0.0	clayey silt to silty clay
13.80	45.3	40.3	1.754	4.37	0.0	clayey silt to silty clay
13.90	45.6	73.6	1.690	2.30	0.0	?
14.00	45.9	111.3	?	?	0.0	?

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 = sliding data average


SOUNDING DATA IN FILE SND-92 06-27-94 15:58
OPERATOR : S.VAN LOCATION : P5/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND-92 06-27-94 15:58
OPERATOR : S.VAN LOCATION : P5/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SHD-92 06-27-94 15:58
OPERATOR : S.VAN LOCATION : P5/BFC-KC M0
CLIENT : HES JOB No. : DACH39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND-92 06-27-94 15:58
OPERATOR : S.VAN LOCATION : P5/BFC-KC MO
CLIENT : HES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND-92 06-27-94 15:58
OPERATOR : S.VAN LOCATION : P5/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062


Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon, 97106 (503) 324 3261



Vandehey Soil Expl.

Operator : S.VAN
Sounding : SND100 Pg 1 / 1
Client : WES

CPT Date : 06-29-94 15:55
Location : P-6A/BFC-KC M0
Job No. : DACW39-94-M-5062



Depth Increment : .1 m

Max Depth : 43.31 ft

SOUNDING DATA IN FILE SND100 06-29-94 15:55

OPERATOR : S.UAN

LOCATION : P-6A/BFC-KC MU

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration

40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FF RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
0.50	1.6	39.1	1.258	3.21	0.1	?
0.60	2.0	30.6	0.861	2.81	0.1	sandy silt to clayey silt
0.70	2.3	49.8	0.812	1.62	0.1	sandy silt to clayey silt
0.80	2.6	40.5	0.694	1.71	0.1	silty sand to sandy silt
0.90	3.0	35.8	0.522	1.46	0.1	sandy silt to clayey silt
1.00	3.3	38.0	0.682	1.75	0.1	sandy silt to clayey silt
1.10	3.6	20.6	0.328	1.59	0.1	sandy silt to clayey silt
1.20	3.9	19.7	0.434	2.20	0.1	clayey silt to silty clay
1.30	4.3	18.8	0.537	2.85	0.1	clayey silt to silty clay
1.40	4.6	17.1	0.479	2.80	0.1	clayey silt to silty clay
1.50	4.9	16.0	0.457	2.92	0.1	clayey silt to silty clay
1.60	5.2	15.2	0.409	2.69	0.1	clayey silt to silty clay
1.70	5.6	13.7	0.344	2.50	0.1	clayey silt to silty clay
1.80	5.9	11.6	0.238	2.56	0.1	clayey silt to silty clay
1.90	6.2	11.3	0.255	2.25	0.1	clayey silt to silty clay
2.00	6.6	12.1	0.261	2.15	0.1	clayey silt to silty clay
2.10	6.9	11.9	0.231	1.94	0.1	clayey silt to silty clay
2.20	7.2	12.4	0.203	1.64	0.1	clayey silt to silty clay
2.30	7.5	11.6	0.211	1.82	0.1	clayey silt to silty clay
2.40	7.9	10.9	0.192	1.76	0.1	clayey silt to silty clay
2.50	8.2	10.7	0.188	1.76	0.1	clayey silt to silty clay
2.60	8.5	10.4	0.170	1.64	0.1	clayey silt to silty clay
2.70	8.9	9.8	0.141	1.43	0.1	clayey silt to silty clay
2.80	9.2	8.7	0.098	1.13	0.1	clayey silt to silty clay
2.90	9.5	7.8	0.071	0.91	0.1	clayey silt to silty clay
3.00	9.8	7.3	0.077	1.05	0.1	sensitive fine grained
3.10	10.2	6.8	0.072	1.05	0.1	sensitive fine grained
3.20	10.5	6.7	0.071	1.05	0.1	sensitive fine grained
3.30	10.8	6.3	0.056	0.89	0.1	sensitive fine grained
3.40	11.2	6.1	0.048	0.79	0.1	sensitive fine grained
3.50	11.5	6.8	0.066	0.97	0.0	sensitive fine grained
3.60	11.8	6.4	0.052	0.97	0.0	sensitive fine grained
3.70	12.1	6.6	0.058	0.87	0.0	sensitive fine grained
3.80	12.5	6.4	0.065	1.01	0.0	sensitive fine grained
3.90	12.8	6.4	0.063	0.98	0.0	sensitive fine grained
4.00	13.1	5.8	0.057	0.97	0.0	sensitive fine grained
4.10	13.5	6.2	0.062	1.01	0.0	sensitive fine grained
4.20	13.8	5.7	0.048	0.84	0.0	sensitive fine grained
4.30	14.1	5.9	0.041	0.70	0.0	sensitive fine grained
4.40	14.4	6.0	0.038	0.64	0.0	sensitive fine grained

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
4.50	14.8	6.7	0.059	0.89	0.0	sensitive fine grained
4.60	15.1	6.6	0.062	0.94	0.0	sensitive fine grained
4.70	15.4	6.8	0.064	0.95	0.0	sensitive fine grained
4.80	15.7	6.7	0.075	1.11	0.0	sensitive fine grained
4.90	16.1	6.8	0.063	0.92	0.0	sensitive fine grained
5.00	16.4	6.6	0.061	0.91	0.0	sensitive fine grained
5.10	16.7	6.4	0.041	0.63	0.0	sensitive fine grained
5.20	17.1	6.3	0.035	0.56	0.0	sensitive fine grained
5.30	17.4	6.7	0.037	0.55	0.0	sensitive fine grained
5.40	17.7	6.4	0.026	0.45	0.0	sensitive fine grained
5.50	18.0	7.4	0.034	0.46	0.0	sensitive fine grained
5.60	18.4	7.0	0.021	0.30	0.0	sensitive fine grained
5.70	18.7	6.8	0.024	0.35	0.0	sensitive fine grained
5.80	19.0	7.4	0.026	0.36	0.0	sensitive fine grained
5.90	19.4	7.5	0.024	0.46	0.0	sensitive fine grained
6.00	19.7	8.5	0.066	0.76	0.0	sensitive fine grained
6.10	20.0	8.5	0.062	0.73	0.0	clayey silt to silty clay
6.20	20.3	8.7	0.058	0.67	0.0	clayey silt to silty clay
6.30	20.7	8.8	0.071	0.81	0.0	clayey silt to silty clay
6.40	21.0	8.2	0.054	0.66	0.0	sensitive fine grained
6.50	21.3	8.2	0.074	0.91	0.0	clayey silt to silty clay
6.60	21.7	8.6	0.075	0.85	0.0	clayey silt to silty clay
6.70	22.0	9.3	0.086	0.92	0.0	clayey silt to silty clay
6.80	22.3	10.4	0.070	0.67	0.0	sandy silt to clayey silt
6.90	22.6	12.4	0.093	0.75	0.0	sandy silt to clayey silt
7.00	23.0	12.7	0.105	0.83	0.0	sandy silt to clayey silt
7.10	23.3	12.4	0.187	1.51	0.0	clayey silt to silty clay
7.20	23.6	11.3	0.152	1.35	0.0	clayey silt to silty clay
7.30	23.9	10.0	0.105	1.04	0.0	clayey silt to silty clay
7.40	24.3	8.9	0.155	1.73	0.0	clayey silt to silty clay
7.50	24.6	9.9	0.098	0.99	0.0	clayey silt to silty clay
7.60	24.9	8.3	0.070	0.84	0.0	clayey silt to silty clay
7.70	25.3	9.8	0.076	0.78	0.0	clayey silt to silty clay
7.80	25.6	8.5	0.090	1.06	0.0	clayey silt to silty clay
7.90	25.9	8.8	0.096	1.10	0.0	clayey silt to silty clay
8.00	26.2	8.5	0.068	0.80	0.0	clayey silt to silty clay
8.10	26.6	8.5	0.050	0.59	0.0	sensitive fine grained
8.20	26.9	8.2	0.043	0.53	0.0	sensitive fine grained
8.30	27.2	8.2	0.046	0.56	0.0	sensitive fine grained
8.40	27.6	8.8	0.076	0.87	0.0	clayey silt to silty clay
8.50	27.9	9.3	0.072	0.77	0.0	clayey silt to silty clay
8.60	28.2	9.0	0.039	0.44	0.0	sensitive fine grained
8.70	28.5	8.3	0.021	0.26	0.0	sensitive fine grained
8.80	28.9	7.5	0.022	0.30	0.0	sensitive fine grained
8.90	29.2	8.5	0.035	0.42	0.0	sensitive fine grained
9.00	29.5	8.1	0.033	0.41	0.0	sensitive fine grained
9.10	29.9	8.5	0.062	0.73	0.0	sensitive fine grained
9.20	30.2	9.4	0.078	0.83	0.0	clayey silt to silty clay
9.30	30.5	9.1	0.084	1.02	0.0	clayey silt to silty clay
9.40	30.8	8.8	0.136	1.54	0.0	clayey silt to silty clay


Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
9.50	31.2	8.2	0.095	1.03	0.0	clayey silt to silty clay
9.60	31.5	8.9	0.068	0.99	0.0	clayey silt to silty clay
9.70	31.8	8.6	0.073	0.76	0.0	clayey silt to silty clay
9.80	32.2	8.9	0.076	0.82	0.0	clayey silt to silty clay
9.90	32.5	9.9	0.088	0.89	0.0	clayey silt to silty clay
10.00	32.8	11.0	0.122	1.11	0.0	clayey silt to silty clay
10.10	33.1	11.2	0.164	1.51	0.0	clayey silt to silty clay
10.20	33.5	10.8	0.183	1.75	0.0	clayey silt to silty clay
10.30	33.8	10.0	0.147	1.46	0.0	clayey silt to silty clay
10.40	34.1	9.2	0.154	1.66	0.0	clayey silt to silty clay
10.50	34.4	9.3	0.128	1.48	0.0	clayey silt to silty clay
10.60	34.8	8.3	0.085	1.04	0.0	clayey silt to silty clay
10.70	35.1	8.7	0.065	0.75	0.0	clayey silt to silty clay
10.80	35.4	8.5	0.048	0.56	0.0	sensitive fine grained
10.90	35.8	9.0	0.046	0.51	0.0	sensitive fine grained
11.00	36.1	9.0	0.042	0.47	0.0	sensitive fine grained
11.10	36.4	8.8	0.042	0.47	0.0	sensitive fine grained
11.20	36.7	8.8	0.045	0.51	0.0	sensitive fine grained
11.30	37.1	8.4	0.075	0.88	0.0	clayey silt to silty clay
11.40	37.4	10.1	0.164	1.62	0.0	clayey silt to silty clay
11.50	37.7	10.9	0.180	1.64	0.0	clayey silt to silty clay
11.60	38.1	10.1	0.157	1.56	0.0	clayey silt to silty clay
11.70	38.4	9.3	0.141	1.51	0.0	clayey silt to silty clay
11.80	38.7	10.3	0.159	1.54	0.0	clayey silt to silty clay
11.90	39.0	10.0	0.097	0.97	0.0	clayey silt to silty clay
12.00	39.4	9.7	0.091	0.94	0.0	clayey silt to silty clay
12.10	39.7	12.6	0.181	1.44	0.0	clayey silt to silty clay
12.20	40.0	15.0	0.358	2.39	0.1	clayey silt to silty clay
12.30	40.4	13.4	0.205	1.53	0.0	clayey silt to silty clay
12.40	40.7	15.6	0.352	2.26	0.0	clayey silt to silty clay
12.50	41.0	27.9	0.568	2.03	0.0	sandy silt to clayey silt
12.60	41.3	47.1	0.334	0.71	0.0	silty sand to sandy silt
12.70	41.7	10.2	0.131	1.28	0.0	sandy silt to clayey silt
12.80	42.0	8.9	0.118	1.33	0.0	sandy silt to clayey silt
12.90	42.3	52.1	0.578	1.11	0.0	silty sand to sandy silt
13.00	42.7	53.1	0.822	1.73	0.0	silty sand to sandy silt
13.10	43.0	34.0	0.632	1.86	0.0	?
13.20	43.3	117.0	?	?	0.0	?

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average


SOUNDING DATA IN FILE SND100 06-29-94 15:55
OPERATOR : S.VAN LOCATION : P-6A/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND100 06-29-94 15:55
OPERATOR : S.VAN LOCATION : P-6A/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND100 06-29-94 15:55
OPERATOR : S.VAN LOCATION : P-6A/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SHD100 06-29-94 15:55
OPERATOR : S.VAK LOCATION : P-6A/BFC-KC MO
CLIENT : NES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SCPT P-7

Vandehey Soil Expl.

Operator : S.VAN
Sounding : SND101 Pg 1 / 1
Client : WES

CPT Date : 06-29-94 17:20
Location : P-7/BFC-KC M0
Job No. : DACW39-94-M-5062



Depth Increment : .1 m

Max Depth : 41.99 ft

SOUNDING DATA IN FILE SND101 06-29-94 17:20

OPERATOR : S.VAN

LOCATION : P-7/BFC-KC MO

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
 40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261

DEPTH METERS	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC 1 deg	INTERPRETED SOIL TYPE
0.50	1.6	25.0	0.809	3.64	6.5	
0.60	2.0	86.5	1.779	2.06	0.0	sandy silt to clayey silt
0.70	2.3	91.7	2.023	2.50	0.1	sandy silt to clayey silt
0.80	2.6	44.0	0.593	3.25	0.0	sandy silt to clayey silt
0.90	3.0	29.3	0.491	1.68	0.1	sandy silt to clayey silt
1.00	3.3	17.7	0.224	1.27	0.1	sandy silt to clayey silt
1.10	3.6	10.4	0.103	0.99	0.1	sandy silt to clayey silt
1.20	3.9	11.9	0.152	1.27	0.1	clayey silt to silty clay
1.30	4.3	12.7	0.250	1.97	0.1	clayey silt to silty clay
1.40	4.6	13.2	0.456	3.46	0.1	silty clay to clay
1.50	4.9	15.6	0.589	3.77	0.1	silty clay to clay
1.60	5.2	14.0	0.517	3.68	0.1	silty clay to clay
1.70	5.6	11.3	0.323	2.85	0.1	silty clay to clay
1.80	5.9	9.2	0.320	3.49	0.1	silty clay to clay
1.90	6.2	11.0	0.382	3.46	0.1	silty clay to clay
2.00	6.6	11.0	0.328	2.97	0.1	silty clay to clay
2.10	6.9	9.5	0.240	2.51	0.1	silty clay to clay
2.20	7.2	9.5	0.204	2.16	0.1	silty clay to clay
2.30	7.5	9.3	0.222	2.38	0.1	silty clay to clay
2.40	7.9	8.6	0.187	2.18	0.1	silty clay to clay
2.50	8.2	7.4	0.123	1.67	0.0	clayey silt to silty clay
2.60	8.5	7.5	0.110	1.47	0.0	clayey silt to silty clay
2.70	8.9	6.5	0.107	1.66	0.0	silty clay to clay
2.80	9.2	5.8	0.111	1.91	0.0	silty clay to clay
2.90	9.5	5.5	0.092	1.67	0.0	silty clay to clay
3.00	9.8	5.2	0.089	1.70	0.0	sensitive fine grained
3.10	10.2	5.1	0.087	1.71	0.0	sensitive fine grained
3.20	10.5	4.9	0.061	1.67	0.0	silty clay to clay
3.30	10.8	5.2	0.103	1.98	0.0	sensitive fine grained
3.40	11.2	5.3	0.061	1.14	0.0	sensitive fine grained
3.50	11.5	5.7	0.054	0.94	0.0	sensitive fine grained
3.60	11.8	5.9	0.057	0.96	0.0	sensitive fine grained
3.70	12.1	6.2	0.057	0.92	0.0	sensitive fine grained
3.80	12.5	6.1	0.062	1.01	0.0	sensitive fine grained
3.90	12.8	6.2	0.054	0.86	0.0	sensitive fine grained
4.00	13.1	5.9	0.052	0.88	0.0	sensitive fine grained
4.10	13.5	5.4	0.052	0.96	0.0	sensitive fine grained
4.20	13.8	6.0	0.050	0.83	0.0	sensitive fine grained
4.30	14.1	5.3	0.055	1.04	0.0	sensitive fine grained
4.40	14.4	4.8	0.013	0.28	0.0	sensitive fine grained

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR. RATIO Fs/Qc :	INC I deg	INTERPRETED SOIL TYPE
4.50	14.8	6.0	0.026	0.43	0.0	sensitive fine grained
4.60	15.1	5.4	0.019	0.36	0.0	sensitive fine grained
4.70	15.4	5.3	0.021	0.39	0.0	sensitive fine grained
4.80	15.7	5.5	0.042	0.76	0.0	sensitive fine grained
4.90	16.1	5.2	0.041	0.79	0.0	sensitive fine grained
5.00	16.4	4.9	0.025	0.52	0.0	sensitive fine grained
5.10	16.7	5.4	0.047	0.87	0.0	sensitive fine grained
5.20	17.1	6.1	0.046	0.78	0.0	sensitive fine grained
5.30	17.4	6.2	0.047	0.76	0.0	sensitive fine grained
5.40	17.7	6.1	0.015	0.24	0.0	sensitive fine grained
5.50	18.0	7.1	0.049	0.56	0.0	sensitive fine grained
5.60	18.4	7.5	0.014	0.32	0.0	sensitive fine grained
5.70	18.7	7.8	0.006	0.08	0.0	sensitive fine grained
5.80	19.0	8.9	0.025	0.33	0.0	sandy silt to clayey silt
5.90	19.4	16.9	0.235	1.39	0.0	sandy silt to clayey silt
6.00	19.7	11.8	0.172	1.46	0.0	sandy silt to clayey silt
6.10	20.0	18.1	0.275	1.52	0.0	sandy silt to clayey silt
6.20	20.3	16.8	0.527	1.95	0.0	sandy silt to clayey silt
6.30	20.7	17.4	0.264	1.51	0.0	clayey silt to silty clay
6.40	21.0	9.8	0.183	1.86	0.0	clayey silt to silty clay
6.50	21.3	11.6	0.187	1.61	0.0	clayey silt to silty clay
6.60	21.7	8.9	0.086	0.96	0.0	clayey silt to silty clay
6.70	22.0	7.9	0.064	0.80	0.0	clayey silt to silty clay
6.80	22.3	8.3	0.067	0.80	0.0	sensitive fine grained
6.90	22.6	7.4	0.063	0.85	0.0	sensitive fine grained
7.00	23.0	8.2	0.057	0.70	0.0	sensitive fine grained
7.10	23.3	7.7	0.029	0.37	0.0	sensitive fine grained
7.20	23.6	7.1	0.048	0.68	0.0	sensitive fine grained
7.30	23.9	8.1	0.656	0.69	0.0	sensitive fine grained
7.40	24.3	7.6	0.072	0.93	0.0	sensitive fine grained
7.50	24.6	8.2	0.064	0.78	0.0	sensitive fine grained
7.60	24.9	7.6	0.050	0.65	0.0	sensitive fine grained
7.70	25.3	7.8	0.041	0.52	0.0	sensitive fine grained
7.80	25.6	8.3	0.045	0.54	0.0	sensitive fine grained
7.90	25.9	8.3	0.074	0.91	0.0	clayey silt to silty clay
8.00	26.2	9.3	0.078	0.83	0.0	clayey silt to silty clay
8.10	26.6	8.7	0.072	0.82	0.0	clayey silt to silty clay
8.20	26.9	9.5	0.095	1.00	0.0	clayey silt to silty clay
8.30	27.2	9.0	0.074	0.82	0.0	clayey silt to silty clay
8.40	27.6	8.9	0.146	1.65	0.0	clayey silt to silty clay
8.50	27.9	9.6	0.109	1.14	0.0	clayey silt to silty clay
8.60	28.2	9.4	0.095	1.01	0.0	clayey silt to silty clay
8.70	28.5	9.0	0.049	0.54	0.0	clayey silt to silty clay
8.80	28.9	8.4	0.033	0.39	0.0	sensitive fine grained
8.90	29.2	7.9	0.035	0.44	0.0	sensitive fine grained
9.00	29.5	7.8	0.052	0.66	0.0	sensitive fine grained
9.10	29.9	7.6	0.053	0.68	0.0	sensitive fine grained
9.20	30.2	7.9	0.048	0.60	0.0	sensitive fine grained
9.30	30.5	7.7	0.041	0.54	0.0	sensitive fine grained
9.40	30.8	7.8	0.105	1.34	0.0	clayey silt to silty clay

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
9.50	31.2	8.8	0.074	0.84	0.0	clayey silt to silty clay
9.60	31.5	8.6	0.067	0.78	0.0	clayey silt to silty clay
9.70	31.8	9.1	0.066	0.73	0.0	clayey silt to silty clay
9.80	32.2	9.9	0.077	0.87	0.0	clayey silt to silty clay
9.90	32.5	10.0	0.095	0.95	0.0	clayey silt to silty clay
10.00	32.8	10.9	0.128	1.18	0.0	clayey silt to silty clay
10.10	33.1	10.8	0.105	1.01	0.0	clayey silt to silty clay
10.20	33.5	10.9	0.105	0.97	0.0	clayey silt to silty clay
10.30	33.8	10.6	0.171	1.61	0.0	clayey silt to silty clay
10.40	34.1	11.1	0.264	2.38	0.0	clayey silt to silty clay
10.50	34.4	11.3	0.261	2.32	0.0	clayey silt to silty clay
10.60	34.8	9.6	0.145	1.55	0.0	clayey silt to silty clay
10.70	35.1	10.2	0.121	1.19	0.0	clayey silt to silty clay
10.80	35.4	10.0	0.113	1.13	0.0	clayey silt to silty clay
10.90	35.8	10.9	0.128	1.17	0.0	clayey silt to silty clay
11.00	36.1	11.5	0.125	1.10	0.0	clayey silt to silty clay
11.10	36.4	11.2	0.157	1.40	0.0	clayey silt to silty clay
11.20	36.7	15.6	0.431	2.77	0.0	sandy silt to clayey silt
11.30	37.1	61.4	1.128	1.84	0.0	sandy silt to clayey silt
11.40	37.4	56.1	1.228	2.19	0.0	silty sand to sandy silt
11.50	37.7	67.0	0.846	1.26	0.0	silty sand to sandy silt
11.60	38.1	79.2	1.442	1.82	0.0	silty sand to sandy silt
11.70	38.4	93.8	1.027	1.09	0.0	sand to silty sand
11.80	38.7	77.1	0.731	0.95	0.0	sand to silty sand
11.90	39.0	75.1	1.067	1.42	0.0	sand to silty sand
12.00	39.4	73.5	0.437	0.59	0.1	sand to silty sand
12.10	39.7	61.7	0.566	0.92	0.1	silty sand to sandy silt
12.20	40.0	56.5	1.640	2.90	0.1	silty sand to sandy silt
12.30	40.4	60.4	0.504	0.83	0.1	silty sand to sandy silt
12.40	40.7	46.9	1.047	2.23	0.1	silty sand to sandy silt
12.50	41.0	80.0	0.854	1.07	0.1	silty sand to sandy silt
12.60	41.3	85.6	0.968	1.13	0.1	sand to silty sand
12.70	41.7	106.1	1.851	1.74	0.1	?
12.80	42.0	135.7	?	?	0.5	?

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average


SOUNDING DATA IN FILE SMD101 06-29-94 17:20
OPERATOR : S.VAN LOCATION : P-7/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND101 06-29-94 17:20
OPERATOR : S.VAN LOCATION : P-7/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SHD101 06-29-94 17:20
OPERATOR : S.VAN LOCATION : P-7/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND101 06-29-94 17:20
OPERATOR : S.VAN LOCATION : P-7/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon, 97106 (503) 324 3261



SOUNDING DATA IN FILE SND101 06-29-94 17:20
OPERATOR : S.VAN LOCATION : P-7/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SCPT P-8



SCPT P-8

Vandehey Soil Expl.

Operator : S.VAN


CPT Date : 06-27-94 18:52

Sounding : SND-93 Pg 1 / 1

Location : P-8/6FC-KC M0

Client : WES

Job No. : DACW39-94-M-5062



Depth Increment : .1 m

Max Depth : 41.01 ft

SOUNDING DATA IN FILE SND-93 06-27-94 18:52

OPERATOR : S.UAN

LOCATION : P-8/BFC-KC M0

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC i deg	INTERPRETED SOIL TYPE
0.60	2.0	32.1	0.520	1.62	0.1	
0.70	2.3	27.3	0.502	1.84	0.1	sandy silt to clayey silt
0.80	2.6	44.8	1.208	2.70	0.1	sandy silt to clayey silt
0.90	3.0	73.7	1.580	2.14	0.1	sandy silt to clayey silt
1.00	3.3	49.4	1.830	3.71	0.1	clayey silt to silty clay
1.10	3.6	33.8	1.419	4.19	0.1	clayey silt to silty clay
1.20	3.9	24.9	0.827	3.32	0.1	clayey silt to silty clay
1.30	4.3	18.1	0.620	3.43	0.1	silty clay to clay
1.40	4.6	15.7	0.701	4.47	0.1	clay
1.50	4.9	15.2	0.695	4.58	0.0	clay
1.60	5.2	17.0	0.668	3.94	0.1	clay
1.70	5.6	16.1	0.770	4.80	0.1	clay
1.80	5.9	16.4	0.761	4.63	0.1	clay
1.90	6.2	14.6	0.707	4.83	0.1	clay
2.00	6.6	14.5	0.638	4.39	0.1	clay
2.10	6.9	12.9	0.579	4.51	0.1	clay
2.20	7.2	11.5	0.481	4.20	0.1	clay
2.30	7.5	10.8	0.470	4.36	0.1	clay
2.40	7.9	11.0	0.474	4.33	0.1	clay
2.50	8.2	11.2	0.473	4.21	0.1	clay
2.60	8.5	9.9	0.426	4.29	0.1	clay
2.70	8.9	9.5	0.335	3.54	0.1	clay
2.80	9.2	8.2	0.329	4.02	0.1	clay
2.90	9.5	8.5	0.252	2.96	0.0	clay
3.00	9.8	8.0	0.300	3.73	0.0	clay
3.10	10.2	7.8	0.269	3.46	0.0	clay
3.20	10.5	7.5	0.253	3.37	0.0	clay
3.30	10.8	6.9	0.272	3.92	0.0	clay
3.40	11.2	6.4	0.300	4.67	0.0	clay
3.50	11.5	6.6	0.256	3.86	0.1	clay
3.60	11.8	5.4	0.224	4.11	0.1	clay
3.70	12.1	4.2	0.140	3.33	0.1	clay
3.80	12.5	1.5	0.171	11.31	0.1	organic material
3.90	12.8	2.6	0.152	5.82	0.1	organic material
4.00	13.1	2.8	0.126	4.44	0.1	clay
4.10	13.5	2.8	0.132	4.79	0.1	clay
4.20	13.8	2.7	0.133	4.94	0.0	clay
4.30	14.1	2.8	0.113	4.68	0.1	clay
4.40	14.4	2.3	0.123	5.28	0.0	clay
4.50	14.8	2.5	0.089	3.51	0.1	clay

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2" sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
4.60	15.1	2.3	0.073	3.25	0.1	clay
4.70	15.4	2.6	0.080	3.07	0.1	clay
4.80	15.7	2.5	0.090	3.58	0.1	clay
4.90	16.1	3.0	0.073	2.45	0.1	clay
5.00	16.4	3.0	0.076	2.53	0.1	clay
5.10	16.7	3.5	0.123	3.48	0.1	clay
5.20	17.1	3.2	0.065	2.64	0.1	clay
5.30	17.4	3.0	0.051	1.71	0.1	sensitive fine grained
5.40	17.7	3.0	0.074	2.50	0.1	clay
5.50	18.0	3.8	0.081	2.13	0.0	clay
5.60	18.4	3.5	0.066	1.87	0.0	sensitive fine grained
5.70	18.7	3.5	0.056	1.59	0.0	sensitive fine grained
5.80	19.0	3.2	0.062	1.93	0.1	sensitive fine grained
5.90	19.4	3.7	0.073	1.99	0.0	clay
6.00	19.7	3.1	0.071	2.31	0.0	clay
6.10	20.0	2.8	0.068	2.46	0.0	clay
6.20	20.3	2.8	0.056	2.00	0.0	sensitive fine grained
6.30	20.7	2.7	0.054	2.00	0.0	clay
6.40	21.0	3.8	0.114	2.98	0.0	clay
6.50	21.3	7.8	0.127	1.62	0.0	silty clay to clay
6.60	21.7	5.8	0.077	1.32	0.0	sensitive fine grained
6.70	22.0	4.3	0.049	1.14	0.0	sensitive fine grained
6.80	22.3	3.8	0.050	1.31	0.0	sensitive fine grained
6.90	22.6	4.0	0.046	1.16	0.0	sensitive fine grained
7.00	23.0	3.8	0.056	1.48	0.0	sensitive fine grained
7.10	23.3	4.0	0.068	1.72	0.0	sensitive fine grained
7.20	23.6	3.8	0.064	1.67	0.0	sensitive fine grained
7.30	23.9	3.9	0.052	1.33	0.0	sensitive fine grained
7.40	24.3	3.8	0.119	3.12	0.1	clay
7.50	24.6	4.5	0.127	2.81	0.0	clay
7.60	24.9	4.8	0.135	2.83	0.0	clay
7.70	25.3	5.7	0.130	2.27	0.0	clay
7.80	25.6	6.8	0.241	3.56	0.0	clay
7.90	25.9	7.3	0.235	3.24	0.0	clay
8.00	26.2	7.3	0.193	2.63	0.0	silty clay to clay
8.10	26.6	8.8	0.207	2.36	0.0	silty clay to clay
8.20	26.9	8.6	0.197	2.23	0.0	silty clay to clay
8.30	27.2	8.4	0.136	1.62	0.0	clayey silt to silty clay
8.40	27.6	7.1	0.137	1.93	0.0	clayey silt to silty clay
8.50	27.9	8.0	0.127	1.59	0.1	clayey silt to silty clay
8.60	28.2	7.1	0.087	1.23	0.1	sensitive fine grained
8.70	28.5	6.3	0.072	1.14	0.1	sensitive fine grained
8.80	28.9	5.1	0.088	1.71	0.1	sensitive fine grained
8.90	29.2	5.3	0.091	1.72	0.1	sensitive fine grained
9.00	29.5	5.2	0.088	1.70	0.1	silty clay to clay
9.10	29.9	5.3	0.103	1.92	0.1	silty clay to clay
9.20	30.2	5.4	0.102	1.90	0.1	silty clay to clay
9.30	30.5	5.8	0.126	2.17	0.1	clay
9.40	30.8	6.8	0.299	4.39	0.1	clay
9.50	31.2	9.0	0.339	3.77	0.0	clay


Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc :	INC I deg	INTERPRETED SOIL TYPE
9.60	31.5	7.7	0.303	3.91	0.0	clay
9.70	31.8	7.2	0.191	2.67	0.0	silty clay to clay
9.80	32.2	7.6	0.160	2.09	0.0	silty clay to clay
9.90	32.5	7.4	0.167	2.26	0.0	silty clay to clay
10.00	32.8	7.0	0.167	2.40	0.0	silty clay to clay
10.10	33.1	7.5	0.116	1.54	0.0	silty clay to clay
10.20	33.5	9.0	0.179	1.99	0.0	clayey silt to silty clay
10.30	33.8	9.5	0.221	2.35	0.0	silty clay to clay
10.40	34.1	5.7	0.229	3.99	0.0	sandy silt to clayey silt
10.50	34.4	55.5	0.422	0.76	0.0	silty sand to sandy silt
10.60	34.8	91.1	0.506	0.56	0.0	sand to silty sand
10.70	35.1	83.0	0.939	1.13	0.0	sand to silty sand
10.80	35.4	68.0	0.939	1.38	0.0	silty sand to sandy silt
10.90	35.8	75.2	0.625	0.83	0.0	silty sand to sandy silt
11.00	36.1	48.3	0.944	1.96	0.0	silty sand to sandy silt
11.10	36.4	65.2	1.772	2.72	0.0	sandy silt to clayey silt
11.20	36.7	49.3	0.614	1.25	0.0	silty sand to sandy silt
11.30	37.1	43.9	0.702	1.60	0.0	silty sand to sandy silt
11.40	37.4	41.3	0.748	1.81	0.0	silty sand to sandy silt
11.50	37.7	83.2	1.162	1.40	0.0	silty sand to sandy silt
11.60	38.1	50.6	1.004	1.98	0.0	silty sand to sandy silt
11.70	38.4	45.9	0.602	1.31	0.0	silty sand to sandy silt
11.80	38.7	50.9	0.739	1.45	0.0	silty sand to sandy silt
11.90	39.0	42.9	1.047	2.44	0.0	sandy silt to clayey silt
12.00	39.4	70.8	1.551	2.19	0.0	sandy silt to clayey silt
12.10	39.7	7.7	1.047	13.57	0.0	clayey silt to silty clay
12.20	40.0	52.7	0.703	1.33	0.0	sandy silt to clayey silt
12.30	40.4	61.7	0.889	1.44	0.0	silty sand to sandy silt
12.40	40.7	59.4	1.124	1.88	0.2	?
12.50	41.0	168.7	?	?	0.2	?

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average


SOUNDING DATA IN FILE SND-93 06-27-94 18:52
OPERATOR : S.VAN LOCATION : P-8/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND-93 06-27-94 18:52
OPERATOR : S.VAN LOCATION : P-8/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND-93 06-27-94 18:52
OPERATOR : S.VAN LOCATION : P-8/BFC-KC M0
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND-93 06-27-94 18:52
OPERATOR : S. VAN LOCATION : P-8/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



Vandehey Soil Expl.

Operator : S.VAN


CPT Date : 06-27-94 21:24

Sounding : SND-94 Pg 1 / 1

Location : P-9/BFC-KC MO

Client : WES

Job No. : DACH39-94-M-5062



Depth Increment : .1 m

Max Depth : 35.76 ft

SOUNDING DATA IN FILE SND-94 06-27-94 21:24

OPERATOR : S.VAN

LOCATION : F-9/BFC-KC MD

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehy Soil Exploration

40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
0.50	1.6	17.3	0.870	5.04	0.0	
0.60	2.0	13.6	0.517	3.80	0.0	clay
0.70	2.3	14.7	0.574	3.91	0.0	silty clay to clay
0.80	2.6	13.9	0.565	4.02	0.0	clay
0.90	3.0	12.6	0.446	3.54	0.0	silty clay to clay
1.00	3.3	11.1	0.408	3.67	0.0	silty clay to clay
1.10	3.6	10.6	0.357	3.38	0.0	silty clay to clay
1.20	3.9	10.6	0.343	3.24	0.0	silty clay to clay
1.30	4.3	9.9	0.296	2.98	0.0	silty clay to clay
1.40	4.6	9.9	0.335	3.37	0.0	silty clay to clay
1.50	4.9	10.0	0.272	2.73	0.0	silty clay to clay
1.60	5.2	9.0	0.200	2.22	0.0	silty clay to clay
1.70	5.6	7.7	0.151	1.96	0.0	silty clay to clay
1.80	5.9	6.6	0.120	1.82	0.0	silty clay to clay
1.90	6.2	5.5	0.089	1.62	0.0	sensitive fine grained
2.00	6.6	5.6	0.071	1.27	0.0	sensitive fine grained
2.10	6.9	5.9	0.084	1.43	0.0	sensitive fine grained
2.20	7.2	5.7	0.107	1.88	0.0	sensitive fine grained
2.30	7.5	5.1	0.071	1.39	0.0	sensitive fine grained
2.40	7.9	4.5	0.059	1.52	0.0	sensitive fine grained
2.50	8.2	4.7	0.060	1.29	0.0	sensitive fine grained
2.60	8.5	5.4	0.078	1.45	0.0	sensitive fine grained
2.70	8.9	6.5	0.100	1.56	0.0	sensitive fine grained
2.80	9.2	6.1	0.100	1.64	0.0	silty clay to clay
2.90	9.5	5.6	0.090	1.70	0.0	sensitive fine grained
3.00	9.8	6.3	0.082	1.29	0.0	sensitive fine grained
3.10	10.2	6.5	0.113	1.75	0.0	silty clay to clay
3.20	10.5	5.8	0.095	1.63	0.0	sensitive fine grained
3.30	10.8	5.0	0.078	1.54	0.0	sensitive fine grained
3.40	11.2	4.7	0.078	1.66	0.0	sensitive fine grained
3.50	11.5	4.6	0.059	1.29	0.0	sensitive fine grained
3.60	11.8	4.9	0.050	1.02	0.0	sensitive fine grained
3.70	12.1	5.9	0.060	1.02	0.0	sensitive fine grained
3.80	12.5	6.4	0.088	1.39	0.0	sensitive fine grained
3.90	12.8	6.6	0.097	1.47	0.0	sensitive fine grained
4.00	13.1	7.6	0.120	1.56	0.0	clayey silt to silty clay
4.10	13.5	7.2	0.115	1.50	0.0	clayey silt to silty clay
4.20	13.8	6.7	0.087	1.30	0.0	sensitive fine grained
4.30	14.1	7.1	0.086	1.21	0.0	silty clay to clay
4.40	14.4	7.2	0.221	3.06	0.0	silty clay to clay

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIF Qc tsf	FRICITION Fs tsf	FK RATIO Fs/Qc 1	INC i deg	INTERPRETED SOIL TYPE
4.50	14.8	10.5	0.275	2.63	0.0	silty clay to clay
4.60	15.1	9.7	0.178	1.84	0.0	clayey silt to silty clay
4.70	15.4	7.9	0.187	2.36	0.0	silty clay to clay
4.80	15.7	7.4	0.158	2.14	0.0	silty clay to clay
4.90	16.1	8.8	0.214	2.44	0.0	silty clay to clay
5.00	16.4	9.7	0.246	2.53	0.0	silty clay to clay
5.10	16.7	8.8	0.177	2.02	0.0	silty clay to clay
5.20	17.1	6.1	0.170	2.03	0.0	silty clay to clay
5.30	17.4	8.5	0.163	1.91	0.0	silty clay to clay
5.40	17.7	8.4	0.167	1.98	0.0	clayey silt to silty clay
5.50	18.0	9.3	0.157	1.70	0.0	clayey silt to silty clay
5.60	18.4	7.6	0.071	0.93	0.0	clayey silt to silty clay
5.70	18.7	7.3	0.050	0.69	0.0	sensitive fine grained
5.80	19.0	7.4	0.056	0.75	0.0	sensitive fine grained
5.90	19.4	8.0	0.067	0.84	0.0	sensitive fine grained
6.00	19.7	8.5	0.089	1.04	0.0	clayey silt to silty clay
6.10	20.0	8.2	0.098	1.19	0.0	clayey silt to silty clay
6.20	20.3	8.0	0.115	1.44	0.0	clayey silt to silty clay
6.30	20.7	8.1	0.124	1.53	0.0	clayey silt to silty clay
6.40	21.0	8.0	0.125	1.56	0.0	clayey silt to silty clay
6.50	21.3	7.6	0.137	1.80	0.0	clayey silt to silty clay
6.60	21.7	6.8	0.084	1.24	0.0	clayey silt to silty clay
6.70	22.0	7.3	0.079	1.09	0.0	sensitive fine grained
6.80	22.3	7.0	0.084	1.19	0.0	sensitive fine grained
6.90	22.6	7.1	0.075	1.07	0.0	sensitive fine grained
7.00	23.0	6.8	0.054	0.80	0.0	sensitive fine grained
7.10	23.3	6.9	0.041	0.59	0.0	sensitive fine grained
7.20	23.6	7.0	0.039	0.56	0.0	sensitive fine grained
7.30	23.9	6.3	0.027	0.42	0.0	sensitive fine grained
7.40	24.3	6.2	0.074	1.20	0.0	sensitive fine grained
7.50	24.6	7.3	0.043	0.59	0.0	sensitive fine grained
7.60	24.9	7.4	0.050	0.68	0.0	sensitive fine grained
7.70	25.3	6.9	0.035	0.52	0.0	sensitive fine grained
7.80	25.6	6.8	0.041	0.61	0.0	sensitive fine grained
7.90	25.9	7.2	0.075	1.04	0.0	sensitive fine grained
8.00	26.2	8.4	0.143	1.70	0.0	clayey silt to silty clay
8.10	26.6	8.9	0.181	2.02	0.0	clayey silt to silty clay
8.20	26.9	9.8	0.209	2.13	0.0	clayey silt to silty clay
8.30	27.2	9.6	0.203	2.11	0.0	clayey silt to silty clay
8.40	27.6	9.6	0.205	2.15	0.0	clayey silt to silty clay
8.50	27.9	9.1	0.167	1.83	0.0	clayey silt to silty clay
8.60	28.2	8.6	0.135	1.57	0.0	clayey silt to silty clay
8.70	28.5	6.9	0.123	1.38	0.0	clayey silt to silty clay
8.80	28.9	8.4	0.177	2.12	0.0	clayey silt to silty clay
8.90	29.2	9.6	0.219	2.28	0.0	silty clay to clay
9.00	29.5	9.5	0.222	2.33	0.0	silty clay to clay
9.10	29.9	9.7	0.203	2.09	0.0	silty clay to clay
9.20	30.2	9.0	0.254	2.59	0.0	silty clay to clay
9.30	30.5	10.9	0.296	2.71	0.0	silty clay to clay
9.40	30.8	10.2	0.266	2.61	0.0	silty clay to clay


Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FS RATIO Fs/Qc :	INC I deg	INTERPRETED SOIL TYPE
9.50	31.2	11.3	0.252	2.59	0.0	silty clay to clay
9.60	31.5	11.1	0.234	2.11	0.0	clayey silt to silty clay
9.70	31.8	11.6	0.067	0.59	0.0	sandy silt to clayey silt
9.80	32.2	12.5	0.066	0.53	0.0	sandy silt to clayey silt
9.90	32.5	11.1	0.142	1.28	0.0	clayey silt to silty clay
10.00	32.8	10.8	0.170	1.58	0.0	clayey silt to silty clay
10.10	33.1	8.8	0.116	1.33	0.0	clayey silt to silty clay
10.20	33.5	8.8	0.174	1.99	0.0	clayey silt to silty clay
10.30	33.8	5.5	0.103	1.60	0.0	silty clay to clay
10.40	34.1	11.2	0.308	2.75	0.0	silty clay to clay
10.50	34.4	12.2	0.485	3.98	0.0	clay
10.60	34.8	13.9	0.733	5.28	0.0	clay
10.70	35.1	23.7	0.983	4.15	0.0	clayey silt to silty clay
10.80	35.4	52.8	1.249	2.37	0.0	?
10.90	35.8	142.8	?	?	0.0	?

Soil interpretation reference: Robertson & Caspanella-1983, based on 60% hammer efficiency and .2 * sliding data average


SOUNDING DATA IN FILE SND-94 06-27-94 21:24
OPERATOR : S.VAN LOCATION : P-9/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND-94 06-27-94 21:24
OPERATOR : S.VAN LOCATION : P-9/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND-94 06-27-94 21:24
OPERATOR : S.VAN LOCATION : P-9/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon, 97106 (503) 324 3261



SOUNDING DATA IN FILE SND-94 06-27-94 21:24
OPERATOR : S.VAN LOCATION : P-9/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND-94 06-27-94 21:24
OPERATOR : S.VAN LOCATION : P-9/BFC-KC MO
CLIENT : HES JOB No. : DACH39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SCPT P-10


Time	Depth	Temperature	Pressure	Salinity	Density
10:00	0	15.0	1013.2	35.0	1.023
10:05	5	14.5	1013.5	35.0	1.023
10:10	10	14.0	1013.8	35.0	1.023
10:15	15	13.5	1014.1	35.0	1.023
10:20	20	13.0	1014.4	35.0	1.023
10:25	25	12.5	1014.7	35.0	1.023
10:30	30	12.0	1015.0	35.0	1.023
10:35	35	11.5	1015.3	35.0	1.023
10:40	40	11.0	1015.6	35.0	1.023
10:45	45	10.5	1015.9	35.0	1.023
10:50	50	10.0	1016.2	35.0	1.023
10:55	55	9.5	1016.5	35.0	1.023
11:00	60	9.0	1016.8	35.0	1.023
11:05	65	8.5	1017.1	35.0	1.023
11:10	70	8.0	1017.4	35.0	1.023
11:15	75	7.5	1017.7	35.0	1.023
11:20	80	7.0	1018.0	35.0	1.023
11:25	85	6.5	1018.3	35.0	1.023
11:30	90	6.0	1018.6	35.0	1.023
11:35	95	5.5	1018.9	35.0	1.023
11:40	100	5.0	1019.2	35.0	1.023
11:45	105	4.5	1019.5	35.0	1.023
11:50	110	4.0	1019.8	35.0	1.023
11:55	115	3.5	1020.1	35.0	1.023
12:00	120	3.0	1020.4	35.0	1.023
12:05	125	2.5	1020.7	35.0	1.023
12:10	130	2.0	1021.0	35.0	1.023
12:15	135	1.5	1021.3	35.0	1.023
12:20	140	1.0	1021.6	35.0	1.023
12:25	145	0.5	1021.9	35.0	1.023
12:30	150	0.0	1022.2	35.0	1.023
12:35	155	0.0	1022.5	35.0	1.023
12:40	160	0.0	1022.8	35.0	1.023
12:45	165	0.0	1023.1	35.0	1.023
12:50	170	0.0	1023.4	35.0	1.023
12:55	175	0.0	1023.7	35.0	1.023
13:00	180	0.0	1024.0	35.0	1.023
13:05	185	0.0	1024.3	35.0	1.023
13:10	190	0.0	1024.6	35.0	1.023
13:15	195	0.0	1024.9	35.0	1.023
13:20	200	0.0	1025.2	35.0	1.023
13:25	205	0.0	1025.5	35.0	1.023
13:30	210	0.0	1025.8	35.0	1.023
13:35	215	0.0	1026.1	35.0	1.023
13:40	220	0.0	1026.4	35.0	1.023
13:45	225	0.0	1026.7	35.0	1.023
13:50	230	0.0	1027.0	35.0	1.023
13:55	235	0.0	1027.3	35.0	1.023
14:00	240	0.0	1027.6	35.0	1.023
14:05	245	0.0	1027.9	35.0	1.023
14:10	250	0.0	1028.2	35.0	1.023
14:15	255	0.0	1028.5	35.0	1.023
14:20	260	0.0	1028.8	35.0	1.023
14:25	265	0.0	1029.1	35.0	1.023
14:30	270	0.0	1029.4	35.0	1.023
14:35	275	0.0	1029.7	35.0	1.023
14:40	280	0.0	1030.0	35.0	1.023
14:45	285	0.0	1030.3	35.0	1.023
14:50	290	0.0	1030.6	35.0	1.023
14:55	295	0.0	1030.9	35.0	1.023
15:00	300	0.0	1031.2	35.0	1.023
15:05	305	0.0	1031.5	35.0	1.023
15:10	310	0.0	1031.8	35.0	1.023
15:15	315	0.0	1032.1	35.0	1.023
15:20	320	0.0	1032.4	35.0	1.023
15:25	325	0.0	1032.7	35.0	1.023
15:30	330	0.0	1033.0	35.0	1.023
15:35	335	0.0	1033.3	35.0	1.023
15:40	340	0.0	1033.6	35.0	1.023
15:45	345	0.0	1033.9	35.0	1.023
15:50	350	0.0	1034.2	35.0	1.023
15:55	355	0.0	1034.5	35.0	1.023
16:00	360	0.0	1034.8	35.0	1.023
16:05	365	0.0	1035.1	35.0	1.023
16:10	370	0.0	1035.4	35.0	1.023
16:15	375	0.0	1035.7	35.0	1.023
16:20	380	0.0	1036.0	35.0	1.023
16:25	385	0.0	1036.3	35.0	1.023
16:30	390	0.0	1036.6	35.0	1.023
16:35	395	0.0	1036.9	35.0	1.023
16:40	400	0.0	1037.2	35.0	1.023
16:45	405	0.0	1037.5	35.0	1.023
16:50	410	0.0	1037.8	35.0	1.023
16:55	415	0.0	1038.1	35.0	1.023
17:00	420	0.0	1038.4	35.0	1.023
17:05	425	0.0	1038.7	35.0	1.023
17:10	430	0.0	1039.0	35.0	1.023
17:15	435	0.0	1039.3	35.0	1.023
17:20	440	0.0	1039.6	35.0	1.023
17:25	445	0.0	1039.9	35.0	1.023
17:30	450	0.0	1040.2	35.0	1.023
17:35	455	0.0	1040.5	35.0	1.023
17:40	460	0.0	1040.8	35.0	1.023
17:45	465	0.0	1041.1	35.0	1.023
17:50	470	0.0	1041.4	35.0	1.023
17:55	475	0.0	1041.7	35.0	1.023
18:00	480	0.0	1042.0	35.0	1.023
18:05	485	0.0	1042.3	35.0	1.023
18:10	490	0.0	1042.6	35.0	1.023
18:15	495	0.0	1042.9	35.0	1.023
18:20	500	0.0	1043.2	35.0	1.023
18:25	505	0.0	1043.5	35.0	1.023
18:30	510	0.0	1043.8	35.0	1.023
18:35	515	0.0	1044.1	35.0	1.023
18:40	520	0.0	1044.4	35.0	1.023
18:45	525	0.0	1044.7	35.0	1.023
18:50	530	0.0	1045.0	35.0	1.023
18:55	535	0.0	1045.3	35.0	1.023
19:00	540	0.0	1045.6	35.0	1.023
19:05	545	0.0	1045.9	35.0	1.023
19:10	550	0.0	1046.2	35.0	1.023
19:15	555	0.0	1046.5	35.0	1.023
19:20	560	0.0	1046.8	35.0	1.023
19:25	565	0.0	1047.1	35.0	1.023
19:30	570	0.0	1047.4	35.0	1.023
19:35	575	0.0	1047.7	35.0	1.023
19:40	580	0.0	1048.0	35.0	1.023
19:45	585	0.0	1048.3	35.0	1.023
19:50	590	0.0	1048.6	35.0	1.023
19:55	595	0.0	1048.9	35.0	1.023
20:00	600	0.0	1049.2	35.0	1.023
20:05	605	0.0	1049.5	35.0	1.023
20:10	610	0.0	1049.8	35.0	1.023
20:15	615	0.0	1050.1	35.0	1.023
20:20	620	0.0	1050.4	35.0	1.023
20:25	625	0.0	1050.7	35.0	1.023
20:30	630	0.0	1051.0	35.0	1.023
20:35	635	0.0	1051.3	35.0	1.023
20:40	640	0.0	1051.6	35.0	1.023
20:45	645	0.0	1051.9	35.0	1.023
20:50	650	0.0	1052.2	35.0	1.023
20:55	655	0.0	1052.5	35.0	1.023
21:00	660	0.0	1052.8	35.0	1.023
21:05	665	0.0	1053.1	35.0	1.023
21:10	670	0.0	1053.4	35.0	1.023
21:15	675	0.0	1053.7	35.0	1.023
21:20	680	0.0	1054.0	35.0	1.023
21:25	685	0.0	1054.3	35.0	1.023
21:30	690	0.0	1054.6	35.0	1.023
21:35	695	0.0	1054.9	35.0	1.023
21:40	700	0.0	1055.2	35.0	1.023
21:45	705	0.0	1055.5	35.0	1.023
21:50	710	0.0	1055.8	35.0	1.023
21:55	715	0.0	1056.1	35.0	1.023
22:00	720	0.0	1056.4	35.0	1.023
22:05	725	0.0	1056.7	35.0	1.023
22:10	730	0.0	1057.0	35.0	1.023
22:15	735	0.0	1057.3	35.0	1.023
22:20	740	0.0	1057.6	35.0	1.023
22:25	745	0.0	1057.9	35.0	1.023
22:30	750	0.0	1058.2	35.0	1.023
22:35	755	0.0	1058.5	35.0	1.023
22:40	760	0.0	1058.8	35.0	1.023
22:45	765	0.0	1059.1	35.0	1.023
22:50	770	0.0	1059.4	35.0	1.023
22:55	775	0.0	1059.7	35.0	1.023
23:00	780	0.0	1060.0	35.0	1.023
23:05	785	0.0	1060.3	35.0	1.023
23:10	790	0.0	1060.6	35.0	1.023
23:15	795	0.0	1060.9	35.0	1.023
23:20	800	0.0	1061.2	35.0	1.023
23:25	805	0.0	1061.5	35.0	1.023
23:30	810	0.0	1061.8	35.0	1.023
23:35	815	0.0	1062.1	35.0	1.023
23:40	820	0.0	1062.4	35.0	1.023
23:45	825	0.0	1062.7	35.0	1.023
23:50	830	0.0	1063.0	35.0	1.023
23:55	835	0.0	1063.3	35.0	1.023
00:00	840	0.0	1063.6	35.0	1.023

SCPT P-10

Vandehey Soil Expl.

Operator : S.VAN
Sounding : SND-95 Pg 1 / 1
Client : WES

CPT Date : 06-28-94 16:09
Location : P-10BFC-KC M0
Job No. : DACW39-94-M-5062



Depth Increment : .1 m

Max Depth : 35.43 ft

SOUNDING DATA IN FILE SND-95 06-28-94 16:09

OPERATOR : S.VAN

LOCATION : P-10BFC-KC MO

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration

40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc %	INC i deg	INTERPRETED SOIL TYPE
0.50	1.6	22.6	0.760	3.35	0.3	?
0.60	2.0	17.5	0.962	5.48	0.3	clay
0.70	2.3	16.0	0.755	4.71	0.1	clay
0.80	2.6	17.4	0.518	2.98	0.1	silty clay to clay
0.90	3.0	14.7	0.359	2.44	0.1	clayey silt to silty clay
1.00	3.3	13.4	0.245	1.83	0.1	clayey silt to silty clay
1.10	3.6	9.5	0.176	1.86	0.1	clayey silt to silty clay
1.20	3.9	7.0	0.095	1.36	0.1	clayey silt to silty clay
1.30	4.3	5.4	0.076	1.41	0.1	sensitive fine grained
1.40	4.6	5.1	0.060	1.18	0.1	sensitive fine grained
1.50	4.9	5.9	0.038	0.64	0.1	sensitive fine grained
1.60	5.2	5.6	0.060	1.06	0.1	sensitive fine grained
1.70	5.6	7.5	0.103	1.38	0.1	sensitive fine grained
1.80	5.9	6.2	0.080	1.28	0.1	sensitive fine grained
1.90	6.2	5.4	0.054	0.98	0.1	sensitive fine grained
2.00	6.6	4.8	0.023	0.47	0.1	sensitive fine grained
2.10	6.9	4.9	0.022	0.44	0.1	sensitive fine grained
2.20	7.2	5.5	0.015	0.28	0.1	sensitive fine grained
2.30	7.5	4.6	0.006	0.14	0.1	sensitive fine grained
2.40	7.9	4.2	0.081	1.94	0.1	sensitive fine grained
2.50	8.2	5.4	0.028	0.51	0.0	sensitive fine grained
2.60	8.5	4.7	0.023	0.48	0.0	sensitive fine grained
2.70	8.9	4.7	0.020	0.42	0.0	sensitive fine grained
2.80	9.2	4.8	0.030	0.63	0.0	sensitive fine grained
2.90	9.5	5.7	0.038	0.66	0.0	sensitive fine grained
3.00	9.8	5.8	0.039	0.67	0.0	sensitive fine grained
3.10	10.2	5.4	0.044	0.81	0.0	sensitive fine grained
3.20	10.5	6.5	0.074	1.13	0.0	sensitive fine grained
3.30	10.8	8.1	0.133	1.65	0.0	silty clay to clay
3.40	11.2	7.7	0.274	3.57	0.0	silty clay to clay
3.50	11.5	7.3	0.219	2.99	0.0	clay
3.60	11.8	6.3	0.109	1.73	0.0	silty clay to clay
3.70	12.1	6.1	0.084	1.37	0.0	sensitive fine grained
3.80	12.5	5.6	0.057	1.01	0.0	sensitive fine grained
3.90	12.8	5.2	0.040	0.77	0.0	sensitive fine grained
4.00	13.1	4.8	0.035	0.72	0.0	sensitive fine grained
4.10	13.5	5.0	0.043	0.85	0.0	sensitive fine grained
4.20	13.8	5.4	0.038	0.71	0.0	sensitive fine grained
4.30	14.1	5.3	0.040	0.75	0.0	sensitive fine grained
4.40	14.4	4.8	0.075	1.55	0.0	sensitive fine grained

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2" sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
4.50	14.8	5.2	0.037	0.71	0.0	sensitive fine grained
4.60	15.1	4.8	0.033	0.68	0.0	sensitive fine grained
4.70	15.4	5.1	0.030	0.59	0.0	sensitive fine grained
4.80	15.7	4.8	0.044	0.92	0.0	sensitive fine grained
4.90	16.1	4.9	0.040	0.81	0.0	sensitive fine grained
5.00	16.4	4.7	0.028	0.61	0.0	sensitive fine grained
5.10	16.7	4.8	0.025	0.53	0.0	sensitive fine grained
5.20	17.1	5.0	0.031	0.63	0.0	sensitive fine grained
5.30	17.4	5.2	0.031	0.59	0.0	sensitive fine grained
5.40	17.7	6.0	0.084	1.41	0.0	sensitive fine grained
5.50	18.0	7.7	0.128	1.65	0.0	clayey silt to silty clay
5.60	18.4	7.8	0.125	1.60	0.0	clayey silt to silty clay
5.70	18.7	10.5	0.232	2.21	0.0	silty clay to clay
5.80	19.0	8.5	0.224	2.62	0.0	silty clay to clay
5.90	19.4	7.6	0.133	1.76	0.0	silty clay to clay
6.00	19.7	6.6	0.107	1.62	0.0	silty clay to clay
6.10	20.0	6.8	0.098	1.46	0.0	sensitive fine grained
6.20	20.3	6.2	0.083	1.34	0.0	sensitive fine grained
6.30	20.7	5.7	0.081	1.42	0.0	sensitive fine grained
6.40	21.0	5.8	0.095	1.63	0.0	sensitive fine grained
6.50	21.3	7.0	0.087	1.24	0.0	sensitive fine grained
6.60	21.7	6.9	0.099	1.44	0.0	sensitive fine grained
6.70	22.0	6.7	0.101	1.50	0.0	clayey silt to silty clay
6.80	22.3	7.5	0.134	1.78	0.0	silty clay to clay
6.90	22.6	7.8	0.149	1.93	0.0	silty clay to clay
7.00	23.0	7.0	0.130	1.86	0.0	silty clay to clay
7.10	23.3	8.0	0.119	1.49	0.0	clayey silt to silty clay
7.20	23.6	8.2	0.155	1.89	0.0	silty clay to clay
7.30	23.9	8.9	0.221	2.49	0.0	silty clay to clay
7.40	24.3	9.8	0.240	2.44	0.0	silty clay to clay
7.50	24.6	10.3	0.189	1.83	0.0	clayey silt to silty clay
7.60	24.9	9.8	0.183	1.86	0.0	clayey silt to silty clay
7.70	25.3	9.7	0.153	1.58	0.0	clayey silt to silty clay
7.80	25.6	9.1	0.233	2.57	0.0	silty clay to clay
7.90	25.9	9.9	0.239	2.40	0.0	silty clay to clay
8.00	26.2	9.5	0.198	2.08	0.0	clayey silt to silty clay
8.10	26.6	9.1	0.169	1.87	0.0	clayey silt to silty clay
8.20	26.9	9.1	0.166	1.81	0.0	clayey silt to silty clay
8.30	27.2	9.2	0.127	1.38	0.0	clayey silt to silty clay
8.40	27.6	8.9	0.180	2.02	0.0	clayey silt to silty clay
8.50	27.9	10.5	0.230	2.20	0.0	clayey silt to silty clay
8.60	28.2	10.0	0.174	1.74	0.0	clayey silt to silty clay
8.70	28.5	11.3	0.201	1.78	0.0	clayey silt to silty clay
8.80	28.9	11.8	0.253	2.14	0.0	clayey silt to silty clay
8.90	29.2	12.2	0.192	1.58	0.0	clayey silt to silty clay
9.00	29.5	12.1	0.251	2.08	0.0	clayey silt to silty clay
9.10	29.9	11.2	0.174	1.55	0.0	clayey silt to silty clay
9.20	30.2	11.1	0.171	1.54	0.0	clayey silt to silty clay
9.30	30.5	10.8	0.129	1.20	0.0	clayey silt to silty clay
9.40	30.8	10.4	0.159	1.53	0.0	clayey silt to silty clay


Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2" sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc %	INC i deg	INTERPRETED SOIL TYPE
9.50	31.2	11.1	0.153	1.37	0.1	clayey silt to silty clay
9.60	31.5	10.9	0.106	0.97	0.1	clayey silt to silty clay
9.70	31.8	10.6	0.092	0.87	0.1	clayey silt to silty clay
9.80	32.2	11.0	0.144	1.32	0.1	clayey silt to silty clay
9.90	32.5	10.5	0.123	1.17	0.1	clayey silt to silty clay
10.00	32.8	10.9	0.182	1.67	0.1	clayey silt to silty clay
10.10	33.1	9.6	0.278	2.88	0.1	clayey silt to silty clay
10.20	33.5	16.4	0.301	1.83	0.0	clayey silt to silty clay
10.30	33.8	10.7	0.305	2.85	0.0	sandy silt to clayey silt
10.40	34.1	36.8	0.415	1.13	0.0	sandy silt to clayey silt
10.50	34.4	36.6	0.474	1.30	0.0	silty sand to sandy silt
10.60	34.8	80.1	1.227	1.52	0.0	silty sand to sandy silt
10.70	35.1	91.4	1.139	1.25	0.1	?
10.80	35.4	122.2	?	?	0.1	?

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average


SOUNDING DATA IN FILE SND-95 06-28-94 16:09
OPERATOR : S.VAN LOCATION : P-10BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon, 97106 (503) 324 3261




SOUNDING DATA IN FILE SND-95 06-28-94 16:09
OPERATOR : S.VAN LOCATION : P-10BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND-95 06-28-94 16:09
OPERATOR : S.VAN LOCATION : P-10BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 NW Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND-95 06-28-94 16:09
OPERATOR : S.VAN LOCATION : P-10BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND-95 06-28-94 16:09
OPERATOR : S.VAN LOCATION : P-10BFC-KC M0
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SCPT P-11

Vandehey Soil Expl.

Operator : S.VAN
Sounding : SND-97 Pg 1 / 1
Client : WES

CPT Date : 06-28-94 19:36
Location : P-11/BFC-KC MO
Job No. : DACW39-94-M-5062



Depth Increment : .1 m

Max Depth : 35.43 ft

SOUNDING DATA IN FILE SND-97 06-28-94 19:36

OPERATOR : S.VAN

LOCATION : P-11/BFC-KC MO

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
1.80	5.9	5.0	0.057	1.14	0.1	
1.90	6.2	5.5	0.088	1.61	0.1	sensitive fine grained
2.00	6.6	6.1	0.117	1.92	0.1	silty clay to clay
2.10	6.9	6.8	0.148	2.18	0.0	silty clay to clay
2.20	7.2	7.5	0.143	1.92	0.0	silty clay to clay
2.30	7.5	8.8	0.241	2.74	0.1	silty clay to clay
2.40	7.9	10.7	0.415	3.89	0.0	clay
2.50	8.2	10.7	0.460	4.27	0.0	clay
2.60	8.5	8.6	0.409	4.74	0.0	clay
2.70	8.9	6.1	0.204	3.34	0.0	clay
2.80	9.2	5.4	0.290	5.34	0.0	clay
2.90	9.5	5.6	0.215	3.85	0.0	clay
3.00	9.8	5.0	0.139	2.80	0.0	clay
3.10	10.2	5.4	0.175	3.24	0.0	clay
3.20	10.5	5.4	0.146	2.69	0.0	clay
3.30	10.8	4.7	0.134	2.84	0.0	clay
3.40	11.2	5.6	0.133	2.39	0.0	clay
3.50	11.5	4.8	0.120	2.47	0.0	clay
3.60	11.8	4.9	0.095	1.95	0.0	silty clay to clay
3.70	12.1	4.7	0.086	1.83	0.0	silty clay to clay
3.80	12.5	5.0	0.083	1.66	0.0	silty clay to clay
3.90	12.8	5.2	0.098	1.87	0.0	silty clay to clay
4.00	13.1	5.2	0.094	1.80	0.0	silty clay to clay
4.10	13.5	5.3	0.082	1.55	0.0	sensitive fine grained
4.20	13.8	5.4	0.071	1.33	0.0	sensitive fine grained
4.30	14.1	5.4	0.068	1.24	0.0	sensitive fine grained
4.40	14.4	5.8	0.126	2.16	0.0	silty clay to clay
4.50	14.8	6.6	0.131	1.98	0.1	silty clay to clay
4.60	15.1	6.3	0.105	1.67	0.1	silty clay to clay
4.70	15.4	5.9	0.058	0.97	0.1	sensitive fine grained
4.80	15.7	5.1	0.075	1.45	0.1	sensitive fine grained
4.90	16.1	5.9	0.057	0.95	0.1	sensitive fine grained
5.00	16.4	6.0	0.072	1.20	0.1	sensitive fine grained
5.10	16.7	6.5	0.095	1.46	0.1	sensitive fine grained
5.20	17.1	6.7	0.121	1.80	0.0	silty clay to clay
5.30	17.4	8.2	0.163	1.98	0.1	silty clay to clay
5.40	17.7	13.1	0.344	2.63	0.1	clayey silt to silty clay
5.50	18.0	17.2	0.495	2.87	0.1	silty clay to clay
5.60	18.4	19.3	0.884	4.59	0.0	silty clay to clay
5.70	18.7	19.1	0.731	3.84	0.0	silty clay to clay

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average


DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
5.80	19.0	17.2	0.733	4.26	0.0	silty clay to clay
5.90	19.4	17.6	0.639	3.64	0.0	silty clay to clay
6.00	19.7	16.7	0.554	3.32	0.0	silty clay to clay
6.10	20.0	26.1	0.944	3.62	0.0	silty clay to clay
6.20	20.3	18.3	0.690	3.77	0.0	silty clay to clay
6.30	20.7	16.1	0.483	3.00	0.0	silty clay to clay
6.40	21.0	13.5	0.377	2.79	0.0	clayey silt to silty clay
6.50	21.3	17.1	0.495	2.89	0.1	clayey silt to silty clay
6.60	21.7	15.4	0.557	3.61	0.1	silty clay to clay
6.70	22.0	12.9	0.336	2.60	0.1	silty clay to clay
6.80	22.3	12.4	0.392	3.15	0.1	clayey silt to silty clay
6.90	22.6	16.4	0.410	2.50	0.1	clayey silt to silty clay
7.00	23.0	17.5	0.356	2.04	0.1	clayey silt to silty clay
7.10	23.3	11.5	0.289	2.51	0.1	clayey silt to silty clay
7.20	23.6	8.7	0.180	2.07	0.1	clayey silt to silty clay
7.30	23.9	8.5	0.152	1.78	0.1	silty clay to clay
7.40	24.3	7.0	0.183	2.61	0.1	silty clay to clay
7.50	24.6	7.5	0.174	2.31	0.1	silty clay to clay
7.60	24.9	8.4	0.274	3.26	0.1	clay
7.70	25.3	8.6	0.291	3.36	0.1	silty clay to clay
7.80	25.6	8.7	0.171	1.97	0.1	silty clay to clay
7.90	25.9	7.3	0.116	1.59	0.1	clayey silt to silty clay
8.00	26.2	7.7	0.105	1.36	0.1	clayey silt to silty clay
8.10	26.6	8.9	0.123	1.37	0.1	clayey silt to silty clay
8.20	26.9	8.4	0.204	2.44	0.1	silty clay to clay
8.30	27.2	7.8	0.147	1.88	0.1	silty clay to clay
8.40	27.6	8.9	0.229	2.57	0.1	silty clay to clay
8.50	27.9	9.2	0.270	2.94	0.1	silty clay to clay
8.60	28.2	9.3	0.212	2.29	0.1	silty clay to clay
8.70	28.5	10.3	0.238	2.30	0.1	silty clay to clay
8.80	28.9	9.3	0.254	2.72	0.1	silty clay to clay
8.90	29.2	10.6	0.266	2.51	0.1	silty clay to clay
9.00	29.5	9.5	0.219	2.31	0.1	clayey silt to silty clay
9.10	29.9	9.5	0.129	1.35	0.1	clayey silt to silty clay
9.20	30.2	8.3	0.092	1.11	0.1	clayey silt to silty clay
9.30	30.5	9.4	0.290	3.09	0.1	clayey silt to silty clay
9.40	30.8	26.6	0.742	2.79	0.1	clayey silt to silty clay
9.50	31.2	35.3	1.139	3.23	0.1	clayey silt to silty clay
9.60	31.5	52.8	1.554	2.94	0.1	clayey silt to silty clay
9.70	31.8	37.7	1.452	3.85	0.1	clayey silt to silty clay
9.80	32.2	32.6	1.494	4.55	0.1	silty clay to clay
9.90	32.5	33.7	1.448	4.29	0.1	silty clay to clay
10.00	32.8	45.8	1.672	3.65	0.1	clayey silt to silty clay
10.10	33.1	41.3	1.922	4.65	0.1	clayey silt to silty clay
10.20	33.5	38.1	1.022	2.68	0.1	clayey silt to silty clay
10.30	33.8	68.4	2.055	3.00	0.1	clayey silt to silty clay
10.40	34.1	33.2	2.499	7.52	0.3	silty clay to clay
10.50	34.4	72.0	2.972	4.13	0.2	silty clay to clay
10.60	34.8	65.0	3.935	6.05	0.2	very stiff fine grained (*)
10.70	35.1	101.8	4.225	4.15	0.2	?

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH	DEPTH	TIP	FRICION	FR RATIO	INC	INTERPRETED
meters	feet	Qc tsf	Fs tsf	Fs/Qc %	I deg	SOIL TYPE
10.80	35.4	115.6	?	?	0.2	?


SOUNDING DATA IN FILE SND-97 06-28-94 19:36
OPERATOR : S.VAN LOCATION : P-11/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND-97 06-28-94 19:36
OPERATOR : S.VAN LOCATION : P-11/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND-97 06-28-94 19:36
OPERATOR : S.VAN LOCATION : P-11/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND-97 06-28-94 19:36
OPERATOR : S.VAN LOCATION : P-11/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND-97 06-28-94 19:36
OPERATOR : S.VAN LOCATION : P-11/BFC-KC MO
CLIENT : WES JOB No. : DACW39-94-M-5062


Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



Vandehey Soil Expl.

Operator : S.VAN
Sounding : SND109 Pg 1 / 1
Client : WES

CPT Date : 06-30-94 20:07
Location : P-12/BFC-KC-M0
Job No. : DACW39-94-M-5062



Depth Increment : .1 m

Max Depth : 36.75 ft

SOUNDING DATA IN FILE SND109 06-30-94 20:07

OPERATOR : S.VAN

LOCATION : P-12/BFC-KC-MO

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon, 97106 (503) 324 3261

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
0.50	1.6	22.6	0.276	1.23	0.0	
0.60	2.0	19.6	0.421	2.15	0.0	sandy silt to clayey silt
0.70	2.3	14.6	0.250	1.73	0.1	clayey silt to silty clay
0.80	2.6	14.6	0.250	1.73	0.1	clayey silt to silty clay
0.90	3.0	14.6	0.242	1.66	0.1	clayey silt to silty clay
1.00	3.3	13.4	0.180	1.34	0.1	clayey silt to silty clay
1.10	3.6	11.6	0.230	1.99	0.1	clayey silt to silty clay
1.20	3.9	12.5	0.234	1.87	0.0	clayey silt to silty clay
1.30	4.3	12.7	0.235	1.85	0.0	clayey silt to silty clay
1.40	4.6	13.6	0.236	1.73	0.1	clayey silt to silty clay
1.50	4.9	13.9	0.226	1.62	0.1	clayey silt to silty clay
1.60	5.2	13.2	0.203	1.54	0.1	clayey silt to silty clay
1.70	5.6	11.8	0.219	1.85	0.0	clayey silt to silty clay
1.80	5.9	9.1	0.181	2.00	0.1	silty clay to clay
1.90	6.2	5.1	0.138	2.71	0.1	silty clay to clay
2.00	6.6	7.6	0.255	3.33	0.1	silty clay to clay
2.10	6.9	12.2	0.330	2.70	0.1	silty clay to clay
2.20	7.2	13.0	0.310	2.38	0.1	clayey silt to silty clay
2.30	7.5	11.7	0.317	2.71	0.1	clayey silt to silty clay
2.40	7.9	10.7	0.204	1.91	0.1	clayey silt to silty clay
2.50	8.2	11.2	0.195	1.74	0.1	clayey silt to silty clay
2.60	8.5	10.0	0.182	1.82	0.1	clayey silt to silty clay
2.70	8.9	8.5	0.169	1.99	0.1	clayey silt to silty clay
2.80	9.2	7.9	0.165	2.07	0.1	silty clay to clay
2.90	9.5	7.5	0.141	1.87	0.1	silty clay to clay
3.00	9.8	7.3	0.129	1.63	0.1	silty clay to clay
3.10	10.2	6.9	0.133	1.93	0.1	silty clay to clay
3.20	10.5	7.5	0.140	1.89	0.1	silty clay to clay
3.30	10.8	6.9	0.122	1.76	0.1	silty clay to clay
3.40	11.2	6.7	0.120	1.80	0.1	silty clay to clay
3.50	11.5	6.6	0.132	2.01	0.1	silty clay to clay
3.60	11.8	7.1	0.135	1.92	0.1	silty clay to clay
3.70	12.1	7.9	0.117	1.49	0.1	clayey silt to silty clay
3.80	12.5	7.8	0.151	1.93	0.1	clayey silt to silty clay
3.90	12.8	7.8	0.133	1.72	0.1	clayey silt to silty clay
4.00	13.1	7.6	0.134	1.77	0.1	silty clay to clay
4.10	13.5	7.6	0.161	2.13	0.1	silty clay to clay
4.20	13.8	6.8	0.140	2.05	0.1	silty clay to clay
4.30	14.1	6.8	0.133	1.95	0.1	silty clay to clay
4.40	14.4	7.2	0.153	2.13	0.1	silty clay to clay

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 s sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
4.50	14.8	9.1	0.155	1.70	0.2	clayey silt to silty clay
4.60	15.1	11.6	0.210	1.81	0.2	clayey silt to silty clay
4.70	15.4	11.0	0.291	2.65	0.2	silty clay to clay
4.80	15.7	8.7	0.243	2.80	0.2	silty clay to clay
4.90	16.1	9.5	0.264	2.20	0.2	silty clay to clay
5.00	16.4	9.1	0.207	2.27	0.2	silty clay to clay
5.10	16.7	9.3	0.183	1.96	0.2	clayey silt to silty clay
5.20	17.1	10.1	0.195	1.92	0.2	clayey silt to silty clay
5.30	17.4	10.7	0.182	1.70	0.2	clayey silt to silty clay
5.40	17.7	11.8	0.261	2.21	0.4	clayey silt to silty clay
5.50	18.0	13.3	0.280	2.10	0.3	clayey silt to silty clay
5.60	18.4	13.2	0.257	1.93	0.3	clayey silt to silty clay
5.70	18.7	13.2	0.244	1.85	0.3	clayey silt to silty clay
5.80	19.0	13.3	0.268	2.02	0.5	clayey silt to silty clay
5.90	19.4	13.2	0.240	1.82	0.4	clayey silt to silty clay
6.00	19.7	13.0	0.219	1.69	0.4	clayey silt to silty clay
6.10	20.0	13.3	0.223	1.68	0.4	clayey silt to silty clay
6.20	20.3	12.9	0.210	1.63	0.5	clayey silt to silty clay
6.30	20.7	12.4	0.197	1.58	0.5	clayey silt to silty clay
6.40	21.0	12.0	0.247	2.05	0.5	clayey silt to silty clay
6.50	21.3	11.9	0.209	1.75	0.6	clayey silt to silty clay
6.60	21.7	11.6	0.174	1.50	0.6	clayey silt to silty clay
6.70	22.0	11.4	0.165	1.45	0.6	clayey silt to silty clay
6.80	22.3	11.2	0.167	1.49	0.6	clayey silt to silty clay
6.90	22.6	11.9	0.165	1.38	0.9	clayey silt to silty clay
7.00	23.0	12.7	0.175	1.38	0.9	clayey silt to silty clay
7.10	23.3	13.1	0.200	1.53	0.9	clayey silt to silty clay
7.20	23.6	14.4	0.218	1.53	0.9	clayey silt to silty clay
7.30	23.9	15.4	0.252	1.64	0.9	clayey silt to silty clay
7.40	24.3	15.8	0.303	1.92	0.9	clayey silt to silty clay
7.50	24.6	17.4	0.311	1.79	1.0	clayey silt to silty clay
7.60	24.9	18.6	0.349	1.88	1.0	sandy silt to clayey silt
7.70	25.3	21.0	0.371	1.76	1.2	sandy silt to clayey silt
7.80	25.6	20.4	0.472	2.32	1.2	sandy silt to clayey silt
7.90	25.9	23.4	0.467	2.00	1.4	sandy silt to clayey silt
8.00	26.2	23.9	0.551	2.31	1.4	sandy silt to clayey silt
8.10	26.6	23.4	0.523	2.23	1.4	sandy silt to clayey silt
8.20	26.9	23.3	0.558	2.40	1.4	clayey silt to silty clay
8.30	27.2	22.4	0.497	2.22	1.7	clayey silt to silty clay
8.40	27.6	22.4	0.572	2.56	1.7	clayey silt to silty clay
8.50	27.9	23.0	0.552	2.40	2.0	clayey silt to silty clay
8.60	28.2	21.2	0.446	2.11	2.0	clayey silt to silty clay
8.70	28.5	20.2	0.412	2.04	2.0	clayey silt to silty clay
8.80	28.9	17.0	0.446	2.62	2.2	clayey silt to silty clay
8.90	29.2	17.0	0.424	2.49	2.2	clayey silt to silty clay
9.00	29.5	15.3	0.372	2.44	2.2	clayey silt to silty clay
9.10	29.9	12.8	0.280	2.19	2.2	clayey silt to silty clay
9.20	30.2	12.2	0.246	2.02	2.7	clayey silt to silty clay
9.30	30.5	13.0	0.274	2.12	2.7	clayey silt to silty clay
9.40	30.8	12.4	0.263	2.12	2.7	clayey silt to silty clay


Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICTION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
9.50	31.2	12.9	0.236	1.82	2.8	clayey silt to silty clay
9.60	31.5	11.3	0.238	2.11	2.9	clayey silt to silty clay
9.70	31.8	9.8	0.200	2.05	3.0	clayey silt to silty clay
9.80	32.2	9.8	0.175	1.79	3.0	clayey silt to silty clay
9.90	32.5	8.9	0.253	2.84	3.1	silty clay to clay
10.00	32.8	15.1	0.417	2.75	3.1	clayey silt to silty clay
10.10	33.1	13.6	0.373	2.75	3.1	clayey silt to silty clay
10.20	33.5	19.5	0.035	0.18	3.1	sandy silt to clayey silt
10.30	33.8	34.8	0.571	1.64	3.2	sandy silt to clayey silt
10.40	34.1	26.6	0.746	2.61	3.3	sandy silt to clayey silt
10.50	34.4	31.5	0.249	0.79	3.4	sandy silt to clayey silt
10.60	34.8	28.0	0.254	1.05	3.6	silty sand to sandy silt
10.70	35.1	33.1	0.243	0.73	3.9	sandy silt to clayey silt
10.80	35.4	26.9	0.871	3.23	3.8	sandy silt to clayey silt
10.90	35.8	48.0	0.717	1.49	4.0	sandy silt to clayey silt
11.00	36.1	34.7	0.460	1.32	3.9	silty sand to sandy silt
11.10	36.4	52.7	0.359	0.68	4.2	?
11.20	36.7	139.3	?	?	4.2	?

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 * sliding data average


SOUNDING DATA IN FILE SND109 06-30-94 20:07
OPERATOR : S.VAN LOCATION : P-12/BFC-KC-MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND109 06-30-94 20:07
OPERATOR : S.VAN LOCATION : P-12/BFC-KC-MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND109 06-30-94 20:07
OPERATOR : S.VAN LOCATION : P-12/BFC-KC-MO
CLIENT : WES JOB No. : DACW39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND109 06-30-94 20:07
OPERATOR : S.VAN LOCATION : P-12/BFC-KC-MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND109 06-30-94 20:07
OPERATOR : S.VAN LOCATION : P-12/BFC-KC-MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon, 97106 (503) 324 3261




SCPT P-13

Vandehey Soil Expl.

Operator : S.VAN
Sounding : SND110 Pg 1 / 1
Client : WES

CPT Date : 06-30-94 21:30
Location : P-13/BFC-KC M0
Job No. : DACW39-94-M-5062



Depth Increment : .1 m

Max Depth : 38.39 ft

SOUNDING DATA IN FILE SND110 06-30-94 21:30

OPERATOR : S.UAN

LOCATION : P-13/BFC-KC MO

CLIENT : WES

JOB No. : DACW39-94-M-5062

Vandehy Soil Exploration

40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261

DEPTH meters	DEPTH feet	TIP Qc tonf	FRICTION Fs tonf	FR. RATIO Fs/Qc %	INC i deg	INTERPRETED SOIL TYPE
0.50	1.6	24.9	0.391	1.57	0.1	
0.60	2.0	23.1	0.590	4.29	0.0	clayey silt to silty clay
0.70	2.3	17.3	0.547	3.16	0.0	silty clay to clay
0.80	2.6	17.3	0.641	3.70	0.0	silty clay to clay
0.90	3.0	18.3	0.711	3.89	0.0	silty clay to clay
1.00	3.3	15.1	0.580	3.84	0.0	silty clay to clay
1.10	3.6	16.5	0.581	3.52	0.0	silty clay to clay
1.20	3.9	15.1	0.682	4.53	0.0	clay
1.30	4.3	13.2	0.551	4.17	0.0	clay
1.40	4.6	12.6	0.516	4.08	0.0	clay
1.50	4.9	12.3	0.537	4.38	0.0	clay
1.60	5.2	11.5	0.471	4.12	0.0	clay
1.70	5.6	11.2	0.419	3.73	0.0	clay
1.80	5.9	10.6	0.442	4.18	0.0	clay
1.90	6.2	11.1	0.432	3.89	0.0	clay
2.00	6.6	10.0	0.435	4.34	0.0	clay
2.10	6.9	8.4	0.363	4.32	0.0	clay
2.20	7.2	6.3	0.304	4.84	0.0	clay
2.30	7.5	4.6	0.249	5.40	0.0	clay
2.40	7.9	3.8	0.243	6.36	0.0	clay
2.50	8.2	3.6	0.272	7.49	0.0	organic material
2.60	8.5	3.2	0.242	7.51	0.0	organic material
2.70	8.9	4.0	0.290	7.19	0.0	organic material
2.80	9.2	3.8	0.334	8.79	0.0	organic material
2.90	9.5	2.7	0.220	8.09	0.0	organic material
3.00	9.8	5.6	0.281	5.01	0.0	clay
3.10	10.2	6.9	0.236	3.43	0.1	clay
3.20	10.5	6.6	0.219	2.55	0.1	silty clay to clay
3.30	10.8	6.5	0.237	2.81	0.1	silty clay to clay
3.40	11.2	6.5	0.214	3.28	0.1	clay
3.50	11.5	5.9	0.162	2.74	0.1	clay
3.60	11.8	6.2	0.166	2.67	0.1	clay
3.70	12.1	5.5	0.128	2.35	0.1	silty clay to clay
3.80	12.5	4.2	0.069	1.63	0.1	silty clay to clay
3.90	12.8	4.3	0.095	2.22	0.1	clay
4.00	13.1	4.7	0.130	2.78	0.1	clay
4.10	13.5	5.4	0.151	2.80	0.1	clay
4.20	13.8	5.1	0.148	2.93	0.1	clay
4.30	14.1	4.0	0.060	1.49	0.1	silty clay to clay
4.40	14.4	5.5	0.126	2.31	0.1	silty clay to clay

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 * sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
4.50	14.8	5.6	0.084	1.50	0.1	silty clay to clay
4.60	15.1	5.9	0.100	1.70	0.1	sensitive fine grained
4.70	15.4	5.8	0.095	1.65	0.1	silty clay to clay
4.80	15.7	5.9	0.102	1.75	0.1	silty clay to clay
4.90	16.1	6.1	0.124	2.03	0.1	silty clay to clay
5.00	16.4	6.0	0.089	1.48	0.1	silty clay to clay
5.10	16.7	6.4	0.106	1.57	0.1	silty clay to clay
5.20	17.1	6.4	0.142	2.22	0.1	silty clay to clay
5.30	17.4	6.0	0.126	2.10	0.1	silty clay to clay
5.40	17.7	6.2	0.117	1.89	0.1	silty clay to clay
5.50	18.0	6.3	0.082	1.29	0.1	sensitive fine grained
5.60	18.4	5.9	0.079	1.35	0.1	sensitive fine grained
5.70	18.7	5.9	0.045	0.76	0.1	sensitive fine grained
5.80	19.0	6.0	0.064	1.07	0.1	sensitive fine grained
5.90	19.4	6.5	0.081	1.25	0.1	sensitive fine grained
6.00	19.7	7.5	0.113	1.50	0.1	clayey silt to silty clay
6.10	20.0	7.2	0.091	1.26	0.1	clayey silt to silty clay
6.20	20.3	7.2	0.089	1.24	0.1	clayey silt to silty clay
6.30	20.7	8.7	0.134	1.54	0.1	clayey silt to silty clay
6.40	21.0	9.3	0.204	2.20	0.0	clayey silt to silty clay
6.50	21.3	10.3	0.220	2.13	0.0	clayey silt to silty clay
6.60	21.7	10.1	0.217	2.16	0.0	clayey silt to silty clay
6.70	22.0	10.2	0.187	1.83	0.0	clayey silt to silty clay
6.80	22.3	9.3	0.194	2.08	0.0	clayey silt to silty clay
6.90	22.6	8.8	0.210	2.39	0.0	silty clay to clay
7.00	23.0	8.9	0.217	2.44	0.0	silty clay to clay
7.10	23.3	9.2	0.247	2.69	0.0	silty clay to clay
7.20	23.6	9.2	0.165	1.79	0.0	clayey silt to silty clay
7.30	23.9	10.6	0.231	2.18	0.0	clayey silt to silty clay
7.40	24.3	11.6	0.303	2.62	0.0	clayey silt to silty clay
7.50	24.6	12.7	0.261	2.06	0.0	clayey silt to silty clay
7.60	24.9	14.5	0.313	2.15	0.0	clayey silt to silty clay
7.70	25.3	17.6	0.471	2.68	0.0	clayey silt to silty clay
7.80	25.6	20.2	0.685	3.39	0.0	clayey silt to silty clay
7.90	25.9	24.6	0.690	2.80	0.0	clayey silt to silty clay
8.00	26.2	25.8	0.827	3.21	0.0	clayey silt to silty clay
8.10	26.6	28.6	0.820	2.87	0.0	clayey silt to silty clay
8.20	26.9	27.9	0.840	3.01	0.0	clayey silt to silty clay
8.30	27.2	25.7	0.536	2.09	0.0	clayey silt to silty clay
8.40	27.6	16.4	0.694	4.24	0.0	clayey silt to silty clay
8.50	27.9	22.5	0.624	2.78	0.0	clayey silt to silty clay
8.60	28.2	16.2	0.471	2.90	0.0	clayey silt to silty clay
8.70	28.5	15.6	0.395	2.54	0.0	clayey silt to silty clay
8.80	28.9	13.4	0.318	2.38	0.0	clayey silt to silty clay
8.90	29.2	12.9	0.309	2.39	0.0	clayey silt to silty clay
9.00	29.5	11.5	0.311	2.71	0.0	clayey silt to silty clay
9.10	29.9	12.9	0.332	2.58	0.0	clayey silt to silty clay
9.20	30.2	13.7	0.257	2.16	0.0	clayey silt to silty clay
9.30	30.5	13.7	0.317	2.32	0.0	clayey silt to silty clay
9.40	30.8	12.4	0.297	2.40	0.0	clayey silt to silty clay


Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average

DEPTH meters	DEPTH feet	TIP Qc tsf	FRICITION Fs tsf	FR RATIO Fs/Qc %	INC I deg	INTERPRETED SOIL TYPE
9.50	31.2	11.5	0.307	2.68	0.0	silty clay to clay
9.60	31.5	10.6	0.271	2.56	0.0	clayey silt to silty clay
9.70	31.8	10.1	0.153	1.51	0.0	clayey silt to silty clay
9.80	32.2	9.9	0.235	2.37	0.0	clayey silt to silty clay
9.90	32.5	16.1	0.411	2.54	0.0	clayey silt to silty clay
10.00	32.8	24.6	0.517	2.10	0.0	sandy silt to clayey silt
10.10	33.1	31.4	0.506	1.61	0.0	sandy silt to clayey silt
10.20	33.5	27.7	0.263	0.95	0.1	sandy silt to clayey silt
10.30	33.8	10.6	0.125	1.19	0.1	sandy silt to clayey silt
10.40	34.1	16.5	0.287	1.74	0.1	sandy silt to clayey silt
10.50	34.4	24.2	0.174	0.72	0.1	sandy silt to clayey silt
10.60	34.8	29.1	0.124	0.43	0.1	silty sand to sandy silt
10.70	35.1	29.9	0.193	0.65	0.2	sandy silt to clayey silt
10.80	35.4	10.8	0.539	4.99	0.2	sandy silt to clayey silt
10.90	35.8	55.3	0.510	0.92	0.4	silty sand to sandy silt
11.00	36.1	79.6	0.867	1.03	0.3	silty sand to sandy silt
11.10	36.4	69.2	1.530	2.21	0.4	silty sand to sandy silt
11.20	36.7	65.7	0.946	1.44	0.3	silty sand to sandy silt
11.30	37.1	81.3	0.616	0.76	0.4	sand to silty sand
11.40	37.4	90.7	1.594	1.76	0.8	silty sand to sandy silt
11.50	37.7	75.9	0.656	0.86	0.9	sand to silty sand
11.60	38.1	85.4	0.541	0.63	1.0	?
11.70	38.4	174.7	?	?	1.0	?

Soil interpretation reference: Robertson & Campanella-1983, based on 60% hammer efficiency and .2 m sliding data average


SOUNDING DATA IN FILE SND110 06-30-94 21:30
OPERATOR : S.VAN LOCATION : P-13/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 NW Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND110 06-30-94 21:30
OPERATOR : S.VAN LOCATION : P-13/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehy Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261




SOUNDING DATA IN FILE SND110 06-30-94 21:30
OPERATOR : S.VAN LOCATION : P-13/BFC-KC MO
CLIENT : HES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND110 06-30-94 21:30
OPERATOR : S.VAN LOCATION : P-13/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



SOUNDING DATA IN FILE SND110 06-30-94 21:30
OPERATOR : S.VAN LOCATION : P-13/BFC-KC MO
CLIENT : WES JOB No. : DACH39-94-M-5062

Vandehey Soil Exploration
40695 Nw Pacific Ave. Banks, Oregon. 97106 (503) 324 3261



REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE November 1994	3. REPORT TYPE AND DATES COVERED Final report	
4. TITLE AND SUBTITLE In Situ Shear Wave Measurements for Evaluating Dynamic Soil Properties at the Bannister Federal Complex, Kansas City, Missouri			5. FUNDING NUMBERS MIPR KC-94-114	
6. AUTHOR(S) José L. Llopis and Thomas B. Kean II				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Engineer Waterways Experiment Station 3909 Halls Ferry Road Vicksburg, MS 39180-6199			8. PERFORMING ORGANIZATION REPORT NUMBER Technical Report GL-94-39	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Department of Energy, Kansas City Area Office 2000 East 95th Street Kansas City, MO 64131-3095			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES Available from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161.				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) <p>An in situ geophysical investigation consisting of crosshole and downhole shear wave (S-wave) seismic cone penetrometer tests (SCPT) was performed at the Bannister Federal Complex (BFC) located in Kansas City, Missouri. The SCPT was also used to collect cone tip resistance and sleeve friction data to aid in characterizing the soils at the site. The results of the SCPT were used to provide a continuous prediction of soil type and N-values. The main purpose of the investigation was to determine the S-wave velocities of the soil and bedrock in the vicinity of the main building at the BFC. This information will be used to perform a dynamic analysis of the building and its foundation. The results of the dynamic analysis will be used to determine if any building design modifications are required.</p> <p>The S-wave velocities measured for the clay materials (alluvium) using the crosshole and SCPT methods agreed very well. The S-wave velocities in the clay material increased with depth and ranged between 350 and 775 fps. A 1- to 5-ft. thick basal clay-gravel, which overlies bedrock, showed a velocity of approximately 1,100 fps. The Pleasonton Group bedrock found at the site is a hard shaly siltstone and is encountered at a depth of approximately 40 ft. The bedrock exhibited an S-wave velocity of approximately 1,900 fps and was measured using the crosshole S-wave method.</p>				
14. SUBJECT TERMS See reverse.			15. NUMBER OF PAGES 271	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT	

14. (Concluded).

Bannister Federal Complex
Crosshole
Geophysics

Pleasanton Group
Seismic Cone Penetrometer Test
Shear waves