**US Army Corps
of Engineers®**
Engineer Research and
Development Center

Integrated Climate Assessment for Army Enterprise Planning

Range Encroachment Model User's Guide

Byron M. Garton

July 2019

The U.S. Army Engineer Research and Development Center (ERDC) solves the nation's toughest engineering and environmental challenges. ERDC develops innovative solutions in civil and military engineering, geospatial sciences, water resources, and environmental sciences for the Army, the Department of Defense, civilian agencies, and our nation's public good. Find out more at www.erdc.usace.army.mil.

To search for other technical reports published by ERDC, visit the ERDC online library at <http://acwc.sdp.sirsi.net/client/default>.

Range Encroachment Model User's Guide

Byron M. Garton

*Information Technology Laboratory
U.S. Army Engineer Research and Development Center
3909 Halls Ferry Road
Vicksburg, MS 39180-6199*

Final report

Approved for public release; distribution is unlimited.

Prepared for U.S. Army Corps of Engineers
Washington, DC 20314-1000

Under Project 402188 Integrated Climate Assessment for Army Enterprise Planning

Abstract

Encroachment of urban development upon military installations can be expected to have an impact on the Army's costs and ability to fulfill its missions due to issues relating to noise complaints, reduction of natural buffer land surrounding installation boundaries, light pollution effects on nighttime training operations, and other potential impacts to operations on installations. This model attempts to predict the effect of urban encroachment for several scenarios and various Department of Defense (DoD) installations.

This document describes the process of executing the Range Encroachment Model, as it exists at the time of this writing, within the common computational environment established under the software integration effort of the Integrated Climate Assessment for Army Enterprise Planning work package.

DISCLAIMER: The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official endorsement or approval of the use of such commercial products. All product names and trademarks cited are the property of their respective owners. The findings of this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

DESTROY THIS REPORT WHEN NO LONGER NEEDED. DO NOT RETURN IT TO THE ORIGINATOR.

Contents

Abstract.....	ii
Figures and Tables.....	iv
Preface	v
1 Introduction	1
1.1 Background.....	1
1.2 Purpose	1
1.3 Requirements	1
2 Viewing Computed Data.....	3
3 Building New Data	6
4 Known Issues and Limitations	13
5 Additional Help	14
Reference.....	15
Appendix A: Acronyms and Abbreviations	16
Report Documentation Page	

Figures and Tables

Figures

Figure 1. Wizard application shortcut.....	3
Figure 2. Range Encroachment Model icon.	4
Figure 3. Range Encroachment Model first screen.	4
Figure 4. Range Encroachment Model second screen.	5
Figure 5. Launch buttons on the third model screen within the Wizard.....	7
Figure 6. ESRI ArcMap application.	7
Figure 7. Run command prompt as administrator.	9
Figure 8. Command prompt window with Launch.bat command.	9
Figure 9. NetLogo with model file loaded.	10
Figure 10. NetLogo with model execution complete.....	10

Tables

Table 1. Online data sources.....	6
Table 2. Example model output file.	12

Preface

This research was conducted for the U.S. Engineer Research and Development Center-Construction Engineering Research Laboratory (ERDC-CERL) under Project 402188, Integrated Climate Assessment for Army Enterprise Planning. The Technical Monitor was Dr. James D. Westervelt of ERDC-CERL.

The work was performed by the Information Technology Laboratory (ITL), Scientific Software Branch (SSB), of the Computational Science and Engineering Division (CSED). At the time of publication, Mr. Timothy W. Dunaway was Chief of the SSB, Dr. Jerrell R. Ballard was Chief of the CSED, and Dr. Robert M. Wallace was the Technical Director. The Deputy Director of ERDC-ITL was Ms. Patti S. Duett, and the Director was Dr. David A. Horner.

COL Ivan P. Beckman was the Commander of ERDC, and Dr. David W. Pittman was the Director.

1 Introduction

1.1 Background

Encroachment of urban development upon military installations and training areas can have a negative impact on future force readiness and effectiveness. It can be expected to impact the Army's costs and ability to fulfill its missions due to issues relating to noise complaints, reduction of natural buffer land surrounding installation boundaries, light pollution effects on nighttime training operations, and other potential impacts to operations on installations. This model attempts to predict the risk of urban growth and development around military installations with active training and firing ranges. The predicted encroachment values are intended to be utilized in other force stationing analysis applications as a Military Value Analysis (MVA) attribute.

1.2 Purpose

This model makes use of a common computational environment and a user assistance application that were implemented as part of the Software Integration effort within the Integrated Climate Assessment for Army Enterprise Planning work package. The virtual environment will be referred to throughout this document as the Virtual Machine or VM, and the user assistance application will be referred to as the Wizard. For more information about the Software Integration effort, the virtual environment, and the user assistance application, refer to the Analytical Model Integration Methods technical report listed in the references section of this document.

Executing the model is a multi-step process that requires using Environmental Systems Research Institute (ESRI) ArcMap, NetLogo, and MS Excel® applications. Each step for viewing and building data sets is thoroughly documented in the following sections to limit user confusion and ensure accurate results.

1.3 Requirements

Software requirements for the Range Encroachment Model include ESRI ArcMap 10.3.1, NetLogo 5.3, a basic text editor such as MS Notepad®, MS

Excel[®] version 2013 or higher, and an internet connection and internet browser.

A working knowledge of ArcMap, NetLogo, and Microsoft Office products is recommended as well as a basic understanding of accessing websites and downloading files from the internet.

Hardware requirements for this model are substantial. A minimum of nine processor cores (eight required for script) are required to execute the code. Memory minimum requirements are 100 gigabytes (GB) of random access memory (RAM) and 1 terabyte (TB) of hard disk storage space (local or network).

2 Viewing Computed Data

Pre-built dataset viewing is available to end users by accessing the model from within the Wizard application. The Wizard is accessible from the Integrated Climate Assessment for Army Enterprise Planning VM by clicking the shortcut located on the desktop (Figures 1–3).

Figure 1. Wizard application shortcut.

Figure 2. Range Encroachment Model icon.

Figure 3. Range Encroachment Model first screen.

The second screen within the model allows the end user to view the datasets in tabular mode. Use the View Results button on the second model screen to view the data in a table layout within an MS Excel®

spreadsheet. This MS Excel® file is located within the VM at
C:\Models\Range-
Encroachment\Output\Postprocessing_Output_ArcGIS\results-RUG\Rug-Output_Clean.xls.

Figure 4. Range Encroachment Model second screen.

Each installation that was analyzed is assigned a Final Score which ranks it against other installations. Installations with lower scores are less likely to experience range encroachment as a result of urban development. The final score value may be used as an MVA attribute in other force stationing analysis applications.

3 Building New Data

New datasets are built within the VM by executing a series of steps that require using two different data processing applications. The following instructions should be followed carefully to produce new data from this model.

The first step in building new data is to collect the necessary source data from sources online. Table 1 lists the sources for the required data.

Table 1. Online data sources.

Data	Source
Army Installations	Army Mapper Program (http://mapper.army.mil/) .
Training Areas	Sustainable Range Program can be found at: https://srp.army.mil/
Digital Elevation Model	http://viewer.nationalmap.gov
Landcover map	http://www.mrlc.gov/ .
Roads	http://viewer.nationalmap.gov/ .
Flood Hazard	HIFLD@hq.dhs.gov or by calling (202) 282-9541
Protected Areas	http://gapanalysis.usgs.gov/padus/data/download/
ACUB	http://www.aec.army.mil/Services/Conserve/ArmyCompatibleUseBufferProgram.aspx .
LandScan Data	HIFLD@hq.dhs.gov or by calling (202) 282-9541

After the data has been collected, the data must be formatted in a particular fashion. This formatting is accomplished by using the ESRI ArcMap application. ArcMap can be launched automatically from within the Wizard application on the third model screen or from the Windows start menu (Figure 5 and Figure 6).

Figure 5. Launch buttons on the third model screen within the Wizard.

Figure 6. ESRI ArcMap application.

After opening ArcMap, open the range encroachment data preprocessing project by selecting File->Open and browse to the file C:\Models\Range-

Encroachment\Model_Files\Step1_RUG_preprocessing_ARCGIS\PreProcessing_CONUS.mxd (or PreProcessing_ALASKA.mxd if analysis of Alaska is desired). This file may also be in the *Recent* list as seen in Figure 8.

Once the project is loaded, open the toolbox viewer by clicking the Toolbox menu bar icon . Add the Regional Urban Growth (RUG) RUG_preprocessing_10.2 toolbox by right clicking ArcToolbox at the top of the viewer then clicking Add Toolbox. The toolbox file is located at C:\Models\ Range-Encroachment\Model-Files\Step1_RUG_preprocessing_ARCGIS\RUG_PreProcessing_10.2.tbx. Expand the newly added toolbox by clicking the plus sign to the left to show the models inside.

Next, it's necessary to reproject all the data to a common projection, for the Continental United States (CONUS) use USA Contiguous Albers Equal Area Conic United States Geological Survey (USGS) version, and for Alaska use NAD 1983 Alaska Albers. Right click the *1. Project Data CONUS* (or *1. Project Data Alaska*) model and choose *Edit*. Inside the editor, click the Run menu bar icon .

Once all the data is in the same projection, run the Population Impact Data Processing in a similar fashion by right clicking the Population Impact Data Processing CONUS (or Population Impact Data Processing ALASKA) model and choose *Edit*. Inside the editor, click the Run menu bar icon . The output of the Population Impact Data Processing models (AK and CONUS) will be in American Standard Code for Information Interchange (ASCII) data format, which will be used in the RUG model inside of Net Logo.

The next step in the process is running the NetLogo application which accepts the previously processed data as input. NetLogo can be launched automatically from on the third model screen within the Wizard as illustrated in Figure 7. Another method of launching the application is from the Windows command prompt. Click the Windows start button, then type CMD. Note that the command prompt must be run as administrator and 100GBs of RAM must be available in the computer (Figure 7 and Figure 8).

Figure 7. Run command prompt as administrator.

Figure 8. Command prompt window with Launch.bat command.

Inside NetLogo, click on File->Open and navigate to the model.nlogo file located at C:/Models/Range-Encroachment/Model_Files/Step2_RUG_NetLogo/NetLogo/model.nlogo to launch the range encroachment model. From the *area* drop down list, choose the desired area (fort or location) to run the model on, and click the *run-all* button (Figure 9 and Figure 10).

Figure 9. NetLogo with model file loaded.

Figure 10. NetLogo with model execution complete.

Output from NetLogo will be saved to the results folder (C:\Models\Range-Encroachment\Model_Files\Step2_RUG_NetLogo\results) with a separate folder for each installation. Each folder should contain four

files: annual-growth.txt, equation.txt, results.png, and pct_low_density_urban_in_buffers.csv.

The final step is post-processing of the RUG results in ArcGIS using the Population Impact toolbox. Launch ArcMap again from the wizard and open the model file located at C:\Models\Range-Encroachment\Model-Files\Step3_RUG_postprocessing_ARCGIS\RangeEncroachment.mxd.

Open the toolbox viewer by clicking the Toolbox menu bar icon . Add the Population_Impact_10.2.xxx toolbox by right clicking ArcToolbox at the top of the viewer then clicking Add Toolbox. The toolbox file is located at C:\Models\ Range-Encroachment\Model-Files\Step3_RUG_postprocessing_ARCGIS\Population_Impact.tbx. Expand the newly added toolbox by clicking the plus sign to the left to show the models inside.

Next step is to create a *Workspace* folder. This is a work-around because of an ESRI Model Builder error. Right click the 1. Create Workspace Folder model and choose *Edit*. Inside the editor, click the Run menu bar icon . Select a location for the folder to be created then choose *OK*. The model will create the empty Workspace folder.

The next step is the main model 2. *Post Process data from RUG to MVA*. Right click on the model and choose *Edit*. Validate the model by clicking the Validate menu bar icon . If after validation the model processes turns white, this indicates the model has lost connection to a file that is necessary to run. This is a known issue with the model. A work-around is to change the results folder, then change back to the original results folder and revalidate. To change the results folder, double click on the Results Folder process, and browse to *results-1*. Click *OK*. Repeat step one to change the Results Folder back to *results*. Validate the model again, all processes should be repaired.

After the model has run, the final output is an MS Excel® spreadsheet and the final MVA score is shown in the *Final_score* column. The MVA scores show the risk of encroachment to the training area of each installation, where the higher MVA score represents a higher risk of encroachment. The spreadsheet file should be located at C:\Models\Range-Encroachment\Output\Postprocessing_Output_ArcGIS\results-RUG\Rug-Output_Clean.xls.

Table 2. Example model output file.

		Final_score																	
A	B	C	D	E	F	G	H	I	J	K	L	M							
JECT	INSTALL	Growth 1mile	Growth 5mile	Growth 10mile	Pop_Den5	Pop_Den1	Pop_Den10	Final_score	Dev 100FP Year	Dev 100FP Year	Dev 500FP Year	Dev 500FP Year							
1	Aphill	0.09	0.09	0.59	0.07	0.12	0.35	1.32	21.58578626	8.194112967	6.463317836	11.94579884							
2	Benning	1.73	0.51	0.98	0.26	0.38	0.61	4.46	16.74608023	5.567094278	7.58422365	16.93937353							
3	Bliss	0.72	0.42	1.56	0.27	0.42	0.74	4.13	0	0	39.6568418	47.46215494							
4	Bragg	0.40	0.29	0.73	0.31	0.41	0.77	2.92	6.990478486	4.821019646	4.343000141	6.948396601							
5	Campbell	0.16	0.19	0.68	0.14	0.08	0.39	1.54	4.798906836	0.760727688	1.906439899	6.820959728							
6	Carson	0.57	0.34	0.64	0.17	0.11	0.59	2.42	30.34013605	15.10204082	24.34291329	37.87767133							
7	Dix	0.59	0.44	1.70	0.23	0.48	0.82	4.26	21.27487625	16.50671785	23.0246966	26.07570228							
8	Drum	0.19	0.10	0.33	0.05	0.07	0.16	0.91	8.47107438	2.685950413	2.808988764	7.784911717							
9	Hood	1.93	1.00	2.00	0.33	0.44	0.75	6.46	9.5253347	1.287553648	1.592251311	10.95825855							
10	Huachuca	0.32	0.14	0.65	0.17	0.67	0.28	2.23	24.55977757	21.68674699	12.25896317	21.78276269							
11	Iwin	0.09	0.05	0.14	0.00	0.00	0.00	0.27	6.694356218	0.537503054	16.49565904	19.16929755							
12	Jackson	2.00	0.53	1.19	0.86	1.86	1.70	8.13	12.28481479	3.565766852	6.219701573	13.91803389							
13	Knox	0.32	0.25	0.48	0.21	0.44	0.58	2.29	15.49588223	6.000513263	19.4779233	26.89829951							
14	Leonardwood	0.29	0.19	0.22	0.06	0.11	0.12	0.99	4.266055045	1.077981651	1.814807177	5.526912766							
15	Lewis	1.00	0.49	1.00	0.64	0.97	1.75	5.87	8.557951482	1.752021563	3.979143798	8.850164654							
16	Polk	0.08	0.04	0.12	0.03	0.03	0.09	0.39	2.757212152	2.757212152	2.553044678	2.553044678							
17	Richardson	1.28	0.62	1.20	1.00	2.00	2.00	8.10	17.38030714	2.547425474	3.636963696	19.22112211							
18	Riley	1.14	0.37	0.49	0.13	0.23	0.27	2.63	3.757058891	2.054281434	5.091032264	8.175120671							
19	Rucker	0.31	0.13	0.22	0.14	0.24	0.29	1.32	4.893841289	1.039000151	4.609869111	7.427199242							
20	Sill	1.05	0.40	0.52	0.20	0.49	0.36	3.02	14.21147763	4.665612291	6.926367935	16.02792164							
21	Stewart	0.95	0.67	1.63	0.14	0.07	0.40	3.86	18.82456916	8.197083517	6.123198384	11.55274029							
22	Wainright	0.00	0.00	0.00	0.06	0.08	0.14	0.28	0.59473549	0.587393076	13.63964519	14.47895601							

4 Known Issues and Limitations

Building new data with this model requires a substantial amount of memory and processing power. NetLogo reserves 100GB of RAM before running. Therefore, more than 100GB must be present in the computer before attempting to run.

NetLogo also takes a substantial amount execution time to run. It's not unusual for the process to take several hours complete, even on very powerful, modern computers.

5 Additional Help

Additional questions or concerns should be directed to the Program Manager of the Integrated Climate Assessment for Army Enterprise Planning program.

Paul M. Loechl
ERDC-CERL
Paul.M.Loechl@usace.army.mil
217-373-5892

Marty Garton
ERDC-ITL
Byron.m.garton@usace.army.mil
601-634-2888

Reference

Garton, B. M. 2019. *Analytical model software integration methods*. ERDC/ITL SR-19-4. Vicksburg, MS: U.S. Engineer Research and Development Center.

Appendix A: Acronyms and Abbreviations

Term	Definition
ASCII	American Standard Code for Information Interchange
CSV	Comma Separated Values
CONUS	Continental United States
DoD	Department of Defense
ERDC	Engineer Research and Development Center
ERDC-CERL	Engineer Research and Development Center-Construction Engineering Research Laboratory
ERDC-ITL	Engineer Research and Development Center-Information Technology Laboratory
GB	Gigabytes
GCM	Global Circulation Model
MVA	Military Value Analysis
NSN	National Supply Number
OMB	Office of Management and Budget
PM	Program Manager
RAM	Random Access Memory
RCP	Representative Concentration Pathway
RUG	Regional Urban Growth
SAR	Same As Report

SF	Standard Form
TB	Terabyte
USGS	U.S. Geological Survey
VM	Virtual Machine

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) July 2019		2. REPORT TYPE Final		3. DATES COVERED (From - To)	
4. TITLE AND SUBTITLE Range Encroachment Model User's Guide				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Byron M. Garton				5d. PROJECT NUMBER 402188	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Information Technology Laboratory U.S. Army Engineer Research and Development Center 3909 Halls Ferry Road Vicksburg, MS 39180-6199				8. PERFORMING ORGANIZATION REPORT NUMBER ERDC/ITL SR-19-12	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Corps of Engineers Washington, DC 20314-1000				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution is unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Encroachment of urban development upon military installations can be expected to have an impact on the Army's costs and ability to fulfill its missions due to issues relating to noise complaints, reduction of natural buffer land surrounding installation boundaries, light pollution effects on nighttime training operations, and other potential impacts to operations on installations. This model attempts to predict the effect of urban encroachment for several scenarios and various Department of Defense (DoD) installations. This document describes the process of executing the Range Encroachment Model, as it exists at the time of this writing, within the common computational environment established under the software integration effort of the Integrated Climate Assessment for Army Enterprise Planning work package.					
15. SUBJECT TERMS Military bases Cities and towns--Growth Land use--Planning					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES 25	19a. NAME OF RESPONSIBLE PERSON
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (include area code)